

---

## 13. LIST OF REFERENCES

*Two months in the lab may save you  
a couple of hours in the library.*

*When everything else fails,  
read the manual.*

I have a passion for reading. I spent time in public, shared and personal libraries, searching the literature and the Internet, exchanging papers, reports, maps and information with colleagues and friends, photocopying, printing, reading and digesting information on landslide recognition, mapping, susceptibility and hazard assessment, risk evaluation and mitigation, planning and policy making, and related topics. The following list of references is the result of this work.

A star (“★”) shown at the end of a reference indicates that I am the author or a co-author of the listed paper, report or map.

A

- [1] Adams, W.M., Bockington, D., Dyson, J. and Vira, B. (2003) Managing tragedies: understanding conflict over common pool resources. *Science*, 302: 1915-1916.
- [2] Agnesi, V., Carrara, A., Macaluso, T., Monteleone, S., Pipitone, G. and Sorriso-Valvo, M. (1983) Elementi tipologici e morfologici dei fenomeni di instabilità dei versanti indotti dal sisma del 1980 (alta valle del Sele). *Geologia Applicata e Idrogeologia*, 18:1 309-341 (in Italian).
- [3] Agostoni, S., Laffi, R. and Sciesa, E. (1997a) Centri abitati instabili della Provincia di Sondrio. *Regione Lombardia and CNR Gruppo Nazionale per la Difesa dalle Catastrofi Idrogeologiche Publication n. 1580*, Milano, maps at 1:10,000 scale, 59 p. (in Italian).
- [4] Agostoni, S., Laffi, R. and Rossetti, R. (1997b) Centri abitati instabili della Provincia di Pavia. *Regione Lombardia and CNR Gruppo Nazionale per la Difesa dalle Catastrofi Idrogeologiche Publication n. 1780*, Milano, maps at 1:10,000 scale, 59 p. (in Italian).
- [5] Agterberg, F.P., Bonham-Carter, G.F. and Wright, D.F. (1990) Statistical Pattern Integration for Mineral Exploration. In: Gaal, G. and Merriam, D.F. (eds.) *Computer Applications in Resource Estimation: Prediction and Assessment for Metals and Petroleum*, Pergamon, Oxford, 1-21.
- [6] Ahlberg, P., Stigler, B. and Viberg, L. (1988) Experiences of landslide risk considerations in land use planning in Sweden. *Proceedings 5th International Symposium on Landslides*, Lausanne, 2: 1091-1096.
- [7] Alcantara-Ayala, I. (2004) Hazard assessment of rainfall-induced landsliding in Mexico. *Geomorphology*, 61:1-2 19-40.

- [8] Ale, B.J.M. (1991) Risk analysis and risk policy in the Netherlands and the EEC. *Journal of Loss Prevention in the Process Industries*, 4: 58-64.
- [9] Aleotti, P. (2004) A warning system for rainfall-induced shallow failures. *Engineering Geology*, 73:3-4 247-265.
- [10] Aleotti, P. and Chowdhury, R. (1999) Landslide hazard assessment: summary review and new perspectives, *Bulletin of Engineering Geology and the Environment*, 58: 21-44.
- [11] Aleotti, P. and Polloni, G. (2000) Fractal structure of spatial distribution of landslides triggered by November 1994 heavy rain in the Piedimont region (North West Italy). In: *Internationales Symposium Interpraevent 2000 - Villach*, 1: 183-189.
- [12] Alexander, E.D. (1989) Urban landslides. *Progress in Physical Geography*, 13: 157-191.
- [13] Alexander, E.D. (1995) A survey of the field of natural hazards and disaster studies. In: Carrara, A. and Guzzetti, F. (eds.) *Geographical Information Systems in Assessing Natural Hazards*, Kluwer Academic Publisher, Dordrecht, The Netherlands, 1-19.
- [14] Alexander, E.D. (2000a) Confronting Catastrophe. Terra Publishing, Harpenden, 282 p.
- [15] Alexander, E.D. (2000b) Landslide risk estimation in Umbria Region. *Unpublished technical report for CNR IRPI*, Perugia, 110 p.
- [16] Alexander, E.D. (2002) Principles of emergency planning and management. Terra Publishing, Harpenden, 340 p.
- [17] Alexander, E.D. (2005) Vulnerability to landslides. In: Glade, T., Anderson, M.G. and Crozier, M.J. (eds.) *Landslide risk assessment*. John Wiley, 175-198.
- [18] Alger, C.S. and Brabb, E.E. (1986) Bibliography of United States landslide maps and reports. *U.S. Geological Survey Open-File Report 85-585*, 119 p.
- [19] Al-Homoud, A.S. and Al-Masri, G.A. (1999) CSEES: an expert system for analysis and design of cut slopes and embankments. *Environmental Geology*, 39:1, 75-89.
- [20] Al-Homoud, A.S. and Masanat, Y. (1998) A classification system for the assessment of slope stability of terrains along highway routes in Jordan. *Environmental Geology*, 34:1 59-69.
- [21] Allison, C., Sidle, R.C. and Tait, D. (2003) Application of Decision Analysis to Forest Road Deactivation in Unstable Terrain. *Environmental Management*, 33:2 173-185.
- [22] Allum, J.A.E. (1966) Photogeology and regional mapping. Institute of Geological Sciences, Photogeological Unit, Pergamon Press, Oxford, 107 p.
- [23] Almagià, R. (1907) Studi Geografici sopra le frane in Italia. Volume I, Parte generale - L'Appennino Settentrionale e il Preappennino Tosco-Romagnolo. *Società Geografica Italiana*, Roma, 13: 343 p. (in Italian).
- [24] Almagià, R. (1910) Studi Geografici sopra le frane in Italia. Volume II, L'Appennino centrale e meridionale - Conclusioni generali. *Società Geografica Italiana*, Roma, 14: 435 p. (in Italian).
- [25] Altimir, J., Altimir, R., Altimir, J.M., Altimir, J. and Amigó, J. (2003) Integrated Landslide Susceptibility Analysis and Hazard Assessment in the Principality of Andorra. *Natural Hazards*, 30:3 421-435.
- [26] Amadesi, E. (1977) Manuale di fotointerpretazione con elementi di fotogrammetria. Pitagora Editrice, Bologna, 182 p. (in Italian).
- [27] Amadesi, E. and Vianello, G. (1978) Nuova guida alla realizzazione di una carta di stabilità dei versanti. *Memorie Società Geologica Italiana*, 19: 53-60 (in Italian).
- [28] Amanti, M. (2000) The IFFI Project - Italian Landslides Inventory Project. *Proceedings 10th Congresso Ordine Nazionale dei Geologi, "Il territorio fragile"*, 7-10 december 2000, Roma.

- 
- [29] Amanti, M., Bertolini, G. and Damasco, M. (2001) The Italian Landslides Inventory - IFFI Project. In: *Proceedings of III Simposio Panamericano De Deslizamientos*, July 29 - August 2, 2001, Cartagena de Indias, Colombia, Sociedad Colombiana de Geotecnia, 1-2.
- [30] Annovi, A. and Simoni, G. (1993) Atlante dei centri abitati instabili dell'Emilia-Romagna. *CNR Gruppo Nazionale per la Difesa dalle Catastrofi Idrogeologiche Publication n. 1430*, 6 volumes (in Italian).
- [31] Anbalgan, R. (1992) Landslide hazard evaluation and zonation mapping in mountainous terrain. *Engineering Geology*, 32: 269-277.
- [32] Anbalagan, R. and Singh, B. (1996) Landslide hazard and risk assessment mapping of mountainous terrains—a case study from Kumaun Himalaya, India. *Engineering Geology*, 43: 237-246.
- [33] ANCOLD (1994) Guidelines on risk assessment. *Australian National Committee on Large Dams*, Sydney, 116 p.
- [34] ANCOLD (1997) Guidelines for the Design of Dams for Earthquake. *Australian National Committee on Large Dams*, Sidney, 98 p.
- [35] Anderson, L.R., Bowles, D.S., Pack, R.T. and Keaton, J.R. (1996) A risk-based method for landslide mitigation. In: Senneset, K. (ed.) *Landslides. Proceedings of the 7th International Symposium on Landslides*, Trondheim, 17-21 June 1996, 1: 135-140.
- [36] Antoine, P. (1977) Rêflexions sur la cartographie ZERMOS et bilan des esperiences en cours. *Bulletin Bureau des Recherches Géologiques et Minières*, 3:2 9-20 (in French).
- [37] Antoine, P. (1978) Glissements de terrains et aménagement de la montagne. *Bulletin de la Société Vaudoise de Sciences Naturelle*, 74/1, Estr. 353, 14 (in French).
- [38] Antonello, G., Casagli, N., Farina, P., Leva, D., Nico, G., Sieber, A.J. and Tarchi, D. (2004) Ground-based SAR interferometry for monitoring mass movements. *Landslides*, 1:1 21-28.
- [39] Antonini, G., Ardizzone, F., Cacciano, M., Cardinali, M., Castellani, M., Galli, M., Guzzetti, F., Reichenbach, P. and Salvati, P. (2002a) Rapporto Conclusivo Protocollo d'Intesa fra la Regione dell'Umbria, Direzione Politiche Territoriali Ambiente e Infrastrutture, ed il CNR-IRPI di Perugia per l'acquisizione di nuove informazioni sui fenomeni franosi nella regione dell'Umbria, la realizzazione di una nuova carta inventario dei movimenti franosi e dei siti colpiti da dissesto, l'individuazione e la perimetrazione delle aree a rischio da frana di particolare rilevanza, e l'aggiornamento delle stime sull'incidenza dei fenomeni di dissesto sul tessuto insediativo, infrastrutturale e produttivo regionale. Unpublished report, May 2002, 140 p. (in Italian). ★
- [40] Antonini, G., Ardizzone, F., Cardinali, M., Carrara, A., Detti, R., Galli, M., Guzzetti, F., Reichenbach, P., Sotera, M. and Tonelli, G. (2000) Rapporto Finale Convenzione fra il CNR, IRPI di Perugia e CSITE di Bologna, e la Regione Lombardia, Direzione Generale al Territorio ed Edilizia Residenziale, per lo sviluppo di tecniche e metodologie idonee alla produzione di carte della pericolosità e del rischio da frana in aree campione rappresentative del territorio della Regione Lombardia. Unpublished report, November 2000, 120 p. (in Italian). ★
- [41] Antonini, G., Ardizzone, F., Cardinali, M., Galli, M., Guzzetti, F. and Reichenbach, P. (2002b) Surface deposits and landslide inventory map of the area affected by the 1997 Umbria-Marche earthquakes. *Bollettino Società Geologica Italiana*, 121:2 843-853. ★
- [42] Antonini, G., Cardinali, M., Guzzetti, F., Reichenbach, P. and Sorrentino, A. (1993) Carta Inventario dei Fenomeni Franosi della Regione Marche ed aree limitrofe. *CNR Gruppo Nazionale per la Difesa dalle Catastrofi Idrogeologiche Publication n. 580*, 2 sheets, scale 1:100,000 (in Italian). ★
-

- [43] Ardizzone, F., Cardinali, M., Carrara, A., Guzzetti, F. and Reichenbach, P. (2002) Uncertainty and errors in landslide mapping and landslide hazard assessment. *Natural Hazards and Earth System Sciences*, 2:1-2 3-14. ★
- [44] Arora, M.K., Das Gupta, A.S. and Gupta, R.P. (2004) An artificial neural network approach for landslide hazard zonation in the Bhagirathi (Ganga) Valley, Himalayas. *International Journal of Remote Sensing*, 25: 559-572.
- [45] Asté, J.P. and Girault, F. (1995) GIS, SPOT, DEM and morphology of major land movements. In: Bell, D.H. (ed.) *Landslides. Proceedings of the 6th International Symposium*, Christchurch, 10-14 February 1991, 1539-1545.
- [46] Atkinson, P.M. and Massari, R. (1998) Generalised linear modelling of susceptibility to landsliding in the Central Apennines, Italy. *Computers & Geosciences*, 24:4 373-385.
- [47] Aulitzky, H. (1980) Preliminary two-fold classification of torrents. *Proceedings International Symposium INTERPRAEVENT 1980*, Bad-Ischl, 4: 285-309.
- [48] Australian Geomechanics Society (2000) Landslide risk management concepts and guidelines. Sub-committee on landslide risk management, *Australian Geomechanics*, March 2000, 49-92.
- [49] Ayalew, L. (1999) The effect of seasonal rainfall on landslides in the highlands of Ethiopia. *Bulletin of Engineering Geology and the Environment*, 58:1 9-19.
- [50] Ayalew, L. and Yamagishi, H. (2005) The application of GIS-based logistic regression for landslide susceptibility mapping in the Kakuda-Yahiko Mountains, Central Japan. *Geomorphology*, 65:1-2 15-31.
- [51] Ayalew, L., Yamagishi, H. and Ugawa, N. (2004) Landslide susceptibility mapping using GIS-based weighted linear combination, the case in Tsugawa area of Agano River, Niigata Prefecture, Japan. *Landslides*, 1:1 73-81.
- [52] Ayenew, T. and Barbieri, G. (2005) Inventory of landslides and susceptibility mapping in the Dessie area, northern Ethiopia. *Engineering Geology*, 77:1-2 1-15.
- [53] Azzoni, A., La Barbera, G. and Mazzà, G. (1991) Studio con modello matematico e con sperimentazione in sito del problema di caduta massi. *Bollettino Associazione Mineraria Subalpina*, Torino, 28:4 547-573 (in Italian).
- [54] Azzoni, A. and de Freitas, M.H. (1995) Experimentally gained parameters, decisive for rockfall analysis. *Rock Mechanics and Rock Engineering*, 28:2 111-124.
- [55] Azzoni, A., La Barbera, G. and Zaninetti, A. (1995) Analysis and prediction of rockfalls using a mathematical model. *International Journal Rock Mechanics Mineral Sciences & Geochemistry Abstract*, 32:7 709-724.
- B**
- [56] Baeza, C. and Corominas, J. (2001) Assessment of shallow landslide susceptibility by means of multivariate statistical techniques. *Earth Surface Processes and Landforms*, 26:12 1251-1263.
- [57] Bak, P., Tang, C. and Wiensefeld, K. (1987) Self-organized criticality: An explanation of 1/f noise. *Physical Review Letters*, 59: 381-384.
- [58] Bak, P., Tang, C. and Wiensefeld, K. (1988) Self-organized criticality. *Physical Review*, A38: 364-374.
- [59] Barchi, M., Brozzetti, F. and Lavecchia, G. (1991) Analisi strutturale e geometrica dei bacini della media valle del Tevere e della valle umbra. *Bollettino Società Geologica Italiana*, 110: 65-76 (in Italian)

- 
- [60] Barchi, M., Cardinali, M., Guzzetti, F. and Lemmi, M. (1993) Relazioni fra movimenti di versante e fenomeni tettonici nell'area del M. Coscerno - M. di Civitella, Val Nerina (Umbria). *Bollettino Società Geologica Italiana*, 112: 83-111 (in Italian). ★
- [61] Barret, R.K. and Pfeiffer, T. (1989) Rockfall modeling and attenuator testing. U.S. Department of Transportation, Federal Highway Administration, Final Report, 107 p.
- [62] Baker, V.R. (1994) Geomorphological understanding of floods. *Geomorphology*, 10: 139-156.
- [63] Barnard, P.L., Owen, L.A., Sharma, M.C. and Finkel, R.C. (2001) Natural and human-induced landsliding in the Garhwal Himalaya of northern India. *Geomorphology*, 40:1-2 21-35.
- [64] Barton, C. and Nishenko, S. (1994) Natural disasters - Forecasting economic and life losses. Selected Issues in the U.S. *Geological Survey Marine and Coastal Geology Program*, 4 p.
- [65] Bassato, G., Cocco, S. and Silvano, S. (1985) Programma di simulazione per lo scoscendimento di blocchi rocciosi. *Dendronatura*, 6:2 34-36 (in Italian).
- [66] Batabyal, A.A. and Beladi, H. (2001) Aspects of theory of financial risk management for natural disasters. *Applied Mathematics Letters*, 14: 875-880.
- [67] Baum, R.L., Crone, A.J., Escobar, D., Harp, E.L., Major, J.J., Martinez, M., Pullinger, C. and Smith, M.E. (2001) Assessment of landslide hazards resulting from the February 13, 2001, El Salvador earthquake; a report to the government of El Salvador and the U. S. Agency for International Development. *U.S. Geological Survey Open-File Report*, 2001-119, 21 p.
- [68] Baum, R.L., Chleborad, A.F. and Schuster, R. L. (1998) Landslides triggered by the winter 1996-97 storms in the Puget Lowland, Washington. *U.S. Geological Survey Open-File Report*, 98-239, 19 p.
- [69] Baum, R.L., Harp, E.L. and Hultman, W.A. (2000) Map showing recent and historic landslide activity on coastal bluffs of Puget Sound between Shilshole Bay and Everett, Washington. *U.S. Geological Survey Miscellaneous Field Studies Map*, MF-2346, scale 1:24,000.
- [70] Baum, R.L. and Johnson, A.M. (1996) Overview of landslide problems, research, and mitigation, Cincinnati, Ohio, area. *U.S. Geological Survey Bulletin*, A1-A33.
- [71] Baum, R.L., Schuster, R.L. and Godt, J.W. (1999) Map showing locations of damaging landslides in Santa Cruz County, California, resulting from 1997-98 El Nino rainstorms. *U.S. Geological Survey Miscellaneous Field Studies Map*, MF-2325-D, scale 1:125,000.
- [72] Bebbington, M.S. and Lai, C.D. (1996) On nonhomogeneous models for volcanic eruptions. *Mathematical Geology*, 28: 585-600.
- [73] Begueria, S. and Lorente, A. (1999) Landslide hazard mapping by multivariate statistics; comparison of methods and case study in the Spanish Pyrenees. *The Damocles project work, contract No EVG1-CT 1999- 00007, technical report*, 20 p.
- [74] Benda, L. and Zhang, W. (1990) Accounting for the stochastic occurrences of landslides when predicting sediment yields. *Proceedings Fiji Symposium, IAHS-AISH Publication 192*, 115-127.
- [75] Benedetti, A.I., Casagli, N., Dapporto, S., Calmieri, M. and Linoni, F. (2005) Modello statistico per la previsione operativa dei fenomeni franosi nella regione Emilia-Romagna. *Bollettino Società Geologica Italiana*, 124: 333-344 (in Italian).
- [76] Bernardino, P., Costantini, M., Franceschetti, G., Iodice, A., Pietranera, L. and Rizzo, V. (2003) Use of differential SAR interferometry in monitoring and modelling large slope instability at Maratea (Basilicata, Italy). *Engineering Geology*, 68:1-2 31-51.
- [77] Bernknopf, R.L., Campbell, R.H., Brookshire, D.S. and Shapiro, C.D. (1988) A probabilistic approach to landslide hazard mapping in Cincinnati, Ohio, with applications for economic evaluation. *Bulletin American Association of Engineering Geologists*, 25:1 39-56.
-

- [78] Bertolini, G., Canuti, P., Cassagli, N., De Nardo M.T., Egifi, D., Galliani, G., Genevois, r., Mainetti, M., Pignone, R., Pizzaiolo, M., Pomi, L. and Zinoni, F. (eds.) (2002) Carta della pericolosità relativa da frana ai fini di protezione civile. Regione Emilia Romagna, Direzione Generale Ambiente e Difesa del Suolo e della Costa, map at 1:250,000 (in Italian)
- [79] Bhasin, R., Grimstad, E., Larsen, J.O., Dhawan, A.K., Singh, R. and Verma, S.K. and Venkatachalam, K. (2002) Landslide hazards and mitigation measures at Gangtok, Sikkim Himalaya. *Engineering Geology*, 64:4 351-368.
- [80] Biarez, J., Boucek, B. and Pardo-Parga, D. (1988) Risque de glissement rapide d'un terrain argileux instable. In: Bonnard, Ch. (ed.) *Landslides. Proceedings of the 5th International Symposium on Landslides*, Lausanne, 10-15 July 1988, 2: 1107-111 (in French).
- [81] Binaghi, E., Luzi, L., Madella, P., Pergalani, F. and Rampini, A. (1998) Slope instability zonation: a comparison between certainty factor and Fuzzy Dempster–Shafer approaches. *Natural Hazards*, 17: 77-97.
- [82] Blackweel, B. (1989) United Nations Environment Programme. Environmental Data Report, Part 9, Natural Disasters. *GEMS Monitoring and Assessment Research Centre*, London, 479-504.
- [83] Blijmberg, H. (1998) Triggering and frequency of hillslope debris flows in the Bachelard valley, Southern French Alps. *International Institute for Aerospace Survey and Earth Sciences*, Enschede, 223 p.
- [84] Blodgett, T.A. (1998) Erosion rates on the NE escarpment of the Eastern Cordillera, Bolivia derived from aerial photographs and Thematic Mapper images. Unpublished Ph.D. Thesis, Cornell University, Ithaca, 139 p.
- [85] Blong, R.J. and Eyes, G.O. (1989) Landslides – Extent and economic significance in Australia, New Zealand and Papua New Guinea. In: Brabb, E.E. and Harrod, B.L. (eds.) *Landslides: Extent and economic significance*. A.A. Balkema Publisher, Rotterdam, 343-355.
- [86] Bolle, A. (1988) Estimation des risques entraînés par une grande excavation au pied d'un versant. In: Bonnard, Ch. (ed.) *Landslides. Proceedings of the 5. International Symposium on Landslides*, Lausanne, 10-15 July 1988, 2: 1111-1117.
- [87] Bommer, J.J. (2003) Uncertainty about uncertainty in seismic hazard analysis. *Engineering Geology*, 70 165-168.
- [88] Bommer, J.J. and Rodríguez, C.E. (2002) Earthquake-induced landslides in Central America. *Engineering Geology*, 63: 189-220.
- [89] Bonham-Carter, G.F. (1991) Integration of geoscientific data using GIS. In: Goodchild, M.F., Rhind, D.W. and Maguire, D.J. (eds.) *Geographic Information Systems: Principle and Applications*. Longdom, London, 171-184.
- [90] Bonham-Carter, G.F. (1994) *Geographic Information Systems for Geoscientists: Modelling with GIS*. Pergamon Press, Ottawa, 398 p.
- [91] Bonham-Carter, G.F., Agterberg, F.P. and Wright, D.F. (1989) Weights of evidence modeling: a new approach to mapping mineral potential. In: Agterberg, F.P. and Bonham-Carter, G.F. (eds.) *Statistical applications in the Earth Science*, Geological Survey of Canada Paper 89-9, Ottawa, Canada, 171-183.
- [92] Bonnard, Ch., Coraglia B., Durville J.L. and Forlati, F. (2004) Suggestions, guidelines and perspectives of development. In: Bonnard *et al.* (eds.) *Identification and mitigation of large landslide risks in Europe*. A.A. Balkema Publishers, 289-306.
- [93] Bonnard, Ch., Forlati, F. and Scavia, C. (eds.) (2004) *Identification and mitigation of large landslide risks in Europe*. A.A. Balkema Publishers, 317 p.

- 
- [94] Bonnard, Ch. and Glastonbury, J. (2005) Risk assessment for very large natural rock slopes. In: Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (eds.) *Landslide Risk Management*. A.A. Balkema Publishers, 335-349.
- [95] Borga, M., Dalla Fontana, G. and Cazorzi, F. (2002a) Analysis of topographic and climatic control on rainfall-triggered shallow landsliding using a quasi-dynamic wetness index. *Journal of Hydrology*, 268: 56-71.
- [96] Borga, M., Dalla Fontana, G. and De Ros, D. (1998) Shallow landslide hazard assessment using a physically based model and digital elevation data. *Environmental Geology*, 35: 81–88.
- [97] Borga, M., Dalla Fontana, G., De Ros, D. and Marchi, L. (2002b) Assessment of shallow landsliding by using a physically based model of hillslope stability. *Hydrological Processes*, 17:2 505-508.
- [98] Boschi, E., Favali, P., Frugoni, F., Scalera, G., Smaziglio, G. (1995) Maximum felt intensity in Italy. *Istituto Nazionale di Geofisica*, map at 1:1,500,000 scale (in Italian).
- [99] Boschi, E., Guidoboni, E., Ferrari, G., Valensise, G. and Gasperini, P. (1997) Catalogo dei forti terremoti in Italia dal 461 a.C. al 1990, *Istituto Nazionale di Geofisica*, Bologna (in Italian).
- [100] Boschi, E., Guidoboni, E., Ferrari, G. and Valensise, G. (1998) I Terremoti dell'Appennino Umbro-Marchigiano. Area sud orientale dal 99 a.C. al 1984. Istituto Nazionale di Geofisica and SGA-Storia Geofisica Ambiente, Tipografia Compositori Publisher, Bologna, 267 pp. (in Italian).
- [101] Bosi, C. (1978) Considerazioni e proposte metodologiche sulla elaborazione di carte della stabilità. *Geologia Applicata ed Idrogeologia*, 13: 246-281 (in Italian).
- [102] Bosi, C., Dramis, F. and Gentili, B. (1985) Carte geomorfologiche di dettaglio and indirizzo applicativo e carte di stabilità a base geomorfologica. *Geologia Applicata ed Idrogeologia*, 20:2 53-62 (in Italian).
- [103] Bozzano, F., Gambino, P., Prestininzi, A., Scarascia Mugnozza, G. and Valentini, G. (1998) Ground effects induced by Umbria-Marche earthquakes of September-October 1997, Central Italy. In: Moore, D. and Hungr, O. (eds.) *Proceedings of 8th International Congress of International Association for Engineering Geology and the Environment (IAEG)*, Vancouver, 21-25 September 1998, 825-830.
- [104] Bozzolo, D. and Pamini, R. (1986) Modello matematico per lo studio della caduta dei massi. Laboratorio di Fisica Terrestre ICTS, Dipartimento Pubblica Educazione, Lugano-Trevano, 89 p. (in Italian).
- [105] Brabb, E.E. (1981) Preparation and use of a landslide susceptibility map for a County near San Francisco, California, USA In: Sheco, A. (ed.) *Landslides and Mudflows*. Reports of Alma-Ata International Seminar, October 1981, 407-419.
- [106] Brabb, E.E. (1984) Innovative approaches to landslide hazard mapping. *Proceedings 4th International Symposium on Landslides*, Toronto, 1: 307-324.
- [107] Brabb, E.E. (1984) Minimum landslide damage in the United States, 1973-1983. *U.S. Geological Survey Open-File Report*, 84-486, 5 p.
- [108] Brabb, E.E. (1987) Analyzing and portraying geologic and cartographic information for landuse planning, emergency response and decision making in San Mateo County, California. In: *Proceedings, GIS'87*. American Society of Photogrammetry and Remote Sensing, Falls Church, VA, 362-374.
- [109] Brabb, E.E. (1989) Landslides – Extent and economic significance in the United States. In: Brabb, E.E. and Harrod, B.L. (eds.) *Landslides: Extent and economic significance*. A.A. Balkema Publisher, Rotterdam, 25-50.
-

- [110] Brabb, E.E. (1991) The World Landslide Problem. *Episodes*, 14:1 52-61.
- [111] Brabb, E.E. (1993) Proposal for world-wide landslide hazard maps. In: Novosad, S. and Wagner, P. (eds.) *Proceedings 7th International Conference and Field Workshop on Landslides*. A.A. Balkema Publisher, Rotterdam, 15-27.
- [112] Brabb, E.E. (1995) The San Mateo County California GIS project for predicting the consequences of hazardous geologic processes. In: Carrara, A. and Guzzetti, F. (eds.) *Geographical Information Systems in Assessing Natural Hazards*, Kluwer Academic Publisher, Dordrecht, The Netherlands, 299-234.
- [113] Brabb, E.E. (1996) Hazard maps are not enough. In: Chacon, J. and Irigary, C. (eds.) *Natural Hazards, Land-Use Planning and Environment*, Proceedings 6th Spanish Congress and International Conference on Environmental Geology and Land-Use Planning, 1: 331-335.
- [114] Brabb, E.E. (2002) Which governments provide the best laws and actions in dealing with landslides? In: Ciesielczuk, J. and Ostaficzuk, S. (eds.) *Landslide Hazard, Protective Measures Mitigation, Engineering Problems Triggering Mechanisms*, Proceedings 10th International Conference and Fieldtrip on Landslides, Warszawa-Krakow, Gdansk, 6-16 September 2002, 84-86.
- [115] Brabb, E.E., Colgan, J.P. and Best, T.C. (2000) Map showing inventory and regional susceptibility for Holocene debris flows and related fast-moving landslides in the conterminous United States: *U.S. Geological Survey Miscellaneous Field Studies Map*, MF-2329, online version available at <http://geopubs.wr.usgs.gov/map-mf/mf2329/>.
- [116] Brabb, E.E., Guzzetti, F., Mark, R. and Simpson, R.W. (1989) The Extent of Landsliding in Northern New Mexico and Similar Semi-Arid Regions. In: Sadler, D.M. and Morton, P.M. (eds.) *Landslides in a Semi-arid Environment*. Publications of the Inland Geological Society, 2, 163-173. ★
- [117] Brabb, E.E. and Harrod, B.L. (eds.) (1989) *Landslides: Extent and economic significance*. A.A. Balkema Publisher, Rotterdam, 385 p.
- [118] Brabb, E.E., Howell, D.G. and Cotton, W.R. (2002) A thumbnail sketch of what governments around the world are doing to reduce the consequence of landslides. In: Ciesielczuk, J. and Ostaficzuk, S. (eds.) *Landslide Hazard, Protective Measures Mitigation, Engineering Problems Triggering Mechanisms*, Proceedings 10th International Conference and Fieldtrip on Landslides, Warszawa-Krakow, Gdansk, 6-16 September 2002, 15-33.
- [119] Brabb, E.E. and Pampeyan, E.H. (1972) Preliminary map of landslide deposits in San Mateo County, California. *U.S. Geological Survey Miscellaneous Field Studies Map*, MF-344.
- [120] Brabb, E.E., Pampeyan, E.H. and Bonilla, M.G. (1978) Landslide susceptibility in San Mateo County, California. *U.S. Geological Survey Miscellaneous Field Studies Map*, MF-360, scale 1:62,500.
- [121] Brabb, E.E., Roberts, S., Cotton, W.R., Kropp, A.L., Wright, R.H. and Zinn, E.N. (2000) Possible costs associated with investigating and mitigating geologic hazards in rural areas of western San Mateo County, California with a section on using the USGS website to determine the cost of developing property for residences in rural parts of San Mateo County, California. *U.S. Geological Survey Open File Report 00-127*, 20 p.
- [122] Brabb, E.E., Wieczorek, G.F. and Harp, E.L. (1989) Map showing 1983 landslides in Utah. *U.S. Geological Survey Miscellaneous Field Studies Map* MF-1867.
- [123] Bradley, R.S., Diaz, H.F., Eischeid, J.K., Jones, P., Kelly, P. and Goodess, C. (1987) Precipitation fluctuations over Northern Hemisphere land areas since the mid-19th Century. *Science*, 237: 171-175.
- [124] Brand, E.W. (1985) Landslides in Hong Kong. *Proceedings 8th South-East Asian Geotechnical Conference*, Kuala Lumpur, 2: 107-122.



- 
- [125] Brand, E.W. (1988) Special lecture: Landslide risk assessment in Hong Kong. *Proceedings 5th International Symposium on Landslides*, Lausanne, 2: 1059-1074.
- [126] Brand, E.W. (1989) Occurrence and significance of landslides in Southeast Asia. In: Brabb, E.E. and Harrod, B.L. (eds.) *Landslides: Extent and economic significance*. A.A. Balkema Publisher, Rotterdam, 303-324.
- [127] Brand, E.W., Styles, K.A. and Burnett, A.D. (1982) Geotechnical land use maps for planning in Honk Kong. *Proceedings 4th Congress International Association Engineering Geologists*, New Delhi, 1: 145-153.
- [128] Brardinoni, F. and Church, M. (2004) Representing the landslide magnitude-frequency relation: Capilano River basin, British Columbia. *Earth Surface Processes and Landforms*, 29:1 115-124.
- [129] Brardinoni, F., Slaymaker, O. and Hassan, M.A. (2003) Landslide inventory in a rugged forested watershed: a comparison between air-photo and field survey data. *Geomorphology*, 54:3-4 179-196.
- [130] Broili, L. (1973) In situ tests for the study of rockfall. *Geologia Applicata e Idrogeologia*, 8:1 105-111 (in Italian).
- [131] Bromhead, E.N. (2005) Geotechnical structures for landslide risk reduction. In: Glade, T., Anderson, M.G. and Crozier, M.J. (eds.) *Landslide risk assessment*. John Wiley, 549-594.
- [132] Bromhead, E.N. and Ibsen M.-L. (2004) Bedding-controlled coastal landslides in Southeast Britain between Axmouth and the Thames Estuary. *Landslides*, 1:2 131-141.
- [133] Brown, C.E. (1998) Applied Multiple Statistics in Geohydrology and Related Sciences. Springer-Verlag, 248 p.
- [134] Brunetti, M., Buffoni, L., Maugeri, M. and Nanni, T. (2000) Precipitation intensity trends in Northern Italy. *International Journal of Climatology*, 20: 1017-1032.
- [135] Brunsten, D. (1985) Landslide types, mechanisms, recognition, identification. In: C.S. Morgan (ed.) *Landslides in the South Wales coalfield*, Proceedings Symposium Poly. of Wales, 19-28.
- [136] Brunsten, D. (1993) Mass movements; the research frontier and beyond: a geomorphological approach. *Geomorphology*, 7: 85-128.
- [137] Brunsten, D. (1999) Some geomorphological considerations for the future development of landslide models. *Geomorphology*, 30:1-2 13-24.
- [138] Brunsten, D., Doornkamp, P.G., Fookes, D.K.C. and Kelly, J.M.H. (1975) Large scale geomorphology mapping and highway engineering design. *Quarterly Journal of Engineering Geology*, 8: 227-253.
- [139] Brunsten, D. and Prior, D.B. (eds.) (1984) Slope Instability. John Wiley and Sons, 620 p.
- [140] Bucknam, R.C., Coe, J.A., Chavarria, M.M., Godt, J.W., Tarr, A.C., Bradley, L.-A., Rafferty, S., Hancock, D., Dart, R.L. and Johnson, M.L. (2001) Landslides Triggered by Hurricane Mitch in Guatemala - Inventory and Discussion. *U.S. Geological Survey Open File Report 01-443*, 38 p.
- [141] Budetta, P. (2002) Risk assessment from debris flows in pyroclastic deposits along a motorway, Italy. *Bulletin Engineering Geology and Environment*, 61:4 293-301.
- [142] Budetta, P. and Panico, M. (2002) Il metodo "Rockfall Hazard Rating System" modificato per la valutazione del rischio da caduta massi sulle vie di comunicazione. *Geologia Tecnica & Ambientale* 2/2002, 2-13 (in Italian).
- [143] Bulut, F., Boynukalin, S., Tarhan, S. and Ataoglu, E. (2000) Reliability of landslide isopleth maps. *Bulletin of Engineering Geology and the Environment*, 58:2 95-98.
-

- [144] Buma, J. and Dehn, M. (1998) A method for predicting the impact of climate change on slope stability. *Environmental Geology*, 35:2-3 190-196.
- [145] Bunce, C.M., Cruden, D.M. and Morgenstern, N.R. (1997) Assessment of the hazard from rock fall on a highway. *Canadian Geotechnical Journal*, 34: 344-356.
- [146] Burrough, P.A. and McDonnell, R.A. (1998) Principles of Geographical Information Systems. Oxford University press, Oxford, 333 p.
- [147] Burrough, P.A., van Gaans P.F.M. and MacMillan, R.A. (2001a) High resolution landform classification using fuzzy k-means. *Fuzzy Sets and Systems*, 113: 37-52.
- [148] Burrough, P.A., Wilson, J.P., van Gaans P.F.M. and Hansen, A.J. (2001b) Fuzzy k-means classification of topo-climatic data as an aid to forest mapping in the Greater Yellowstone Area, USA. *Landscape Ecology*, 16: 523-546.
- [149] Burke, T.J., Sattler, D.N. and Terich, T. (2002) The socioeconomic effects of a landslide in Western Washington Global Environmental Change Part B. *Environmental Hazards*, 4:4 129-136.
- [150] Burnett, A.D., Brand, E.W. and Styles, K.A. (1985) Terrain classification mapping for a landslide inventory in Honk Kong. *Proceedings 4th International Conference and Field Workshop on Landslides*, Tokyo, 63-68.
- [151] Burton, A. and Bathurst, J.C. (1998) Physically based modelling of shallow landslide sediment yield at a catchment scale. *Environmental Geology*, 35:2.3 89-99.
- [152] Burton, A., Arkell, T.J. and Bathurst, J.C. (1998) Field variability of landslide model parameters. *Environmental Geology*, 35:2-3 100-114.
- [153] Burton, I., Kates, R.W. and White, G.F. (1993) The environment as hazard, 2nd edition. Guilford Press, New York, 290 p.
- [154] Butler, D.R. and DeChano, L.M. (2005) Landslide risk perception, knowledge and associated risk management: case studies and general lessons from Glacier National Park, Montana, USA. In: Glade, T., Anderson, M.G. and Crozier, M.J. (eds.) *Landslide risk assessment*. John Wiley, 201-218.
- [155] Butler, D.R., Oelfke, J.G. and Oelfke, L.A. (1987) Historic rockfall avalanches, Northwestern Glacier National Park, Montana, USA. *Mountain Research and Development*, 6:3 261-271.

**C**

- [156] Calabresi, G. and Scarpelli, G. (1984) A typical earthflow in a weathered clay ad Todi. *Proceedings IV International Symposium on Landslides*, Toronto, 2: 175-180.
- [157] Calcaterra, D., Parise, M. and Palma, B. (2003) Combinino historical and geological data for the assessment of the landslide hazard: a case study from Campania, Italy. *Natural Hazards and Earth System Sciences*, 3:1-2 3-16.
- [158] Calcaterra, D. and Santo, A. (2004) The January 10, 1997 Pozzano landslide, Sorrento Peninsula, Italy. *Engineering Geology*, 75:2 181-200.
- [159] Campbell, R.H. (1973) Isopleth map of landslide deposits, Point Dume Quadrangle, Los Angeles County, California; an experiment in generalizing and quantifying areal distribution of landslides. *U.S. Geological Survey Miscellaneous Field Studies Map MF-535*, scale 1:24,000.
- [160] Campbell, R.H. (1975) Soil slips, debris flows and rainstorms in the Santa Monica Mountains and vicinity, Southern California. *U.S. Geological Survey Professional Paper 851*, Denver, Colorado, 51 p.

- 
- [161] Campbell, R.H. (1985) Methods and costs for delineation of susceptibility to mudflows and other landslides. In: Campbell, R.H. (ed.) *Feasibility of a nation wide problem for the identification and delineation of hazards from mudflows and other landslides*. U.S. Geological Survey Open File Report 85/276 C1-C4.
- [162] Campus, S., Forlati, F. and Pegoraro, C. (1999) Studio propedeutico alla valutazione della pericolosità geologica inerente l'instabilità dei versanti mediante tecniche GIS ed approccio statistico multivariato. In: Regione Piemonte (ed.) *Eventi alluvionali in Piemonte, Regione Piemonte, Torino*, 288-295 (in Italian).
- [163] Canadian Standards Association (1991) Risk analysis requirements and guidelines. Toronto, Ontario, CAN/CSA-634-91.
- [164] Canceill, M. (1983) Risques naturels et théorie mathématique du risque. *Hydrogéologie - Géologie de l'Ingénieur*, 2: 137-146 (in French).
- [165] Cancelli, A. (1977) Residual shear strength and stability analysis of a landslide in fissured overconsolidated clays. *Bullettin IAEG*, 16: 193-197.
- [166] Cancelli, A. and Casagli, N. (1995) Classificazione e modellazione di fenomeni di instabilità in ammassi rocciosi sovrapposti ad argilliti o argille sovraconsolidate. *Memorie Società Geologica Italiana*, 50: 83-100 (in Italian).
- [167] Cancelli, A., Chinaglia, N. and Mazzoccola, D. (1991) Fenomeni di espansione laterale nell'Appennino Settentrionale. *Proceedings workshop "Movimenti franosi e metodi di stabilizzazione"*, Potenza, 16-17 January 1992, 43-68 (in Italian).
- [168] Cancelli, A. and Crosta, G. (1993) Hazard and risk assessment in rockfall prone areas. In: Skipp, B.O. (ed.) *Risk and Reliability in Ground Engineering*, Institute of Civil Engineering, Thomas Telford, 177-190.
- [169] Cancelli, A. and Pellegrini, M. (1987) Deep-seated gravitational deformations in the Northern Apennines, Italy. *Proceedings 5th International Conference and Field Workshop on Landslides*, Japan, 171-178.
- [170] Cancelli, A., Pellegrini, M. and Tonnetti, G. (1984) Geological features of landslides along the Adriatic coast, Central Italy. *Proceedings 4th International Symposium on Landslides*, Toronto, 2: 7-12.
- [171] Cancelli, A., Pellegrini, M., Tosatti, M. and Bertolini, G. (1987) Alcuni esempi di deformazioni gravitative profonde di versante nell'Appennino settentrionale. *Memorie Società Geologica Italiana*, 39: 447-466 (in Italian).
- [172] Canuti, P. (1982) Ambienti geologici investigati nell'ambito del Sottoprogetto Fenomeni Franosi, Convegno Conclusivo del Progetto Finalizzato Conservazione del Suolo, Relazione Generale, Sottoprogetto Fenomeni Franosi, 9-10 June 1982, Roma, 227-234 (in Italian).
- [173] Canuti, P. (1997) Cartografia della pericolosità da frana ai fini di protezione civile. Relazione Finale. *Regione Emilia Romagna, Servizio di Protezione Civile*, Bologna, 35 p. (in Italian).
- [174] Canuti, P. and Casagli, N. (1996) Considerazioni sulla valutazione del rischio di frana. Atti del Convegno Fenomeni Franosi e Centri Abitati, Bologna, 27 May 1994, *CNR Gruppo Nazionale per la Difesa dalle Catastrofi Idrogeologiche Publication n. 846*, 57 p. (in Italian).
- [175] Canuti, P., Casagli, N. and Ermini, L. (2004) Landslide activity as a geoindicator in Italy: significance and new perspectives from remote sensing. *Environmental Geology*, 45:7 907-919.
- [176] Canuti, P., Marcucci, E., Trastulli, S., Ventura, P. and Vincenti, G. (1986) Studi per la stabilizzazione della frana di Assisi. *Proceedings XVI Convegno Nazionale Geotecnica*, Bologna, 14-16 May 1986, 1, 165-174 (in Italian).
-

- [177] Capococere, P., Martini, E. and Peronacci, M. (1993) Sistemi di monitoraggio del colle di Todi. *Studio Monitoraggio e Bonifica dei Centri Abitati Instabili*, ENEA, Roma, 67-71 (in Italian).
- [178] Capolongo, D., Refice, A. and Mankelov, J. (2002) Evaluation earthquake-triggered landslide hazard at the basin scale through GIS in the Upper Sele River valley. *Surveys in Geophysics*, 23: 595-625.
- [179] Capecchi, F. and Focardi, P. (1988) Rainfall and landslides: research into a critical precipitation coefficient in an area of Italy. *Proceedings 5th International Symposium on Landslides*, Lausanne.
- [180] Capra, L., Macias, J.L., Scott, K.M., Abrams, M. and Garduno-Monroy, V.H. (2002) Debris avalanches and debris flows transformed from collapses in the Trans-Mexican Volcanic Belt, Mexico – Behavior, and implication for hazard assessment. *Journal of Volcanology and Geothermal Research*, 113: 81-110.
- [181] Cardinali, M., Antonini, G., Reichenbach, P. and Guzzetti, F. (2001) Photo-geological and landslide inventory map for the Upper Tiber River basin. *CNR Gruppo Nazionale per la Difesa dalle Catastrofi Idrogeologiche Publication n. 2154*, scale 1:100,000. ★
- [182] Cardinali, M., Ardizzone, F., Galli, M., Guzzetti, F. and Reichenbach P. (2000) Landslides triggered by rapid snow melting: the December 1996-January 1997 event in Central Italy. In: Claps, P. and Siccardi, F. (eds.) *Proceedings 1st Plinius Conference*, Maratea, Bios Publisher, Cosenza, 439-448. ★
- [183] Cardinali, M., Carrara, A., Donzellini, G., Giovetti, S., Guzzetti, F., Menegatti, P., Reichenbach, P. and Tonelli, G. (1998a) MAPPAVI. Software per la visualizzazione del Catalogo delle informazioni storiche sulle località colpite da frane ed inondazioni censite dal progetto AVI, release 1.2, *CNR Gruppo Nazionale per la Difesa dalle Catastrofi Idrogeologiche Publication n. 1800* (in Italian). ★
- [184] Cardinali, M., Carrara, A., Guzzetti, F. and Reichenbach, P. (2002b) Landslide hazard map for the Upper Tiber River basin. *CNR Gruppo Nazionale per la Difesa dalle Catastrofi Idrogeologiche Publication n. 2116*, scale 1:100,000. ★
- [185] Cardinali, M., Cipolla, F., Guzzetti, F., Lolli, O., Pagliacci, S., Reichenbach, P., Sebastiani, C. and Tonelli, G. (1998b) Catalogo delle informazioni sulle località italiane colpite da frane e da inondazioni. *CNR Gruppo Nazionale per la Difesa dalle Catastrofi Idrogeologiche Pubblicazione n. 1799*, 2 volumes (in Italian). ★
- [186] Cardinali, M., Galli, M., Ardizzone, F., Reichenbach P. and Guzzetti, F. (2004) Analysis of landslide occurrence in the Collazzone Area, central Umbria, Italy. *Geophysical Research Abstracts*, 6: 02792, SRef-ID: 1607-7962/gra/EGU04-A-02792. ★
- [187] Cardinali, M., Galli, M., Guzzetti, F., Ardizzone, F., Reichenbach, P. and Bartoccini, P. (2005, submitted) Rainfall induced landslides in December 2004 in South-Western Umbria, Central Italy. *Natural Hazards and Earth System Science*. ★
- [188] Cardinali, M., Galli, M., Guzzetti F., Reichenbach, P. and Borri, G. (1994) Relazioni fra movimenti di versante e fenomeni tettonici nel bacino del Torrente Carpina (Umbria settentrionale). *Geografia Fisica e Dinamica Quaternaria*, 17: 3-17 (in Italian). ★
- [189] Cardinali, M., Guzzetti, F. and Brabb, E.E. (1990) Preliminary map showing landslide deposits and related features in New Mexico. *U.S. Geological Survey Open File Report 90/293*, 4 sheets, scale 1:500,000. ★
- [190] Cardinali, M., Reichenbach, P., Guzzetti, F., Ardizzone, F., Antonini, G., Galli, M., Cacciano, M., Castellani, M. and Salvati, P. (2002a) A geomorphological approach to estimate landslide hazard and risk in urban and rural areas in Umbria, central Italy. *Natural Hazards and Earth System Science*, 2:1-2 57-72. ★

- 
- [191] Carrara, A. (1978) Considerazioni sulla cartografia applicata alla stabilità dei versanti. Seminario Sottoprogetto Fenomeni Franosi, March 1978, Bari, 11 p. (in Italian).
- [192] Carrara, A. (1982) Cartografia tematica, stoccaggio ed elaborazione dati. Convegno Conclusivo Progetto Finalizzato Conservazione del Suolo, Relazione Generale, Sottoprogetto Fenomeni Franosi, 9-10 June 1982, Roma, 265-281 (in Italian).
- [193] Carrara, A. (1983) A multivariate model for landslide hazard evaluation. *Mathematical Geology*, 15: 403-426.
- [194] Carrara, A. (1988) Drainage and divide networks derived from high-fidelity digital terrain models. In: Chung, C.-J. F., et al. (eds.) *Quantitative analysis of mineral and energy resources*. NATO-ASI Series, D. Reidel Publishing Co., Dordrecht, 581-597.
- [195] Carrara, A. (1989) Landslide hazard mapping by statistical methods: a “black-box” model approach. In: Siccardi, F. and Bras, R. (eds.) *International Workshop on Natural Disasters in European-Mediterranean Countries*, Perugia, 27 June-1 July 1989, CNR-US NFS, 427-445.
- [196] Carrara, A. (1992) Landslide hazard assessment. *Proceeding 1st Symposio Internazionale Sensores Remotos y Sistema de Informativo Geografico para el Studio de Resorces Naturales*, 10-12 March, Bogotá, 329-355.
- [197] Carrara, A., Agnesi, V., Macaluso, T., Monteleone, S., Pipitone, G., Reali, C. and Sorriso-Valvo, M. (1985) Modelli geomatematici per la valutazione della pericolosità connessa ai fenomeni di instabilità dei versanti. *Geologia Applicata e Idrogeologia*, 20:2 63-91 (in Italian).
- [198] Carrara, A., Bitelli, G. and Carlà, R. (1997) Comparison of techniques for generating digital terrain models from contour lines. *International Journal Geographical Information System* 11: 451-473.
- [199] Carrara, A., Cardinali, M., Detti, R., Guzzetti, F., Pasqui, V. and Reichenbach, P. (1991a) GIS Techniques and statistical models in evaluating landslide hazard. *Earth Surface Processes and Landform* 16:5 427-445. ★
- [200] Carrara, A., Cardinali, M., Detti, R., Guzzetti, F., Pasqui, V. and Reichenbach, P. (1991b) Geographical information systems and mutivariate models in landslide hazard evaluation. *Proceedings ALPS 90 6th International Conference and Field Workshop on Landslides*, Milan, 12 September 1990, 17-28. ★
- [201] Carrara, A., Cardinali, M. and Guzzetti, F. (1992) Uncertainty in assessing landslide hazard and risk”. *ITC Journal*, 2: 172-183. ★
- [202] Carrara, A., Cardinali, M., Guzzetti, F. and Reichenbach, P. (1995) GIS technology in mapping landslide hazard. In: Carrara, A. and Guzzetti, F. (eds.) *Geographycal Information Systems in Assessing Natural Hazards*. Kluwer Academic Publisher, Dordrecht, The Netherlands, 135-175. ★
- [203] Carrara, A., Carton, A., Dramis, F., Panizza, M. and Prestininzi, A. (1987) Cartografia della pericolosità connessa ai fenomeni di instabilità dei versanti. *Bollettino Società Geologica Italiana*, 106: 199-221 (in Italian).
- [204] Carrara, A., Catalano, E., Sorriso-Valvo, M., Reali, C. and Orso, I. (1978) Digital terrain analysis for land evaluation. *Geologia Applicata ed Idrogeologia*, 13: 69-117.
- [205] Carrara, A., Crosta, G.B. and Frattini, P. (2003) Geomorphological and historical data in assessing landslide hazard. *Earth Surface Processes and Landforms*, 28:10 1125-1142.
- [206] Carrara, A., D’Elia, B. and Semenza, E. (1983) Classificazione e nomenclatura dei fenomeni franosi. *Geologia Applicata e Idrogeologia*, 18:3 201-221 (in Italian).
-

- [207] Carrara, A. and Guzzetti, F. (eds.) (1995) Geographical Information Systems in Assessing Natural Hazards. Kluwer Academic Publisher, Dordrecht, The Netherlands, 353 p. ★
- [208] Carrara, A., Guzzetti, F., Cardinali, M. and Reichenbach, P. (1998) Current limitations in modeling landslide hazard. In: Buccianti, A., Nardi, G. and Potenza, R. (eds.) *Proceedings of International Association for Mathematical Geology 1998 Annual Meeting (IAMG'98)*, Ischia, Italy, October 1998, 195-203. ★
- [209] Carrara, A., Guzzetti, F., Cardinali, M. and Reichenbach, P. (1999) Use of GIS Technology in the Prediction and Monitoring of Landslide Hazard. *Natural Hazards*, 20:2-3 117-135. ★
- [210] Carrara, A. and Merenda, L. (1974) Metodologia per un censimento degli eventi franosi in Calabria. *Geologia Applicata e Idrogeologia*, 9: 237-355 (in Italian).
- [211] Carrara, A., Pugliese-Carratelli, E. and Merenda, L. (1977) Computer based data bank and statistical analysis of slope instability phenomena. *Zeitschrift für Geomorphologie N.F.*, 21:2 187-222.
- [212] Carrara, A., Sorriso-Valvo, M. and Reali, C. (1982) Analysis of landslide form and incidence by statistical technique, Southern Italy. *Catena*, 9: 35-62.
- [213] Carrara, P.E. and Dethier, D.P. (1999) Preliminary map of landslide deposits in the Los Alamos 30' x 60' quadrangle, New Mexico. *U.S. Geological Survey Miscellaneous Field Studies Map*, MF-2328, scale 1:100,000.
- [214] Carrasco, R.M., Pedraza, J., Martin-Duque, J.F., Mattera, M., Sanz, M.A. and Bodoque, J.M. (2003) Hazard Zoning for Landslides Connected to Torrential Floods in the Jerte Valley (Spain) by using GIS Techniques. *Natural Hazards*, 30:3 361-381.
- [215] Carrillo-Gil, A. and Carrillo-Delgado, E. (1988) Landslides risk in the Peruvian Andes. In: Bonnard, Ch. (ed.) *Landslides. Proceedings of the 5th International Symposium on Landslides*, Lausanne, 10-15 July 1988, 2: 1137-1142.
- [216] Carvalho Vieira, B. and Ferreira Fernandes, N. (2004) Landslides in Rio de Janeiro: The role played by variations in soil hydraulic conductivity. *Hydrological Processes*, 18:4 791-805.
- [217] Casale and Margottini (eds.) (1996) Meteorological Events and Natural Disasters. An appraisal of the Piedmont (North Italy) case history of 4-6 November 1994 by CEC field mission. Arti Grafiche Tilligraf S.p.A., Roma, 96 p.
- [218] Casadei, M., Dietrich, W.E. and Miller, N.L. (2003) Testing a model for predicting the timing and location of shallow landslide initiation in soil-mantled landscapes. *Earth Surface Processes and Landforms*, 28:9 925-950.
- [219] Cascini, L., Bonnard, Ch., Corominas, J., Jibson, R. and Montero-Olarte, J. (2005) Landslide hazard and risk zoning for urban planning and development. In: Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (eds.) *Landslide Risk Management*. A.A. Balkema Publishers, Rotterdam, 199-235.
- [220] Castaños, H. and Lomnitz, C. (2002) PSHA: is it science? *Engineering Geology*, 66: 315-317.
- [221] Catani, F., Farina, P., Moretti, S., Nico, G and Strozzi, T. (2005) On the application of SAR interferometry to geomorphological studies: estimation of landform attributes and mass movements. *Geomorphology*, 66:1-4 119-131.
- [222] Catenacci, V. (1992) Il dissesto geologico e geoambientale in Italia dal dopoguerra al 1990. *Memorie Descrittive della Carta Geologica d'Italia, Servizio Geologico Nazionale*, 47: 301 p. (in Italian).
- [223] Cazzaniga, C. and Sciesa, E. (eds.) (2001) Valutazione della pericolosità e de rischio da frana in Lombardia. Regione Lombardia, Territorio ed Urbanistica, 2 volumes and 4 maps at 1:10,000 scale (in Italian).

- 
- [224] Cecere, V. and Lembo-Fazio, A. (1996) Condizioni di sollecitazioni indotte dalla presenza di una placca lapidea su un substrato deformabile. *Proceedings XVI Convegno Nazionale Geotecnica*, Bologna, 14-16 May 1986, 1: 191-202 (in Italian).
- [225] CENR/IWGEO (2005) Strategic Plan for the U.S. Integrated Earth Observation System. National Science and Technology Council Committee on Environment and Natural Resources, Washington, D.C., available at <http://iwgeo.ssc.nasa.gov>.
- [226] Cencetti, C. (1990) Il Villafranchiano della "riva umbra" del F. Tevere: elementi di geomorfologia e di neotettonica. *Bollettino Società Geologica Italiana*, 109:2, 337-350 (in Italian).
- [227] Cencetti, C., Conversini, P., Ribaldi, C. and Tacconi, P. (1998) The landslide in Valderchia near Gubbio, Umbria, Central Italy. *Proceedings 8th International Congress International Association for Engineering Geology and the Environment*. Moore, D. and Hungr, O. (eds.) A.A. Balkema Publishers, Rotterdam, 1469-1476.
- [228] Çevik, E. and Topal, T. (2003) GIS-based landslide susceptibility mapping for a problematic segment of the natural gas pipeline, Hendek (Turkey). *Environmental Geology*, 44:8 949-962.
- [229] Çevik, E. and Topal, T. (2004) Topal Relocation of a Problematic Segment of a Natural Gas Pipeline Using GIS-Based Landslide Susceptibility Mapping, Hendek (Turkey). *Lecture Notes in Earth Sciences*, 104: 265-274.
- [230] Chandler, J.H. (1999) Effective application of automated digital photogrammetry for geomorphological research. *Earth Surface Processes and Landforms*, 24:1 51-63.
- [231] Chandler, J.H. and Brunsdon, D. (1995) Steady state behaviour of the Black Ven mudslide: the application of archival analytical photogrammetry to studies of landform change. *Earth Surface Processes and Landforms*, 20:3 255-275.
- [232] Chandler, J.H. and Cooper, M.A.R. (1989) The extraction of positional data from historical photographs and their application to geomorphology. *Photogrammetric Record*, 13:73 69-78.
- [233] Chang, J.-C. and Slaymaker, O. (2002) Frequency and spatial distribution of landslides in a mountainous drainage basin: Western Foothills, Taiwan. *Catena*, 46:4 285-307.
- [234] Chatterton, A. (2004) Qualitative analysis of partial risk and specific value of risk from roads, landslides and gullies: San Juan River watershed, Vancouver Island, British Columbia. In: Wise *et al.* (eds.) *Landslide Risk Case Studies in Forest Development Planning and Operations*. B.C., Ministry of Forests, Forest Science Program, Abstract of Land Management Handbook 56, 27-36.
- [235] Chau, K.T., Sze, Y.L., Fung, M.K., Wong, W.Y., Fong, E.L. and Chan, L.C.P. (2004) Landslide hazard analysis for Hong Kong using landslide inventory and GIS. *Computers and Geosciences*, 30:4 429-443.
- [236] Chau, K.T., Wong, R.H.C., Liu, J. and Lee, C.F. (2003) Rockfall Hazard Analysis for Hong Kong Based on Rockfall Inventory. *Rock Mechanics and Rock Engineering*, 36:5 383-408.
- [237] Chau, K.T., Wong, R.H.C. and Wu, J.J. (2002) Coefficient of restitution and rotational motions of rockfall impacts. *International Journal of Rock Mechanics & Mining Sciences*, 39: 69-77.
- [238] Chen, H. and Lee, C.F. (2003) A dynamic model for rainfall-induced landslides on natural slopes. *Geomorphology*, 51:4, 269-288.
- [239] Chen, H. and Lee, C.F. (2004) Geohazards of slope mass movement and its prevention in Hong Kong. *Engineering Geology*, 76:1-2, 3-25.
-

- [240] Cheng, K.S., Wei, C. and Chang, S.C. (2004) Locating landslides using multi-temporal satellite images. *Advances in Space Research*, 33:3 96-301.
- [241] Chigira, M., Duan, F., Yagi, H. and Furuya, T. (2004) Using airborne laser scanner for the identification of shallow landslides and susceptibility assessment in an area of ignimbrite overlain by permeable pyroclastics. *Landslides*, 1:3 203-209.
- [242] Chleborad, A.F. and Powers, P.S. (1996) Slope map and locations of irrigation-induced landslides and seepage areas, Hagerman Fossil Beds National Monument, Idaho. *U.S. Geological Survey Open-File Report*, 96-258.
- [243] Chowdhury, R.N. (1980) Probabilistic evaluation of natural slope failure. *Proceedings International Conference on Protection from Natural Disaster*, A.I.T., Bangkok, 605-615.
- [244] Chowdhury, R.N. (1988) Analysis methods for assessing landslide risk - recent development. *Proceedings 5th International Symposium on Landslides*, Lausanne, 1: 515-525.
- [245] Chowdhury, R.N. (1996) Aspects of risk assessment for landslides. In: Senneset, K. (ed.) *Landslides. Proceedings of the 7th International Symposium on Landslides*, Trondheim, 17-21 June 1996, 1: 183-188.
- [246] Chowdhury, R.N. and Flentje, P. (2002) Uncertainties in rainfall-induced landslide hazard. *Engineering Geology and Hydrogeology*, 35:1, 61-70.
- [247] Chowdhury, R.N. and Flentje, P. (2003) Role of slope reliability analysis in landslide risk management. *Bulletin of Engineering Geology and the Environment*, 62:1 47-56.
- [248] Christian, J.T., Ladd, C.C. and Gregory, B.B. (1994) Reliability applied to slope stability analysis. *Journal of Geotechnical Engineering*, ASCE, 120/4 2180-2207.
- [249] Chung C.-J. F. and Fabbri, A.G., (1993) The representation of geoscience information for data integration. *Nonrenewable Resources*, 2:2 122-139.
- [250] Chung C.-J. F. and Fabbri, A.G. (1998) Three Bayesian prediction models for landslide hazard, In: Buccianti, A., Nardi, G. and Potenza, R. (eds.) *Proceedings of International Association for Mathematical Geology 1998 Annual Meeting (IAMG'98)*, Ischia, Italy, October 1998, 204-211.
- [251] Chung C.-J. F. and Fabbri, A.G. (1999) Probabilistic prediction models for landslide hazard mapping. *Photogrammetric Engineering & Remote Sensing*, 65:12 1389-1399.
- [252] Chung C.-J. F. and Fabbri, A.G. (2001) Prediction models for landslide hazard using a fuzzy set approach. In: Marchetti M. and Rivas, V. (eds.) *Geomorphology and Environmental Impact Assessment*, A.A. Balkema, Rotterdam, 31-47.
- [253] Chung C.-J. F. and Fabbri, A.G. (2002) Modeling the conditional probability of the occurrences of future landslides in a study area characterized by spatial data. *Proceedings ISPRS 2002*, Ottawa, Canada, July 8-12, 2002, CD.
- [254] Chung C.-J. and Fabbri, A.G. (2003) Validation of Spatial Prediction Models for Landslide Hazard Mapping. *Natural Hazards*, 30:3 451-472.
- [255] Chung C.-J. F. and Fabbri, A.G. (2005a) Spatial prediction of the occurrences of future landslides and their validations. In: Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (eds.) *Landslide Risk Management*. A.A. Balkema Publishers, Cd-Rom, 10 p.
- [256] Chung C.-J. F. and Fabbri, A.G. (2005b) Systematic procedures of landslide hazard mapping for risk assessment using spatial prediction models. In: Glade, T., Anderson, M.G. and Crozier, M.J. (eds.) *Landslide risk assessment*. John Wiley, 139-174.
- [257] Chung C.-J. F., Fabbri, A.G. and van Westen, C.J. (1995) Multivariate regression analysis for landslide hazard zonation. In: Carrara, A. and Guzzetti, F. (eds.) *Geographical Information Systems in Assessing Natural Hazards*, Kluwer Academic Publisher, Dordrecht, The Netherlands, 107-142.



- 
- [258] Chung, C.-J, Kojima, H. and Fabbri, A.G. (2002) Stability analysis of prediction models for landslide hazard mapping. In: Allison, R.J. (ed.) *Applied Geomorphology: Theory and Practice*. New York, John Wiley and Sons, 3-19.
- [259] Clerici, A., Perego, S., Tellini, C. and Vescovi, P. (2002) A procedure for landslide susceptibility zonation by the conditional analysis method. *Geomorphology*, 48: 349-364.
- [260] Cocco, S. (1993) Frane di crollo: definizione dei coefficienti di dissipazione dell'energia. *Acta Geologica*, Trento, 68: 3-30 (in Italian).
- [261] Coe, J.A., Godt, J.W., Brian, D. and Houdre, N. (1999) Map showing locations of damaging landslides in Alameda County, California, resulting from 1997-98 El Nino rainstorms. *U.S. Geological Survey Miscellaneous Field Studies Map*, MF-2325-B, scale 1:125,000.
- [262] Coe, J.A., Godt, J.W. and Tachker, P. (2004) Map showing recent (1997-98 El Nino) and historical landslides, Crow Creek and vicinity, Alameda and Contra Costa Counties, California. *U.S. Geological Survey Scientific Investigations Map*, SIM-2859, 16 p., scale 1:18,000.
- [263] Coe, J.A., Michael, J.A., Crovelli, R.A. and Savage, W.Z. (2000) Preliminary map showing landslide densities, mean recurrence intervals, and exceedance probabilities as determined from historic records, Seattle, Washington. *U.S. Geological Survey Open-File Report*, 00-303.
- [264] Cohen, J. (1960). A coefficient of agreement for nominal scales. *Educational and Psychological Measurement*, 20: 37-46.
- [265] Committee on the Review of the National Landslide Hazards Mitigation Strategy (2004) Partnerships for Reducing Landslide Risk. Assessment of the National Landslide Hazards Mitigation Strategy. Board on Earth Sciences and Resources, Division on Earth and Life Studies, *The National Academic Press*, Washington, D.C., 143 p.
- [266] Compagnoni, B., Damiani, A.V., Valletta, M., Finetti, I., Cirese, E., Pannuti, S., Sorrentino, F. and Rigano, C. (eds.) (1976-1983) Carta Geologica d'Italia. *Servizio Geologico d'Italia*, Stabilimento Salomone, Roma, scale 1:500,000, 5 sheets.
- [267] Compass Resource Management (unknown date) Eliciting Expert Judgment. A SDM Training Workshop. Compass Resource Management, 1260 Hemilton St., Vancouver, British Columbia, V6B 2S8, 88 p.
- [268] Connor, C.B. and Hill, B.E. (1995) Three nonhomogeneous Poisson models for the probability of basaltic volcanism: Application to the Yucca Mountain region, Nevada. *Journal of Geophysical Research*, 100: 10107-10125.
- [269] Conti, M.A. and Girotti, O. (1977) Il Villafranchiano nel "Lago Tiberino", ramo sud-occidentale: schema stratigrafico e tettonico. *Geologia Romana*, 16: 67-80 (in Italian).
- [270] Cooke, R.U. and Doornkamp, J.C. (1974) *Geomorphology in environmental management*. Claridon Press, Oxford, 413 p.
- [271] Corominas, J. and Moya, J. (1999) Reconstructing recent landslide activity in relation to rainfall in the Llobregat River basin, Eastern Pyrenees, Spain. *Geomorphology*, 30:1-2, 79-93.
- [272] Cotecchia, V. (1978a) Evoluzione dei versanti, fenomeni franosi e loro controllo (Progetto Finalizzato del CNR "Conservazione del Suolo": Sottoprogetto "Fenomeni Franosi"). *Memorie Società Geologica Italiana*, 19: 29-51 (in Italian).
- [273] Cotecchia, V. (1978b) Systematic reconnaissance mapping and registration of slope movements. *Bulletin International Association Engineering Geology*, 17: 5-37.
- [274] Cox, D.R. (1958) The Regression Analysis of Binary Sequences. *Journal of the Royal Statistical Society. Series B (Methodological)*, 20: 215-242.
-

- [275] Crosta, G.B., Cucchiario, S. and Frattini, P. (2002) Determination of the inundation area for debris flows through semiempirical equations. Proceedings of the 4th EGS Plinius Conference on Mediterranean Storms held at Mallorca, Spain, October 2002.
- [276] Crovelli, R. (2000) Probability models for estimation of number and costs of landslides. *U.S. Geological Survey Open File Report 00-249*, 23 p.
- [277] Cox, D.R. and Lewis, P.A.W. (1966) The statistical analysis of time series of events. Matheuen, London, 285 p.
- [278] Crescenti, U. (1973) Studi di conservazione territoriale. I movimenti franosi in Comune di Montone, Perugia. *Geologia Applicata & Idrogeologia*, 12: 11 p. (in Italian).
- [279] Crosta, G.B. (1998) Rainfall threshold regionalization: an aid for landslide susceptibility zonation. *Environmental Geology*, 35:2/3 131-145.
- [280] Crosta, G.B. and Agliardi F. (2004) Parametric evaluation of 3D dispersion of rockfall trajectories. *Natural Hazards and Earth System Sciences*, 4: 583-598.
- [281] Crosta, G.B., Chen, H. and Lee, C.F. (2004) Replay of the 1987 Val Pola Landslide, Italian Alps. *Geomorphology*, 60: 127-146.
- [282] Crosta, G.B. and Dal Negro, P. (2003) Observations and modelling of soil slip-debris flow initiation processes in pyroclastic deposits: the Sarno 1988 event. *Natural Hazards and Earth System Sciences*, 3:1-2 53-69.
- [283] Crosta, G.B. and Frattini, P. (2003) Distributed modelling of shallow landslides triggered by intense rainfall. *Natural Hazards and Earth System Sciences*, 3:1-2 81-93.
- [284] Crosta, G.B., Frattini, P., Fugazza, F. and Caluzzi, L. (2005) Cost-benefit analysis for debris avalanche risk management. In: Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (eds.) *Landslide Risk Management*. A.A. Balkema Publishers, 517-524.
- [285] Crosta, G., Guzzetti, F., Marchetti, M. and Reichenbach, P. (1990) Morphological classification of debris-flow processes in South-Central Alps (Italy). *Proceedings 6th International Congress IAEG*, Amsterdam, The Netherlands, 6-10 August 1990, 1565-1572.  
★
- [286] Crosta, G.B. and Locatelli, C. (1999) Approccio alla valutazione del rischio da frane per crollo. In: *Atti Studi Geografici e Geologici in onore di Severino Belloni*. Glauco Brigatti Publisher, Genova, 259-286 (in Italian).
- [287] Crovelli, R.A. (2000) Probability models for estimation of number and costs of landslides. *U.S. Geological Survey Open-File Report*, 2000-249, 17 p.
- [288] Crozier, M.J. (1973) Techniques for the morphometric analysis of landslips. *Zeitschrift für Geomorphologie*, N.F. 17: 78-101.
- [289] Crozier, M.J. (1984) Field assessment of slope instability. In: Brunsdon, D. and Prior, D.B. (eds.) *Slope Instability*, John Wiley & Sons Ltd., Chichester, Chapter 4, 103-142.
- [290] Crozier, M.J. (1986) Landslides: causes, consequences & environment. Croom Helm Pub., London.
- [291] Crozier, M.J. (2005) Management frameworks for landslide hazard and risk: issues and options. In: Glade, T., Anderson, M.G. and Crozier, M.J. (eds.) *Landslide risk assessment*. John Wiley, 331-350.
- [292] Crozier, M.J. and Glade, T.; (1999) Frequency and magnitude of landsliding: fundamental research issues. *Zeitschrift für Geomorphologie. Supplementband*, 115: 141-155.
- [293] Crozier, M.J. and Glade, T. (2005) Landslide hazard and risk: issues, concepts and approach. In: Glade, T., Anderson, M.G. and Crozier, M.J. (eds.) *Landslide risk assessment*. John Wiley, 1-40.

- 
- [294] Cruden, D.M. (1991) A simple definition of a landslide. *Bulletin International Association of Engineering Geology*, 43: 27-29.
- [295] Cruden, D.M. (1997) Estimating the risk from landslide historical data. In: Cruden, D.M. and Fell, R. (Eds.) *Landslide Risk Assessment*, A.A. Balkema Publisher, Rotterdam, 177-184.
- [296] Cruden, D.M. and Fell, R. (eds.) (1997) *Landslide Risk Assessment. Proceedings International Workshop on Landslide Risk Assessment*, Honolulu, 19-21 February 1997, A.A. Balkema Publisher, Rotterdam, 371 p.
- [297] Cruden, D.M. and Varnes, D.J. (1996) Landslide types and processes. In: Turner, A.K. and Schuster, R.L. (eds.) *Landslides, Investigation and Mitigation*, Transportation Research Board Special Report 247, Washington D.C., 36-75.
- [298] Cubito, A., Ferrara, V. and Pappalardo, G. (2005) Landslide hazard in the Nebrodi Mountains (Northeastern Sicily). *Geomorphology*, 66:1-4 359-372.
- [299] Czuchlewski, K.R., Weissel, J.K. and Kim, Y. (2003) Polarimetric synthetic aperture radar study of the Tsaoling landslide generated by the 1999 Chi-Chi earthquake, Taiwan. *Journal of Geophysical Research*, 108: F1, 7/1-10, 6006, doi:10.1029/2003JF000037.
- [300] Czirók, A., Somfai, E. and Vicsek, T. (1997) Fractal scaling and power-law landslide distribution in a micromodel of geomorphological evolution. *Geologische Rundschau*, 86:3 525-530.

**D**

- [301] D'Amato Avanzi, G., Marchetti, D., Pochini, A. and Puccinelli, A. (2003) Determination of the stability conditions of a rock slope using an integrated geological, geomorphological and lithotechnical approach: the example of Bolognana (Lucca, Italy). In: *Atti 1 Congresso Nazionale AIGA*, Chieti, 19-20 Febbraio 2003, 277-291.
- [302] D'Ambrosio, D., Di Gregorio, S., Iovine, G., Lupiano, V., Rongo, R. and Spataro, W. (2002) Modelling Surface Flows for Macroscopic Phenomena by Cellular Automata: An Application to Debris Flows. In: Bandini, S., Chopard, B. and Tomassini, M. (eds.) *Proceedings 5th International Conference on Cellular Automata for Research and Industry, Lecture Notes in Computer Science*, 2493/2002, 304-314.
- [303] D'Agostino, V., Cerato, M. and Coali, R. (1996) Extreme events of sediment transport in the eastern Trentino torrents. *Proceedings International Symposium INTERPRAEVENT 1996 - Garmisch Partenkirchen*, 1: 377-386.
- [304] D'Ambrosio, D., Di Gregorio, S., Iovine, G., Lupiano, V., Merenda, L., Rongo, R. and Spataro, W. (2002) Simulating the Curti-Sarno debris flow through cellular automata: the model SCIDDICA (release S2). *Physics and Chemistry of the Earth*, 27:36 1577-1585.
- [305] D'Ambrosio, D., Di Gregorio, S., Iovine, G., Lupiano, V., Rongo, R. (2003) First simulations of the Sarno debris flows through Cellular Automata modelling. *Geomorphology*, 54:1-2 91-117.
- [306] D'Odorico, P. and Fagherazzi, S. (2003) a probabilistic model of rainfall-triggered shallow landslides in hollows: a long-term analysis. *Water Resources Research*, 39:9 doi-10.1029/2002WR001595.
- [307] D'Odorico, P., Fagherazzi, S. and Rigon, R. (2005) Potential for landsliding: dependence on hydrograph characteristics. *Journal of Geophysical Research*, 1110:F01007 1-10.
- [308] Dhakal, A.S. and Sidle, R.C. (2004) Distributed simulations of landslides for different rainfall conditions. *Hydrological Processes*, 18:4 757-776.
- [309] Dai, F.C. and Lee, C.F. (1999) Analysis of rainstorm-induced slide-debris flows on natural terrain of Lantau Island, Hong Kong. *Engineering Geology*, 51:4 279-290.

- [310] Dai, F.C. and Lee, C.F. (2001) Frequency-volume relation and prediction of rainfall-induced landslides. *Engineering Geology*, 59: 253–266.
- [311] Dai, F.C. and Lee, C.F. (2002) Landslide characteristics and slope instability modelling using GIS, Lantau Island, Hong Kong. *Geomorphology*, 42: 213-228.
- [312] Dai, F.C. and Lee, C.F. (2003) A spatiotemporal probabilistic modelling of storm-induced shallow landsliding using aerial photographs and logistic regression. *Earth Surface Processes and Landforms*, 28:5 527-545.
- [313] Dai, F.C., Lee, C.F. and Ngai, Y.Y. (2002) Landslide risk assessment and management: an overview. *Engineering Geology*, 64:1 65-87.
- [314] Dai, F.C., Lee, C.F., Than, L.G., Ng, K.C. and Shum, W.L. (2004) Logistic regression modelling of storm-induced shallow landsliding in time and space on a natural terrain of Lantau Island, Hong Kong. *Bulletin of Engineering Geology and the Environment*, 63:4 315-327.
- [315] Dai, F.C., Lee, C.F. and Xu, Z.W. (2001) Assessment of landslide susceptibility on the natural terrain of Lantau Island, Hong Kong. *Environmental Geology*, 40:3 381-391.
- [316] Dai, F.C. and Li, J. (2000) Application of geographical information systems in landslide studies. *Geological Science and Technology Information*, 19:1 91-96.
- [317] Dapples, F., van Leeuwen, A.F., van Leeuwen, J.F.N., van der Knaap, W.O., van Leeuwen, J.F.N., and Fankhauser, A. (2002) Paleolimnological evidence for increased landslide activity due to forest clearing and land-use since 3600 cal BP in the western Swiss Alps. *Journal of Paleolimnology*, 27:2 239-248.
- [318] Dattilo, G. and Spezzano, G. (2003) Simulation of a cellular landslide model with CAMELOT on high performance computers. *Parallel Computing*, 29:10 1403-1418.
- [319] Desmet, P.J. and Govers, G. (1996) Comparison of routing algorithms for digital elevation models and their application for predicting ephemeral gullies. *International Journal of Geographical Information Systems*, 10: 311-331.
- [320] Davis, J.F., Berg, T., Schuster, R., Highland, L., Bobrowsky, P. and Gori, P. (2003) Consensus Strategies to Acquire Accurate Landslide Damage Cost Data and Apply Insights to Mitigation. Geological Society of America, Annual Meeting, Abstract 2003.
- [321] Deere, D.U. and Miller, R.P. (1966) Engineering classification and index properties for intact rock: *Technical Report AFNL-TR-65-116*, Air Force Weapons Laboratory, New Mexico, USA.
- [322] DeGraff, J.V. (1985) Using isopleth maps of landslides deposits as a tool in timber sale planning. *Bulletin American Association of Engineering Geologists*, 22: 445-453.
- [323] DeGraff, J.V. and Agard, S.S. (1984) Defining geologic hazards for natural resources management using tree-ring analysis. *Environmental Geology and Water Sciences*, 6:3 147-155.
- [324] DeGraff, J.V. and Canuti, P. (1988) Using isopleth mapping to evaluate landslide activity in relation to agricultural practices. *International Association Engineering Geology Bulletin*, 36: 61-71.
- [325] De La Ville, N., Ramirez, A. and Ramirez, D. (2002) Remote Sensing and GIS Technologies as Tools to Support Sustainable Management of Areas Devastated by Landslides. *Environment, Development and Sustainability*, 4:2 221-229.
- [326] De Ploey, J.; Kirkby, M.J. and Ahnert, F. (1991) Hillslope erosion by rainstorms - A magnitude-frequency analysis. *Earth Surface Processes and Landforms*, 16: 399-409.

- 
- [327] De Vita, P. and Reichenbach, P., with contributions by Bathurst, J.C., Borga, M., Crosta, G., Crozier, M., Glade, T., Guzzetti, F., Hansen, A. and Wasowski, J. (1998) Rainfall-triggered landslides: a reference list. *Environmental Geology*, 35:2-3 219-233. ★
- [328] Dehn, M. and Buma, J. (1999) Modelling future landslide activity based on general circulation models. *Geomorphology*, 30:1-2 175-187.
- [329] Del Gaudio, V. and Wasowski, J. (2004) Time probabilistic evaluation of seismically induced landslide hazard in Irpinia (Southern Italy). *Soil Dynamics and Earthquake Engineering*, 24:12 915-928.
- [330] Del Prete, M., Giaccari, E. and Trisorio-Liuzzi, G. (1992) Rischio da frane intermittenti a cinematica lenta nelle aree montuose e collinari urbanizzate della Basilicata. *CNR Gruppo Nazionale per la Difesa dalle Catastrofi Idrogeologiche Publication n. 841* (in Italian).
- [331] Del Prete, M., Guadagno, F.M. and Scarascia Mugnozza, G. (1998) Earthquake induced damage in an historic area: the September-October 1997 seismic sequence which affected Assisi, Central Italy. *Bulletin of Engineering Geology and the Environment*, 57: 101-109.
- [332] Del Prete, M., Guadagno, F.M. and Hawkins, A.B. (1998) Preliminary report on the landslides of 5 May 1998, Campania, southern Italy. *Bulletin of Engineering Geology and the Environment*, 57:2 113-129.
- [333] Delaunay, J. (1981) Carte de France des zones vulnérables a des glissements, écroulements, affaissements et effondrements de terrain. *Bureau de Recherches Géologiques et Minières*, 81 SGN 567 GEG, 23 p. (in French).
- [334] D'Elia, B. (1977) Geotechnical complexity of some italian variegated clay shales. *Proceedings International Symposium on the Geotechnics of Structurally Complex Formations*, Capri, 2: 215-221.
- [335] Di Gregorio, S. and Serra, R. (1999) An empirical method for modelling and simulating some complex macroscopic phenomena by cellular automata. *Future Generation Computer Systems*, 16:2-3 259-271.
- [336] Di Gregorio, S., Rongo, R., Siciliano, C., Sorriso-Valvo, M. and Spataro, W. (1999) Mount Ontake landslide simulation by the cellular automata model SCIDDICA-3. *Physics and Chemistry of the Earth*, A-24:2 97-100.
- [337] Diamanti, L. and C. Soccodato (1981) Consolidation of the historical cities of San Leo and Orvieto. *Proceedings X International Conference on Soil Mechanics and Foundation Engineering*, Stockholm, June 1981, 3, 75-82.
- [338] Dietrich, E.W., Reiss, R., Hsu, M-L. and Montgomery, D.R. (1995) A process-based model for colluvial soil depth and shallow landsliding using digital elevation data. *Hydrological Process*, 9: 383-400.
- [339] Dikau, R., Brunsten, D., Schrott, L. and Ibsen, M.-L. (eds.) (1996) *Landslide recognition. Identification, movements and causes*. John Wiley & Sons Ltd, Chichester, England, 251 p.
- [340] Dikau, R. and Schrott, L. (1999) The temporal stability and activity of landslides in Europe with respect to climatic change (TESLEC): main objectives and results. *Geomorphology*, 30:1-2 1-12.
- [341] Domínguez Cuesta, M.J, Jiménez Sánchez, M. and Rodríguez García, A. (1999) Press archives as temporal records of landslides in the North of Spain: relationships between rainfall and instability slope events. *Geomorphology*, 30:1-2 125-132.
- [342] Donati, L. and Turrini, M.C. (2002) An objective method to rank the importance of the factors predisposing to landslides with the GIS methodology: application to an area of the Apennines (Valnerina; Perugia, Italy). *Engineering Geology*, 63:3-4 277-289.
-

- [343] Dussage-Peisser, C., Grasso and Helmstetter, A. (2003) Statistical analysis of rockfall volume distributions: implications for rockfall dynamics. *Journal of Geophysical Research*, 108(B6) 2286 [DOI:10.1029/2001JB000650].
- [344] Dussage-Peisser, C., Helmstetter, A., Grasso, J.R., Hantz, D., Desvarreaux, P., Jeannin, M. and Giraud, A. (2002) Probabilistic approach to rock fall hazard assessment: potential of historical data analysis. *Natural Hazards and Earth System Sciences*, 2:1-2 15-26.
- [345] DRM Délégation aux Risques Majeurs (1985a) Catalogue de mesures de prévention, Mouvements de Terrains. Plan d'Exposition aux Risques. Rapport Administratif et Technique provisoire. Premier Ministre, 443 p. (in French).
- [346] DRM Délégation aux Risques Majeurs (1985b) Mise en oeuvre de Plans d'Exposition aux Risques naturels prévisibles. Plan d'Exposition aux Risques. Rapport Administratif et Technique provisoire. Premier Ministre. (in French).
- [347] DRM Délégation aux Risques Majeurs (1987a) Cluses réglementaires – Fiches informatives. Mouvements de terrain. Plan d'Exposition aux Risques. Rapport Administratif et Technique provisoire. Premier Ministre, 119 p. (in French).
- [348] DRM Délégation aux Risques Majeurs (1987b) Mesures de prévention. Mouvements de terrain. Plan d'Exposition aux Risques. Rapport Administratif et Technique provisoire. Premier Ministre, 529 p. (in French).
- [349] DRM Délégation aux Risques Majeurs (1988) Evaluation de la vulnérabilité. Plan d'Exposition aux Risques. Ministère de l'Environnement. Direction de l'Eau et de la Prévention des Pollutions et des Risques. *La Documentation Française*, 112 p. (in French).
- [350] DRM Délégation aux Risques Majeurs (1990) Les études préliminaires à la cartographie réglementaire des risques naturels majeurs. Secrétariat d'Etat auprès du premier Ministre chargé de l'Environnement et de la Prévention des Risques technologiques et naturels majeurs. *La Documentation Française*, 143 p. (in French).
- [351] Duman, T.Y., Çan, T., Emre, Ö., Keçer, M., Doğan, A., Şerafettin, A. and Serap, D. (2005) Landslide inventory of northwestern Anatolia, Turkey. *Engineering Geology*, 77:1-2 99-114.
- [352] Dunne, T. (1991) Stochastic aspects of the relations between climate, hydrology and landform evolution. *Transaction Japanese Geomorphological Union*, 12: 1-24.
- [353] Dussage-Peisser, C., Helmstetter, A., Grasso, J.R., Hantz, D., Desvarreaux, P., Jeannin, M. and Giraud, A. (2002) Probabilistic approach to rock fall hazard assessment: potential of historical data analysis. *Natural Hazards Earth System Sciences*, 2: 1-3 (in French).
- [354] DUTI Détection et Utilisation des Terrains Instables (1985) Rapport final. Ecole Polytechnique Fédérale de Lausanne, 229 p. (in French).
- [355] Düzgün, H.S.B. and Lacasse, S. (2005) Vulnerability and acceptable risk in integrated risk assessment framework. In: Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (eds.) *Landslide Risk Management*. A.A. Balkema Publishers, 505-515.
- [356] Dykes, A.P. (2002) Weathering-limited rainfall-triggered shallow mass movements in undisturbed steepland tropical rainforest. *Geomorphology*, 46:1-2 73-93.
- [357] Dymond, J.R., Jessen, M.R. and Lovell, L.R. (1999) Computer simulation of shallow landsliding in New Zealand hill country. *International Journal of Applied Earth Observation and Geoinformation*, 1:2, 122-131.

**E**

- [358] Easterling, D.R., Meehl, G.M., Parmesan, C., Changnon, S.A., Karl, T.R. and Mearns, L.O. (2000) Climate Extremes: Observations, Modeling, and Impacts. *Science*, 289: 2068-2074.

- 
- [359] Einstein, H.H. (1988) Landslide risk assessment procedure. *Proceeding 5th International Symposium on Landslides*, Lausanne, 2: 1075-1090.
- [360] Einstein, H.H. (1997) Landslide Risk - Systematic approaches to assessment and management. In: Cruden, D.M. and Fell, R. (eds.) *Landslide Risk Assessment*, A.A. Balkema Publisher, Rotterdam, 25-50.
- [361] Eisbacher, G.H. and Clague, J.J. (1984) Destructive Mass Movements in High Mountains: Hazard and Management. *Geological Survey of Canada*, Paper 84-16, 230 p.
- [362] Elias, P.B. and Bandis, S.C. (2000) Neurofuzzy systems in landslide hazard assessment. In: *Proceedings 4th International Symposium on Spatial Accuracy Assessment in Natural Resources and Environmental Sciences*, 199-202.
- [363] Ellen, S.D. and Wieczorek, G.F. (eds.) (1988) Landslides, floods and marine effects of the storm of January 3-5, 1982 in the San Francisco Bay Region, California. *U.S. Geological Survey Professional Paper* 1434, 310 p.
- [364] Ellen, S.D., Mark, R.K., Cannon, S.H. and Knifong, D.K. (1993) Map of Debris Flow Hazard in the Honolulu District of Oahu, Hawaii. *U.S. Geological Survey Open-File Report* 93-213.
- [365] Ellen, S.D., Mark, R.K., Wieczorek, G.F., Wentworth, C.M., Ramsey, D.W. and May, T.E. (1997) Map Showing Principal Debris-Flow Source Areas in the San Francisco Bay Region, California. *U.S. Geological Survey Open-File Report* 97-745E, map scales 1:275,000 and 1:125,000.
- [366] Emap International (2002) QuickBird aerial product comparison prepared by Emap international for Digitalglobe. 39 p.
- [367] Ercanoglu, M. and Gokceoglu, C. (2002) Assessment of landslide susceptibility for a landslide-prone area (north of Yenice, NW Turkey) by fuzzy approach. *Environmental Geology*, 41:6 720-730.
- [368] Ercanoglu, M. and Gokceoglu, C. (2004) Use of fuzzy relations to produce landslide susceptibility map of a landslide prone area (West Black Sea Region, Turkey). *Engineering Geology*, 75:3-4 229-250.
- [369] Ercanoglu, M., Gokceoglu, C. and Van Asch, Th.W.J. (2004) Landslide susceptibility zoning north of Yenice (NW Turkey) by multivariate statistical techniques. *Natural Hazards*, 32: 1-23.
- [370] ERM-Hong Kong, Ltd. (1998). Landslides and boulder falls from natural terrain: Interim Risk Guidelines. Geotechnical Engineering Office, *Geo Report No. 75*, 182 p.
- [371] Ermini, L., Catani, F. and Casagli, N. (2005) Artificial Neural Networks applied to landslide susceptibility assessment. *Geomorphology*, 66:1-4 327-343.
- [372] Esu, F. (1977) Behavior of slopes in structurally complex formations. *International Symposium on the Geotechnics of Structurally Complex Formations*, Capri, 2: 292-304.
- [373] Ercanoglu, M. and Gokceoglu, C. (2004) Use of fuzzy relations to produce landslide susceptibility map of a landslide prone area (West Black Sea Region, Turkey). *Engineering Geology*, 75:3-4 229-250.
- [374] Esposito, E., Porfido, S., Simonelli, A.L., Mastrolorenzo, G. and Iaccarino, G. (2000) Landslides and other surface induced by the 1997 Umbria-Marche seismic sequence. *Engineering Geology*, 58: 353-376.
- [375] Esu, F. (1976) Problemi di stabilità dei pendii naturali in argille sovraconsolidate e fessurate italiane. *Istituto di Scienza delle Costruzioni*, Torino, 75 p. (in Italian).
- [376] Esu, F. (1977) Behaviour of slopes in structurally complex formations: *International Symposium on the Geotechnics of Structurally Complex Formations*, Capri, 2: 292-304.
-

- [377] Esu, F. and Martinetti, S. (1965) Considerazioni sulle caratteristiche delle argille Plio-Pleistoceniche della fascia costiera adriatica fra Rimini e Vasto. *Geotecnica*, 12:4 164-185 (in Italian).
- [378] Eusebio, A., Grasso, P., Mahtab, A. and Morino, A. (1996) Assessment of risk and prevention of landslides in urban areas of the Italian Alps. In: Senneset, K. (ed.) *Landslides. Proceedings of the 7th International Symposium on Landslides*, Trondheim, 17-21 June 1996, 1: 189-194.
- [379] Evans, M., Hastings, N. and Peacock, J.B. (2000) *Statistical Distributions*, 3rd ed., John Wiley, New York.
- [380] Evans, S.G. (1997) Fatal landslides and landslide risk in Canada. In: Cruden, D.M. and Fell, R. (eds.) *Landslide risk assessment*, A.A. Balkema Publisher, Rotterdam, 185-196.
- [381] Evans, S.G. (1989) The 1946 Mount Colonel Foster rock avalanche and associated displacement wave, Vancouver Island, British Columbia. *Canadian Geotechnical Journal*, 26: 447-452
- [382] Evans, S.G. and Hungr, O. (1993) The assessment of rockfall hazard at the base of talus slopes. *Canadian Geotechnical Journal*, 30: 620-636.
- F**
- [383] Fabbri, A.G. (1990) Quantification and geology: methods of pattern detection and of integrating multidisciplinary knowledge. *ITC Journal*, 2: 145-151.
- [384] Fabbri, A.G. and Chung, C. F. (1993) Predictive spatial data analysis in the geosciences. In: Fisher, M., Scholten, H.J. and Unwin, D. (eds.) *Spatial Analytical Prerspective on GIS*. The GISDATA Specialist Meeting on GIS & Spatial Analysis, Amsterdam, December 1-5.
- [385] Fabbri, A.G., Chang, J.C. and Cendrero, A. (2001) Misconceptions about spatial factors for landslide susceptibility mapping. *Proceedings UNESCO/IGCP 425 Meeting*, January 2001, Japan.
- [386] Fabbri, A.G., Chung C.-J. F., Cendrero, C. and Remondo, J. (2003) Is Prediction of Future Landslides Possible with a GIS? *Natural Hazards*, 30:3 487-503.
- [387] Fairfield, J. and Laymarie, P. (1991) Drainage networks from grid Digital Elevation Models. *Water Resources Research*, 27:5 709-717.
- [388] Falchetta, J.L. (1985) Un nouveau modèle de calcul de trajectoires de blocs rocheux. *Revue Francaise de Geotechnique*, 30: 11-17 (in French).
- [389] Fannin, R.J., Moore, G.D., Schwab, J.W. and VanDine, D.F. (2005) Landslide risk management in forest practices. In: Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (eds.) *Landslide Risk Management*. A.A. Balkema Publishers, 299-320.
- [390] Fantucci, R. and Sorriso-Valvo, M. (1999) Dendrogeomorphological analysis of a slope near Lago, Calabria (Italy). *Geomorphology*, 30:1-2 165-174.
- [391] Farquhard, O.C. (1978) Landslides in Puerto Rico. *Bulletin of the International Association of Engineering Geology*, 17: 44.
- [392] Fastelli, C. (ed.) (2003a) Sintesi 1985-2001. Attività e Legislazione. Volume I, *CNR Gruppo Nazionale per la Difesa dalle Catastrofi Idrogeologiche*, Perugia, 238 p. (in Italian).
- [393] Fastelli, C. (ed.) (2003b) Sintesi 1985-2001. Catalogo delle Pubblicazioni. Volume II, *CNR Gruppo Nazionale per la Difesa dalle Catastrofi Idrogeologiche*, Perugia, 412 p. (in Italian).
- [394] Felicioni, G., Martini, E. and Ribaldi, G. (1994) Studio dei centri abitati instabili in Umbria. Atlante Regionale. *CNR Gruppo Nazionale per la Difesa dalle Catastrofi Idrogeologiche Publication n. 979*, 418 p. (in Italian).



- [395] Fell, R. (1994) Landslide risk assessment and acceptable risk. *Canadian Geotechnical Journal*, 31:2 261-272.
- [396] Fell, R. (2000) Landslide risk management concepts and guidelines. *Australian Geomechanics Society*, Sub-committee on landslide risk management, 69 p.
- [397] Fell, R. and Hartford, D. (1997) Landslide risk management. In: Cruden, D.M. and Fell, R. (eds.) *Landslide Risk Assessment*, A.A. Balkema Publisher, Rotterdam, 51-109.
- [398] Fell, R., Ho, K.K.S., Lacasse, S. and Leroi, E. (2005) A framework for landslide risk assessment and management. In: Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (eds.) *Landslide Risk Management*. A.A. Balkema Publishers, 3-25.
- [399] Ferentinou, M.D. and Sakellariou, M.G. (2005) Assessing landslide hazard on medium and large scales, using self-organizing maps. In: Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (eds.) *Landslide Risk Management*. A.A. Balkema Publishers, 639-648.
- [400] Fernández, T., Irigaray Fernández, C., El Hamdouni, R. and Chacón Montero, J. (2003) Methodology for Landslide Susceptibility Mapping by Means of a GIS. Application to the Contraviesa Area (Granada, Spain). *Natural Hazards*, 30:3 297-308.
- [401] Fernández Merodo, J.A., Pastor, M., Mira, P., Tonni, L., Herreros, M.I., Gonzalez, E. and Tamagnini, R. (2004) Modelling of diffuse failure mechanisms of catastrophic landslides. *Computer Methods in Applied Mechanics and Engineering*, 193:27-29 2911-2939.
- [402] Ferrara, V. and Pappalardo, G. (2005) Kinematic analysis of rock falls in an urban area: the case of Castelmola hill near Taormina (Sicily, Italy). *Geomorphology*, 66: 373-383.
- [403] Finlay, P.J. and Fell, R. (1997) Landslides: risk perception and acceptance. *Canadian Geotechnical Journal*, 34: 169-188.
- [404] Fisher, R.A. (1936) The use of multiple measurements in taxonomic problems. *Annales Eugenics*, 7: 179-188.
- [405] Flageollet, J.C. (1989) Landslides in France – a risk reduced by recent legal provisions. In: Brabb, E.E. and Harrod, B.L. (eds.) *Landslides: Extent and economic significance*. A.A. Balkema Publisher, Rotterdam, 157-167.
- [406] Flageollet, J.C. and Weber, D. (1996) Fall. In: Dikau, R., Brunsden, D., Schrott, L. and Ibsen, M.-L. (eds.) *Landslide recognition, identification, movement and causes*. John Wiley and Sons, New York, 13-28.
- [407] Fleming, R.A. and Taylor, F.A. (1980) Estimating the Costs of Landslide Damages in the United States, *U.S. Geological Survey Circular 832*, 21 p.
- [408] Fleming, R.A. and Varnes, D.J. and Schuster, R.L. (1979) Landslide hazards and their reduction. *American Planning Association Journal*, 45:4 428-439.
- [409] Flentje, P.N., Chowdhury, R.N., Tobin, P. and Brizga, V. (2005) Towards real-time landslide risk management in an urban area. In: Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (eds.) *Landslide Risk Management*. A.A. Balkema Publishers, 741-751.
- [410] Floris, M. and Veneri, F. (2004) Landslide Risk Assessment in Italy: A Case Study in the Umbria-Marche Apennines. *Lecture Notes in Earth Sciences*, 104: 738-744.
- [411] Fredlund, D.C. (1987) Slope stability analysis incorporating the effect of soil suction. In: Anderson, M.G. and Richards, K.S. (eds.) *Slope Stability*, John Wiley & sons, 113-144.
- [412] Fookes, P.G., Dale, S.G. and Land, J.M. (1991) Some observations on a comparative aerial photography interpretation of a landslipped area. *Quarterly Journal of Engineering Geology*, 24: 249-265.
- [413] Fornaro, M., Peila, D. and Nebbia, M. (1990) Block falls on rock slopes - Application of a numerical simulation program to some real cases. *Proceedings 6th International Association of Engineering Geology Congress*, A.A. Balkema, Rotterdam, 2173-2180.

- [414] Fossati, D., Cagnoni, A., Cantone, G., Carelli, M., Cazzaniga, C., Ceriani, M., Mazzoccola, D., Pozza, F., Ratti, R. and Sciesa, E. (2002) Inventario delle frane e dei dissesti idrogeologici della regione Lombardia. Note Illustrative. *Bollettino Ufficiale della Regione Lombardia n. 31*, Edizione Speciale del 31 luglio 2002, 23:184 bis 47 p. and 2 CD-Roms (in Italian).
- [415] Franklin, A.J. (1984) Slope instrumentation and monitoring. In: Brunsden, D. and Prior, D.B. (eds.) *Slope Instability*. John Wiley and Sons, 1-25.
- [416] Funtowicz, S.O. and Ravetz, J.R. (1995) Planning and decision-making in an uncertain world: the challenge of post-normal science. In: Horlick-Jones, et al. (eds.) *Natural risk and civil protection*. Commission of the European Communities, E & FN Spon, London, 415-423.
- [417] Fujii, Y. (1969) Frequency distribution of landslides caused by heavy rainfall. *Journal Seismological Society Japan*, 22: 244-247.
- [418] Fukuoka, M. (1978) Estimation of risk due to landslides. *Bulletin of the International Association of Engineering Geology*, 17: 44.

## G

- [419] Gabet, E.J., Burbank, D.W., Putkonen, J.K., Pratt-Sitaula, B.A., Ojha, T. (2004) Rainfall thresholds for landsliding in the Himalayas of Nepal. *Geomorphology*, 63:3-4 131-143.
- [420] Galli, M., Ardizzone, F., Cardinali, M., Guzzetti, F. and Reichenbach, P. (2005, submitted) Comparison of landslide inventory maps. *Geomorphology*.
- [421] Garberi, M.L., Palumbo, A. and Pizzaiolo, M. (1999) I numeri sulle frane. Regione Emilia-Romagna, Servizio Cartografico e Geologico, 94 p. (in Italian).
- [422] Gardner, J.S. (1970) Rockfall: a geomorphic process in high mountain terrain. *Albertan Geographer*, 16: 15-20.
- [423] Gardner, J.S. (1980) Frequency, magnitude, and spatial distribution of mountain rockfalls and rockslides in the Highwood Pass area, Alberta, Canada. In: Coates, D.R. and Vitek, J.D. (eds.) *Thresholds in Geomorphology*, Allen and Unwin, New York, 267-295.
- [424] Gardner, J.S. (1983) Rockfall frequency and distribution in the Highwood Pass area, Canadian Rocky Mountain. *Zeitschrift für Geomorphologie*, 27:3 311-324.
- [425] Gazzetta Ufficiale della Repubblica Italiana. Misure urgenti per la prevenzione del rischio idrogeologico ed a favore delle zone colpite da disastri franosi nella regione Campania. Serie Generale, Anno 139, n. 208, 7 September 1998, 53-74 (in Italian).
- [426] Geotechnical Engineering Office (1998) Landslides and boulder falls from natural terrain: interim risk guidelines. *GEO Report no. 75*, 184 p.
- [427] Glade, T. (1998) Establishing the frequency and magnitude of landslide-triggering rainstorm events in New Zealand. *Environmental Geology*, 35:2-3 160-174.
- [428] Glade, T. (2000) Modelling landslide triggering rainfall thresholds at a range of complexities. In: Bromhead, E., Dixon, N. and Ibsen, M.-L. (eds.) *Landslides in research, theory and practice*. Cardiff, Thomas Telford, 633-40.
- [429] Glade, T. (2001) Landslide hazard assessment and historical landslide data - an inseparable couple? In: Glade, T., Frances, F. and Albini, P. (eds.) *The use of historical data in natural hazard assessments*, Dordrecht, Kluwer Academic Publishers, 7:153-68.
- [430] Glade, T. (2003) Landslide occurrence as a response to land use change: a review of evidence from New Zealand. *Catena*, 51:3-4 297-314.
- [431] Glade, T. (2004) Vulnerability assesement in landslide risk analysis. *Die Erde*, 134: 123-146.
- [432] Glade, T., Albini, P. and Frances, F. (eds.) (2001) *The use of historical data in natural hazard assessments*. Kluwer academic Publisher, Dordrecht, 220 p.

- 
- [433] Glade, T., Anderson, M.G. and Crozier, M.J. (eds.) (2005) *Landslide risk assessment*. John Wiley, 832 p.
- [434] Glade, T. and Crozier, M.J. (2005a) The nature of landslide hazard impact. In: Glade, T., Anderson, M.G. and Crozier, M.J. (eds.) *Landslide risk assessment*. John Wiley, 43-74.
- [435] Glade, T. and Crozier, M.J. (2005b) A review of scale dependency in landslide hazard and risk analysis. In: Glade, T., Anderson, M.G. and Crozier, M.J. (eds.) *Landslide risk assessment*. John Wiley, 75-138.
- [436] Glade, T. and Elverfeldt, K.V. (2005) MultiRISK: An innovative concept to model natural risks. In: Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (eds.) *Landslide Risk Management*. A.A. Balkema Publishers, 551-555.
- [437] Godefroy, P. and Humbert, M. (1983) La cartographie des risques naturels liés aux mouvements de terrain et aux séismes. *Hydrogéologie et Géologie de l'Ingénieur*, 2: 69-90 (in French).
- [438] Godt, J.W. and Savage, W.Z. (1999) El Niño 1997-98: direct costs of damaging landslides in the San Francisco Bay Region. In: Griffiths, S. and Stokes, M.R. (eds.) *Proceedings 9th International Conference and Field Workshop on Landslides*, Bristol, 47-55.
- [439] Godt, J.W., Savage, W.Z. and Wilson, R.C. (1999) Map showing locations of damaging landslides in Napa County, California, resulting from 1997-98 El Niño rainstorms. *U.S. Geological Survey Miscellaneous Field Studies Map*, MF-2325-A, scale 1:125,000.
- [440] Gokceoglu, C. and Aksoy, H. (1996) Landslide susceptibility mapping of the slopes in the residual soils of the Mengen region (Turkey) by deterministic stability analyses and image processing techniques. *Engineering Geology*, 44: 147-161
- [441] Gokceoglu, C., Sonmez, H. and Ercanoglu, M. (2000) Discontinuity controlled probabilistic slope failure risk maps of Altındağ (settlement) region (Turkey). *Engineering Geology*, 55: 277-296.
- [442] Gómez, H. and Kavzoglu, T. (2005) Assessment of shallow landslide susceptibility using artificial neural networks in Jabonosa River Basin, Venezuela. *Engineering Geology*, 78:1-2 11-27.
- [443] González-Díez, A., Remondo, J., Díaz de Terán, J.R. and Alberto Gonzalez-Díez de Teran and Cendrero, A. (1999) A methodological approach for the analysis of the temporal occurrence and triggering factors of landslides. *Geomorphology*, 30:1-2, 95-113.
- [444] Gorsevski, P.V., Gessler, P.E. and Foltz, R.B. (2000) Spatial prediction of landslide hazard using logistic regression and GIS. In: *Proceedings 4th International Conference on Integrating GIS and Environmental Modelling*, Alberta, Canada, 9 p.
- [445] Gorsevski, P.V., Gessler, P.E. and Jankowski, P. (2003) Integrating a fuzzy k-means classification and a Bayesian approach for spatial prediction of landslide hazard. *Journal of Geographical Systems*, 5:3 223-251.
- [446] Govi, M. (1976) L'evento alluvionale del 7-8 ottobre 1970 in Liguria, i dissesti sui versanti a nord di Voltri (Genova). CNR IRPI, Torino (in Italian).
- [447] Govi, M. (1989) The 1987 landslide on Mount Zandila in the Valtellina, Northern Italy. *Landslide News*, 3: 1-3.
- [448] Govi, M. and Sorzana, P.F. (1977) Effetti del terremoto: le frane. *Rivista Italiana di Paleontologia e Stratigrafia*, 83:2 329-368 (in Italian).
- [449] Govi, M. and Turitto, O. (1994) Ricerche bibliografiche per un catalogo sulle inondazioni, piene torrentizie e frane in Valtellina e Valchiavenna. Associazione Mineraria Subalpina, *Quaderni di Studi e Documentazione*, Quaderno 16, 249 p. (in Italian).
-

- [450] Griffiths, J.S. (1999) Proving the occurrence and cause of a landslide in a legal context. *Bulletin of Engineering Geology and the Environment*, 58: 75-85.
- [451] Griffiths, J.S., Mather, A.E. and Hart, A.B. (2002) Landslide susceptibility in the Rio Aguas catchment, SE Spain. *Engineering Geology and Hydrogeology*, 35:1, 9-17.
- [452] Gritzner, M.L., Marcus, W.A., Aspinall, R. and Custer, S.G. (2001). Assessing landslide potential using GIS, soil wetness modelling and topographic attributes, Payette River, Idaho. *Geomorphology*, 37: 149-165.
- [453] Guadagno, F.M., Forte, R., Revellino, P., Fiorillo, F. and Focareta, M. (2005) Some aspects of the initiation of debris avalanches in the Campania Region: the role of morphological slope discontinuities and the development of failure. *Geomorphology*, 66:1-4 237-254.
- [454] Guadagno, F.M. and Perriello Zampelli, S. (2000) Triggering mechanisms of the landslides that inundated Sarno, Quindici, Siano, and Bracigliano (S. Italy) on May 5-6, 1998. In: Bromhead, E., Dixon, N. and Ibsen, M.-L. (eds.) *Landslides in Research, Theory and Practice*, Proceedings of the 8th International Symposium on Landslides, Cardiff, 26-30 June 2000, 2: 671-676.
- [455] Guadagno, F.M., Martino, S. and Scarascia Mugnozza, G. (2002) Influence of man-made cuts on the stability of pyroclastic covers (Campania, southern Italy): a numerical modelling approach. *Environmental Geology*, 43:4 371-384.
- [456] Guadagno, F.M., Celico, P.B., Esposito, L., Perriello Zampelli, S., Piscopo, V. and Scarascia-Mugnozza, G. (1999) The debris flow of 5-6 May 1998 in Campania, Southern Italy. *Landslide News*, 12: 5-7.
- [457] Gupta, R.P. and Joshi, B.C. (1990) Landslide hazard zoning using the GIS approach-A case study from the Ramganga catchment, Himalayas. *Engineering Geology*, 28: 119-131.
- [458] Gupta, R.P., Saha, A.K., Arora, M.K. and Kumar, A. (1999) Landslide hazard zoning in a part of the Bhagirati Valley, Garwal Himalayas, using integrated remote sensing-GIS. *Himalayan Geology*, 20: 71-85.
- [459] Guthrie, R.H. (2002) The effects of logging on frequency and distribution of landslides in three watersheds on Vancouver Island, British Columbia. *Geomorphology*, 43:3-4 273-292.
- [460] Guthrie, R.H. and Evans, S.G. (2004a) Magnitude and frequency of landslides triggered by a storm event, Loughborough Inlet, British Columbia. *Natural Hazards and Earth System Science*, 4: 475-483.
- [461] Guthrie, R.H. and Evans, S.G. (2004b) Analysis of landslide frequencies and characteristics in a natural system, coastal British Columbia. *Earth Surface Processes and Landforms*, 29:11 1321-1339.
- [462] Guthrie, R.H. and Evans, S.G. (2005) The role of magnitude-frequency relations in regional landslide risk analysis. In: Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (eds.) *Landslide Risk Management*. A.A. Balkema Publishers, 375-380.
- [463] Guzzetti, F. (ed.) (1998) Preface. Hydrological Triggers of Diffused Landsliding, *Environmental Geology*, 35:2-3 79-80. ★
- [464] Guzzetti, F. (2000) Landslide fatalities and evaluation of landslide risk in Italy. *Engineering Geology*, 58: 89-107. ★
- [465] Guzzetti, F. (2002) Landslide hazard assessment and risk evaluation: overview, limits and prospective. *Proceedings 3rd MITCH Workshop Floods, Droughts and Landslides – Who plans, who pays*, 24-26 November 2002, Potsdam, available at [http://www.mitch-ec.net/workshop3/Papers/paper\\_guzzetti.pdf](http://www.mitch-ec.net/workshop3/Papers/paper_guzzetti.pdf). ★

- 
- [466] Guzzetti, F. (2004) Landslide Mapping, Hazard Assessment and Risk Evaluation: Limits and Potential. *Proceedings International Symposium on Landslide and Debris Flow Hazard Assessment*, National Center for Research on Earthquake Engineering, Taipei, 7-8 October 2004, C1-C17. ★
- [467] Guzzetti, F. and Brabb, E.E. (1987) Map showing landslide deposits in north western New Mexico. *U.S. Geological Survey Open File Report 87/70*, 2 sheets, scale 1:500,000. ★
- [468] Guzzetti, F. and Cardinali, M. (1989) Carta Inventario dei Fenomeni Franosi della Regione dell'Umbria ed aree limitrofe. *CNR Gruppo Nazionale per la Difesa dalle Catastrofi Idrogeologiche Publication n. 204*, 2 sheets, scale 1:100,000 (in Italian). ★
- [469] Guzzetti, F. and Cardinali, M. (1990) Landslide inventory map of the Umbria region, Central Italy. In: Cancelli, A. (ed.) *Proceedings ALPS 90 6th International Conference and Field Workshop on Landslides*, Milan, 12 September 1990, 273-284. ★
- [470] Guzzetti, F. and Cardinali, M. (1991) Debris-flow phenomena in the Central Apennines of Italy. *Terra Nova*, 3: 619-627. ★
- [471] Guzzetti, F. and Cardinali, M. (1992) Debris-flow phenomena in the Umbria-Marche Apennines (Central Italy). *Proceedings Interpraevent 1992*, Bern, 2: 181-192. ★
- [472] Guzzetti, F., Cardinali, M. and Reichenbach, P. (1994) The AVI Project: a bibliographical and archive inventory of landslides and floods in Italy. *Environmental Management*, 18:4 623-633. ★
- [473] Guzzetti, F., Cardinali, M. and Reichenbach, P. (1996a) Map of sites historically affected by landslides and floods in Italy. *CNR Gruppo Nazionale per la Difesa dalle Catastrofi Idrogeologiche Publication n. 1356*, scale 1:1,200,000. ★
- [474] Guzzetti, F., Cardinali, M. and Reichenbach, P. (1996b) The influence of structural setting and lithology on landslide type and pattern. *Environmental and Engineering Geoscience*, 2:4 531-555. ★
- [475] Guzzetti, F., Cardinali, M., Reichenbach, P. and Ardizzone, F. (1999b) Risultati della ricerca finalizzata alla realizzazione di una base di dati sulle conoscenze relative ai movimenti franosi e stima della loro incidenza sull'uso del suolo e sul tessuto insediativo ed infrastrutturale, a supporto della pianificazione territoriale ed urbanistica. *Bollettino Ufficiale della Regione dell'Umbria*, Supplemento ordinario n. 2, Serie Generale, n. 16 del 17 marzo 1999, Parte prima, Sezione 2, 134 p. (in Italian). ★
- [476] Guzzetti, F., Cardinali, M., Reichenbach, P. and Carrara, A. (2000) Comparing landslide maps: A case study in the upper Tiber River Basin, central Italy. *Environmental Management*, 25:3, 247-363. ★
- [477] Guzzetti, F., Cardinali, M., Reichenbach, P., Cipolla, F., Sebastiani, C., Galli, M. and Salvati, P. (2004a) Landslides triggered by the 23 November 2000 rainfall event in the Imperia Province, Western Liguria, Italy. *Engineering Geology*, 73:2 229-245. ★
- [478] Guzzetti, F., Cardinali, M., Reichenbach, P., Galli, M., Ardizzone, F. and Salvati, P. (2004b) Geomorphological mapping to assess landslide risk: examples from the Umbria Region, Central Italy. *Proceedings 2004 International Conference on Slope Land Disaster Mitigation*, Taipei, 5-6 October 2004, 61-79. ★
- [479] Guzzetti, F., Carrara, A., Cardinali, M. and Reichenbach, P. (1999a) Landslide hazard evaluation: an aid to a sustainable development. *Geomorphology*, 31: 181-216. ★
- [480] Guzzetti, F., Crosta, G.B., Detti, R. and Agliardi, F. (2002a) STONE: a computer program for the three-dimensional simulation of rock-falls. *Computers & Geosciences*, 28:9 1079-1093. ★
-

- [481] Guzzetti, F., Crosta, G., Marchetti, M. and Reichenbach, P. (1992) Debris flows triggered by the July, 17-19, 1987 storm in the Valtellina area (Northern Italy). *Proceedings Interpraevent 1992*, Bern, 2: 193-204. ★
- [482] Guzzetti, F., Malamud, B.D., Turcotte, D.L. and Reichenbach, P. (2002b) Power-law correlations of landslide areas in Central Italy. *Earth and Planetary Science Letters*, 195: 169-183. ★
- [483] Guzzetti, F. and Reichenbach, P. (1994) Toward the definition of topographic divisions of Italy. *Geomorphology*, 11: 57-74. ★
- [484] Guzzetti, F., Reichenbach, P., Ardizzone F., Cardinali, M. and Galli, M. (2005d, submitted) Estimating the quality of landslide susceptibility models. *Geomorphology*. ★
- [485] Guzzetti, F., Reichenbach, P., Cardinali, M., Ardizzone, F. and Galli, M. (2003a) Impact of landslides in the Umbria Region, Central Italy. *Natural Hazards and Earth System Sciences*, 3:5, 469-486. ★
- [486] Guzzetti, F., Reichenbach, P., Cardinali, M., Galli, M. and Ardizzone, F. (2005a) Landslide hazard assessment in the Staffora basin, northern Italian Apennines. *Geomorphology*. ★
- [487] Guzzetti, F., Reichenbach, P. and Ghigi, S. (2004c) Rockfall hazard and risk assessment in the Nera River Valley, Umbria Region, central Italy. *Environmental Management*, 34:2 191-208, DOI: 10.1007/s00267-003-0257-1. ★
- [488] Guzzetti, F., Reichenbach, P. and Wieczorek, G.F. (2003b) Rockfall hazard and risk assessment in the Yosemite Valley, California, USA. *Natural Hazards and Earth System Sciences*, 3:6, 491-503. ★
- [489] Guzzetti, F., Salvati, P. and Stark, C.P. (2005b) Evaluation of risk to the population posed by natural hazards in Italy. In: Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (eds.) *Landslide Risk Management*. A.A. Balkema Publishers, 381-389. ★
- [490] Guzzetti, F., Stark, C.P. and Salvati, P. (2005c) Evaluation of flood and landslide risk to the population of Italy. *Environmental Management*, 36:1 5-36. ★
- [491] Guzzetti, F. and Tonelli, G. (2004) SICI: an information system on historical landslides and floods in Italy. *Natural Hazards and Earth System Sciences*, 4:2 213-232. ★

## H

- [492] Habib, P. (1977) Note sur le rebondissement des blocs rocheux. In: Proceedings Meeting on Rockfall Dynamics and Protective Works Effectiveness. Bergamo, Italy. *ISMES Publication n. 90*, Bergamo, 25-38 (in French).
- [493] Hammond, C.J., Prellwitz, R.W. and Miller, S.M. (1992) Landslide hazard assessment using Monte Carlo Simulation. In: Bell, D.H. (ed.) *Proceedings 6th International Symposium on Landslides*, Christchurch, New Zealand, A.A. Balkema publisher, 959-964.
- [494] Hansen, A. (1984a) Landslide hazard analysis. In: Brunsten, D. and Prior, D.B. (eds.) *Slope instability*, Wiley & Sons, New York, 523-602.
- [495] Hansen, A. (1984b) Engineering geomorphology: the application of an evolutionary model of Hong Kong's terrain. *Zeitschrift für Geomorphologie*, Supplementband 51: 39-50.
- [496] Hansen, A., Franks, C.A.M., Kirk, P.A., Brimicombe, A.J. and Tung, F. (1995) Application of GIS to hazard assessment, with particular reference to landslides in Hong Kong. In: Carrara, A. and Guzzetti, F. (eds.) *Geographical Information Systems in Assessing Natural Hazards*, Kluwer Academic Publisher, Dordrecht, The Netherlands, 135-175.
- [497] Hansen, M.J. (1984) Strategies for classification of landslides. Brunsten, D. and Prior, D.B. (eds.) *Slope Instability*. John Wiley and Sons, 1-25.

- [498] Harmsworth, G. and Raynor, B. (2005) Cultural consideration in landslide risk perception. In: Glade, T., Anderson, M.G. and Crozier, M.J. (eds.) *Landslide risk assessment*. John Wiley, 219-249.
- [499] Harp, E.L. (2002) Landslide susceptibility map of Tegucigalpa, Honduras. *U.S. Geological Survey Open File Report, 2002/219*, 2 sheets, scale 1:15,000.
- [500] Harp, E.L. Reid, M.E. and Michael, J.A. (2004) Hazard analysis of landslides triggered by Typhoon Chata'an on July 2, 2002, in Chuuk State, Federated States of Micronesia. *U.S. Geological Survey Open File Report, 2004/1348*, 2 plates, 24 p.
- [501] Harp, E.L. and Jibson, R.L. (1995) Inventory of landslides triggered by the 1994 Northridge, California earthquake. *U.S. Geological Survey Open File Report 95-213*.
- [502] Harp, E.L. and Jibson, R.L. (1996) Landslides triggered by the 1994 Northridge, California earthquake. *Seismological Society of America Bulletin*, 86: S319-S332.
- [503] Harp, E.L., Jibson, R.L., Savage, W.Z., Highland, L.M., Larson, R.A. and Tan, S.S. (1999) Landslides triggered by January and March 1995 storms in southern California. In: Sassa, K. (ed.) *Landslides of the World*, Kyoto University Press, 268-273.
- [504] Harp, E.L., Wilson, R.C. and Wieczorek, G.F. (1981) Landslides from the February 4, 1976 Guatemala Earthquake. *U.S. Geological Survey Professional Paper 1204-A*, 35 p.
- [505] Hartlén, J. and Viberg, L. (1988) Evaluation of landslide hazard. *Proceedings 5th International Symposium on Landslides*, Lausanne, 2: 1037-1058.
- [506] He, Y.P. Xie, H., Cui, P., Wei, F.Q., Zhong, D.L. and Gardner, J.S. (2003) GIS-based hazard mapping and zonation of debris flows in Xiaojiang Basin, southwestern China. *Environmental Geology*, 45: 286-293.
- [507] Hemilton, R., with the contribution for landslides of Wieczorek, G.F., Evans, S., Guzzetti, F., Highland, L. and Sassa, K. (1997) Report on Early Warning Capabilities for Geological Hazards. IDNDR Early Warning Programme, IDNDR Secretariat, Geneva, 35 p. ★
- [508] Hennrich, K. and Crozier, M.J. (2004) A hillslope hydrology approach for catchment-scale slope stability analysis. *Earth Surface Processes and Landforms*, 29:5 599-610.
- [509] Hergarten, S. (2002) *Self-Organized Criticality in Earth Systems*. Springer, Berlin, 272 p.
- [510] Hergarten, S. (2003) Is the Earth's surface Critical? The role of fluvial erosion and landslides. *Lectures Notes in the Earth Sciences*, 97: 271-290.
- [511] Hergarten, S. and Neugebauer, H.J. (1998) Self-organized criticality in a landslide model. *Geophysical Research Letters*, 25: 801-804.
- [512] Hergarten, S. and Neugebauer, H.J. (eds.) (1999) *Process Modelling and Landform Evolution. Lecture Notes in Earth Sciences*, Springer, Berlin, 305 p.
- [513] Hergarten, S. and Neugebauer, H.J. (2000) Self-organized criticality in two-variable models. *Physical Review*, E61: 2382-2385.
- [514] Hervás, J. Barredo, J.I., Rosin, P.L., Pasuto, A., Mantovani, F. and Silvano, S. (2003) Monitoring landslides from optical remotely sensed imagery: the case history of Tessina landslide, Italy. *Geomorphology*, 54: 63-75.
- [515] Higaki, D.; Ueno, T. and Yoshimatsu, H. (1993) Progress levels and fractal evolution of landslide slopes. In: Novosad, S. and Wagner, P. (eds). *Proceedings 7th. International Conference and Fields Workshop on Landslides in Czech and Slovak Republics, 28 August-15 September 1993*, Balkema, 83-88.
- [516] Hilley, G.E., Bürgmann, R., Ferretti, A., Novali, F. and Rocca, F. (2004) Dynamics of Slow-Moving Landslides from Permanent Scatterer Analysis. *Science*, 304: 1952-1955.

- [517] Hirano, M. and Ohmori, H. (1989) Magnitude-frequency distribution of rapid mass movements and its geomorphological implication. *Transactions Japanese Geomorphological Union*, 10: 95-111.
- [518] Hiura, H. and Fukuoka, H. (1993) Fractal structure of spatial distribution of landslides in Hokkaido island, Japan. In: Novosad, S. and Wagner, P. (eds). *Proceedings of the 7th International Conference and Fields Workshop on Landslides in Czech and Slovak Republics, 28 August-15 September 1993*, Balkema, 29-34.
- [519] Ho, K.K.S., Leroi, E. and Roberds, W.J. (2000) Quantitative risk assessment-applications, myths and future direction. *Proceedings GeoEng 2000, International Conference on Geotechnical and Geological Engineering*, Melbourne, 269-312.
- [520] Hoek, E. (2000) Analysis of rock fall hazards. Chapter 9. Pages 115-136 in *Rock Engineering*. <http://www.rocscience.com/roc/Hoek/Hoeknotes2000.htm>.
- [521] Hoehler, F.K. (2000) Bias and prevalence effects on kappa viewed in terms of sensitivity and specificity. *Journal of Clinical Epidemiology*, 53:5 499-503.
- [522] Hollenstein, K. (2005) The role of administrative bodies in landslide risk assessment. In: Glade, T., Anderson, M.G. and Crozier, M.J. (eds.) *Landslide risk assessment*. John Wiley, 285-310.
- [523] Hollingsworth, R. and Kovacs, G.S. (1981) Soil slumps and debris flows: prediction and protection. *Bulletin American Association of Engineering Geologists*, 18:1 17-28.
- [524] Hong Kong Civil Service (2004) Using IT to enhance slope safety. Civil Service Bureau, 4 p.
- [525] Horlick-Jones, T., Amendola, A. and Casale, R. (eds.) (1995) Natural risk and civil protection. Commission of the European Communities, E & FN Spon, London, 554 p.
- [526] Hovius, N., Stark, C.P. and Allen, P.A. (1997) Sediment flux from a mountain belt derived by landslide mapping. *Geology*, 25: 231-234.
- [527] Hovius, N., Stark, C.P., Hao-Tsu, C. and Jinn-Chuan, L. (2000) Supply and removal of sediment in a landslide-dominated mountain belt: Central Range, Taiwan. *Journal of Geology*, 108: 73-89.
- [528] Howard, A.D. (1994) A detachment-limited model of drainage basin evolution. *Water Resources Research*, 30:7 2261-2285.
- [529] Howell, D.G., Brabb, E.E. and Ramsey, A.W. (1999) How useful is landslide hazard information? Lesson learned in the San Francisco Bay region. *International Geology Review*, 41: 368-381.
- [530] Hsu, K. (1975) Catastrophic debris stream (Sturzstrom) generated by rockfalls. *Geological Society of America Bulletin*, 86: 129-140.
- [531] Humam Io. and Radulescu, D. (1978) Automatic production of thematic maps of slope stability. *International Association Engineering Geology Bulletin*, 17: 95-99.
- [532] Humbert, M. (1976) Le cartographie en France des Zones Exposées à des Risques liés aux Mouvements du Sol. Cartes ZERMOS. *International Association Engineering Geology Bulletin*, 16: 80-82 (in French).
- [533] Humbert, M. (1977) La Cartographie ZERMOS. Modalités d'établissement des cartes des zones exposées. (in French).
- [534] Humbert, M. and Vogt, J. (1983) Le ficheur d'informations sur le mouvements de terrain en France et ses applications. *Hidrogéologie and Géologie de l'Ingenieur*, 2: 91-101 (in French).
- [535] Hungr, O. (1981) Dynamics of rock avalanches and other types of mass movements. Ph.D. Thesis, University of Alberta, British Columbia, Canada.



- 
- [536] Hungr, O. (1997) Some methods of landslide hazard intensity mapping. In: Cruden, D.M. and Fell, R. (eds.) *Landslide risk assessment*, A.A. Balkema Publisher, Rotterdam, 215-226.
- [537] Hungr, O. and Beckie, R.D. (1998) Assessment of the hazard from rockfall on highway: discussion. *Canadian Geotechnical Journal*, 35: 409.
- [538] Hungr, O. and Evans, S.G. (1988) Engineering evaluation of fragmental rockfall hazards. *Proceedings 5th International Symposium on Landslides*. Lausanne, Switzerland, 1: 685-690.
- [539] Hungr, O., Evans, S.G. and Hazzard, J. (1999) Magnitude and frequency of rock falls and rock slides along the main transportation corridors of southwestern British Columbia. *Canadian Geotechnical Journal*, 36:2 224-238.
- [540] Hungr, O., Evans, S.G., Bovis, M.J. and Hutchnison, N.J. (2001) A review of the classification of landslides of the flow type. *Environmental and Engineering Geoscience*, 7:3 221-238.
- [541] Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (2005) Landslide Risk Management. *Proceedings of the International conference on Landslide Risk Management*. Vancouver, Canada, 31 May – June 3 2005, A.A. Balkema Publishers, 764 p. and CD-ROM.
- [542] Hungr, O. and Rawlings, G. (1995) Assessment of terrain hazards for planning purposes: Cheekye Fan, British Columbia In: *Proceedings of 48. Canadian Geotechnical Conference*, Vancouver, 25-27 September 1995, 1: 509-517.
- [543] Hungr, O., Sobkowicz, J. and Morgan, G. (1993) How to economize on natural hazards. *Geotechnical News*, 7/1 54-57.
- [544] Hutchinson, J.N. (1988) General report: Morphological and geotechnical parameters of landslides in relation to geology and hydrology. *Proceedings 5th International Symposium on Landslides*, Lausanne, 1: 3-35.
- [545] Hutchinson, J.N. (1995) Keynote paper: Landslide hazard assessment. In: Bell (ed.) *Landslides*, A.A. Balkema, Rotterdam, 1805-1841.
- [546] Hutchinson, J.N. and Chandler, M.P. (1991) A preliminary landslide hazard zonation of the Undercliff of the Isle of Wight. *Slope Stability Engineering*, Thomas Telford, London, 197-205.
- [547] Hutchinson, M.F. (1989) A new procedure for gridding elevation and stream line data with automatic removal of spurious pits. *Journal of Hydrology*, 106: 211-232.
- I**
- [548] Ibsen, M.-L. and Brunsten, D. (1996) The nature, use and problems of historical archives for the temporal occurrence of landslides, with specific reference to the south coast of Britain, Ventnor, Isle of Wight. *Geomorphology*, 15: 241-258.
- [549] Ibsen, M.-L. and Casagli, N. (2004) Rainfall patterns and related landslide incidence on the Porretta-Vergato region, Italy. *Landslides*, 1:2 143-150.
- [550] Iida, T. (1999) A stochastic hydro-geomorphological model for shallow landsliding due to rainstorm. *Catena*, 34:3-4 293-313.
- [551] IDNHR Advisory Committee (1987) *Confronting Natural Disasters. An International Decade for Natural Hazard Reduction*. National Academy Press, Washington, 60 p.
- [552] IGOS Geohazards (2003) IGOS Geohazards Theme Report. April 2003, European Space Agency, Data User Programme, <http://dup.esrin.esa.it/igos-geohazards>, 50 p.
- [553] Iiritano, G., Versace, P. and Sirangelo, B. (1998) Real-time estimation of hazard for landslides triggered by rainfall. *Environmental Geology*, 35:2-3 275-183.
- [554] Ikeya, H. (1981) A method for designation for areas in danger of debris flows. *Erosion and Sediment Transport in the Pacific Rim Steeplands, IAHS Special Publication 132*, 576-588.
-

- [555] Inganäs, V. and Viberg, L. (1979) Inventory of clay landslides in Sweden. Proceedings of Nordiska Geoteknikermotet, Helsingfors, 549-556 (in Swedish). Cited in: Viberg, L. 1989. Extent and economic significance of landslides in Sweden. In: Brabb, E.E. and Harrod, B. (eds.) *Landslides: extent and economic significance*. A.A. Balkema Publisher, Rotterdam, 141-147.
- [556] Innes, J.L. (1983) Lichenometric dating of debris-flow deposits in the Scottish Highlands. *Earth Surface Processes and Landforms*, 8: 579-588.
- [557] Intergovernmental Panel on Climate Change (2001) Third Assessment Report, Working Group I. Summary for policymakers. Available at: [www.ipcc.ch](http://www.ipcc.ch).
- [558] International Association Engineering Geology, Commission on Engineering Geological Maps (1976) Engineering Geological Maps. A guide to their preparation. Unesco, Paris, 79 p.
- [559] International Union of Geological Sciences, Working Group on Landslides, Committee on Risk Assessment (1997) Quantitative risk assessment for slopes and landslides – The state of the art. In: Cruden, D. and Fell, R. (eds.) *Proceedings of the International Workshop on Landslide Risk Assessment*, A.A. Balkema, Rotterdam, Netherlands, 3-12.
- [560] Ioana, I. and Malcolm, G.A. (2003) A new approach to soil characterisation for hydrology–stability analysis models. *Geomorphology*, 49:3-4 269-279.
- [561] Irigaray Fernández, C., Fernández del Castillo, T., El Hamdouni, R. and Chacón Montero, J. (1999) Verification of landslide susceptibility mapping: a case study. *Earth Surface Processes and Landforms*, 24: 537-544.
- [562] Issler, D., De Blasio, F.V., Elverhøi, A., Bryn, P. and Lien, R. (2005) Scaling behaviour of clay-rich submarine debris flows. *Marine and Petroleum Geology*, 22: 1-2 187-194.
- [563] ISRM - International Society of Rock Mechanics, Commission on Standardization of Laboratory and Field Tests (1978) Suggested methods for the quantitative description of discontinuities in rock masses: *International Journal of Rock Mechanics*, 15:6, 319-368
- [564] Iverson, R.M. (2000) Landslide triggering by rain infiltration. *Water Resources Research*, 36: 1897-1910.
- [565] Iverson, R.M., Schilling, S.P. and Vallance, J.W. (1998) Objective delineation of lahar-inundation hazard zones. *Geological Society of America Bulletin*, 110: 972-984.
- [566] Iwahashi, J., Watanabe, S. and Furuya, T. (2001) Landform analysis of slope movements using DEM in Higashikubiki area, Japan. *Computers and Geosciences*, 27:7 851-865.
- [567] Iwahashi, J., Watanabe, S. and Furuya, T. (2003) Mean slope-angle frequency distribution and size frequency distribution of landslide masses in Higashikubiki area, Japan. *Geomorphology*, 50:4 349-364.

**J**

- [568] Jacobacci, A., Centamore, E., Chiochino, M., Malferrari, N., Martelli, G. and Micarelli, A. (1974) Note esplicative alla Carta Geologica d'Italia, Foglio 290, Cagli, alla scala 1:50,000. Servizio Geologico Nazionale, 41 p., with geologic map and slope-stability map (in Italian).
- [569] Jade, S. and Sarkar, S. (1993) Statistical model for slope instability classification. *Engineering Geology*, 36: 91-98.
- [570] Jakob, M. and Weatherly, H. (2003) A hydroclimatic threshold for landslide initiation on the North Shore Mountains of Vancouver, British Columbia. *Geomorphology*, 54:3-4 137-156.
- [571] Jakob, M. and Weatherly, H. (2005) Debris flow hazard and risk assessment, Jones Creek, Washington. In: Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (eds.) *Landslide Risk Management*. A.A. Balkema Publishers, 533-541.

- 
- [572] Jibson, R.W. (2005) Landslide hazards at La Conchita, California. *U.S. Geological Survey Open-File Report 2005-1067*, 12 p.
- [573] Jibson, R.W. and Crone, A.J. (2001) Observations and recommendations regarding landslide hazards related to the January 13, 2001 M-7.6 El Salvador earthquake. *U.S. Geological Survey Open-File Report 2001-141*, 19 p.
- [574] Jibson, R.W., Harp, E.L. and Michael, J.A. (1998) A method for producing digital probabilistic seismic landslide hazard maps: an example from the Los Angeles, California, area. *U.S. Geological Survey Open-File Report 98-113*.
- [575] Jibson, R.W. and Jibson, M.W. (2001) Programs to using Newmark's method to model slope performance during earthquakes. *U.S. Geological Survey Open File Report 01-116*.
- [576] Jibson, R.W. (2002) A Public Health Issue Related To Collateral Seismic Hazards: The Valley Fever Outbreak Triggered By The 1994 Northridge, California Earthquake. *Surveys in Geophysics*, 23: 511-528.
- [577] Jiménez, S.M., Farias, P., Rodríguez, A. and Menéndez Duarte, R.A. (1999) Landslide development in a coastal valley in Northern Spain: conditioning factors and temporal occurrence. *Geomorphology*, 30:1-2 115-123.
- [578] Jin, X.M. and Liu, J.T. (1999) Hazard condition evaluation of landslide in Wanxian city. *Journal of Engineering Geology*, 7:1 25-29.
- [579] Johnson, N.L. and Kotz., S. (1970) Continuous Univariate Distribution, Chapter 17. Houghton Mifflin: Boston.
- [580] Jolliffe, I.T. and Stephenson, D.B. (eds.) (2003) Forecast Verification. A Practitioner's Guide in Atmospheric Science. John Wiley, 240 p.
- [581] Jones, C.L., Higgins, J.D., Andrew, R.D. (2000) Colorado Rockfall Simulation Program Version 4.0. *Colorado Department of Transportation*, Colorado Geological Survey, March 2000, 127 p.
- [582] Jónsson, O. (1976) Berghlaup, Raektunar felag Norourlands, Akureyri, Iceland, 623 p. (in Icelandic).
- [583] Juang C.H., Lee D.H. and Sheu, C (1992) Mapping slope failure potential using fuzzy sets. *Journal of Geotechnical Engineering*, 188:3 475-493.
- K**
- [584] Kääb, A. (2002) Monitoring high-mountain terrain deformation from repeated air- and spaceborne optical data: examples using digital aerial imagery and ASTER data ISPRS. *Journal of Photogrammetry and Remote Sensing*, 57:1-2 39-52.
- [585] Kadanoff, L.P., Nagel, S.R., Wu, L, and Zhou, S.M. (1989) Scaling and universality in avalanches. *Physical Review*, A39: 6524-6533.
- [586] Keaton, J.R., Anderson, L.R. and Mathewson, C.C. (1988) Assessing debris flow hazards on alluvial fans in Davis County, Utah. In: Fragaszy, R.J. (ed.) *Proceedings 24th Annual Symposium on Engineering Geology and Soil Engineering*, Pullman, Washington State University, 89-108.
- [587] Keefer, D.K. (1984) Landslides caused by earthquakes. *Geological Society of America Bulletin*, 95: 406-421.
- [588] Keefer, D.K. (1994) The importance of earthquake-induced landslides to long-term slope erosion and slope-failure hazards in seismically active regions. *Geomorphology*, 10: 265-284.
-

- [589] Keefer, D.K. (1998) The Loma Prieta, California, earthquake of October 17, 1989; landslides. *U.S. Geological Survey Professional Paper*, 1551-C, C1-C185.
- [590] Keefer, D.K. (2002) Investigating Landslides Caused by Earthquakes – A Historical Review. *Surveys in Geophysics*, 23: 473-510.
- [591] Keefer, D.K., Wilson, R.C., Mark, R.K., Brabb, E.E., Brown, W.M.-III, Ellen, S.D., Harp, E.L., Wieczorek, G.F., Alger, C.S. and Zarkin, R.S. (1987) Real-time landslide warning during heavy rainfall. *Science*, 238: 921-925.
- [592] Keller, A.Z., Meniconi, M., Al-Shammari, I. and Cassidy, K. (1997) Analysis of fatalità, injury, evacuation and cost data using the Bradford Disaster Scale. *Disaster Prevention and Management*, 6:1 33-42.
- [593] Kienholz, H. (1978) Maps of geomorphology and natural hazard of Grindelwald, Switzerland: scale 1:10.000. *Arctic and Alpine Research*, 10:2 169-184.
- [594] Kienholz, H., Hafner, H., Schneider, G. and Tamrakar, R. (1983) Mountain hazards mapping in Nepal's Middle Mountains. Maps of land use and geomorphic damages (Kathmandu-Kakani area). *Mountain Research and Development*, 3:3 195-220.
- [595] Kienholz, H., Schneider, G., Bichsel, M., Grunder, M. and Mool, P. (1984) Mapping of mountain hazards and slope stability. *Mountain Research and Development*, 4:3 247-266.
- [596] Kirsten, H.A.D. and Moss, A.S.E. (1985) Probability applied to slope design - case histories. Rock Masses: Modeling of Underground openings. Probability of failure. Fracture of intact rock, ASCE, New York.
- [597] Klein, F.W. (1982) Patters of historical eruptions at Hawaiian volcanoes. *Journal of Volcanology and Geothermal Research*, 12: 1-35.
- [598] Ko Ko, C., Flentje, P. and Chowdhury, R. (2004) Landslides qualitative hazard and risk assessment method and its reliability. *Bulletin of Engineering Geology and the Environment*, 63:2 149-165.
- [599] Ko Ko, C., Flentje, P. and Chowdhury, R. (2004) Interpretation of probability of landsliding triggered by rainfall. *Landslides*, 1:4 263-275.
- [600] Kobashi, S. and Suzuki, M. (1988) Hazard index for the judgement of slope stability in the Rokko Mountain region. In: *Proceedings INTERPRAEVENT*, Graz, Asutria, 1: 223-233.
- [601] Kobayashi, Y., Harp, E.L., Kagawa, T. (1990) Simulation of rockfalls triggered by earthquakes. *Rock Mechanics and Rock Engineering*, 23: 1-20.
- [602] Kockelman, W.J. (1975) Use of USGS Earth Science Products by City Planning Agencies in the San Francisco Bay Region, California. *U.S. Geological Survey Open File Report 75-276*, 110 p.
- [603] Kockelman, W.J. (1986) Some techniques for reducing landslide hazards. *Bulletin American Association Engineering Geologists*, 23:1 29-52.
- [604] Koirala, A., Jäger, S., Kerntke, M., Busch, K., Shrestha, O.M. and Hanisch, J. (1999) A geo-environmental map for the sustainable development of the Kathmandu Valley, Nepal. *GeoJournal*, 49:2 165-172.
- [605] Koler, T.E. (2005) Business decision-making and utility economics of large landslides within national forest system lands in the United States. In: Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (eds.) *Landslide Risk Management*. A.A. Balkema Publishers, 391-399.
- [606] Kong, W.K. (2002) Risk assessment of slopes. *Quarterly Journal Engineering Geology and Hydrogeology*, 35: 213-222.
- [607] Korup, O. (2005a) Geomorphic imprint of landslides on alpine river systems, southwest New Zealand. *Earth Surface Processes and Landforms*, 30: 783-800.

- 
- [608] Korup, O. (2005b) Geomorphic hazard assessment of landslide dams in South Westland, New Zealand: fundamental problems and approaches. *Geomorphology*, 66: 1-4 167-188.
- [609] Korup, O. (2005c) Distribution of landslides in southwest New Zealand. *Landslides*, 2:1, 43-51.
- [610] Krejčí, O., Baron, I., Bíl, M., Hubatka, F., Jurová, Z. and Kirchner, K. (2002) Slope movements in the Flysch Carpathians of Eastern Czech Republic triggered by extreme rainfalls in 1997: a case study. *Physics and Chemistry of the Earth*, 27:36 1567-1576.
- [611] Kubota, T. (1996) A study on the fractal dimension and geological condition of landslide. In: Chacon, J.; Irigaray, C. and Fernandez, T. (eds.) *Landslides*, Proceedings 8th International Conference and Field Trip on Landslides, Granada, 27-28 September 1996, 385-392.
- [612] Kwong, A.K.L., Wang, M., Lee, C.F. and Law, K.T. (2004) A review of landslide problems and mitigation measures in Chongqing and Hong Kong: similarities and differences. *Engineering Geology*, 76:1-2 27-39.
- L**
- [613] Lan, H.X., Lee, C.F., Zhou, C.H. and Martin, C.D. (2005) Dynamic characteristics analysis of shallow landslides in response to rainfall event using GIS. *Environmental Geology*, 47: 254-267.
- [614] Lan, H.X., Zhou, C.H., Wang, L.J., Zhang, H.Y. and Li, R.H. (2004) Landslide hazard spatial analysis and prediction using GIS in the Xiaojiang watershed, Yunnan, China. *Engineering Geology*, 76:1-2 109-128.
- [615] Landis, J.R. and Kock, G.G. (1977) The measurement of observer agreement for categorical data. *Biometrics*, 33: 159-174.
- [616] Landry, J. (1979) Carte ZERMOS. Zones exposées à des risques liés aux mouvements du sol et du sous-sol. Région de Lons-le-Saunier s Poligny (Jura). Orléans, *Bureau de Recherche Géologique et Minière*, 14 p., map at 1:25,000 scale (in French).
- [617] Lang, A., Moya, J., Corominas, J., Schrott, L. and Dikau, R. (1999) Classic and new dating methods for assessing the temporal occurrence of mass movements. *Geomorphology*, 30:1-2 33-52.
- [618] Lapenna, V., Lorenzo, P., Perrone, A., Piscitelli, S., Sdao, F. and Rizzo, E. (2003) High-resolution geoelectrical tomographies in the study of Giarossa landslide (southern Italy). *Bulletin of Engineering Geology and the Environment*, 62:3 259-268.
- [619] Larsen, M.C. and Parks, J. E. (1998) Map showing landslide susceptibility in the Comerio Municipality, Puerto Rico. *U.S. Geological Survey Open File Report 98-556*, scale 1:20,000.
- [620] Laresen, M.C. and Simon, A. (1993) Rainfall-threshold conditions for landslides in humid-tropical system, Puerto Rico. *Geographical Annales*, 75A:1-2 13-23.
- [621] Larsen, M.C. and Torres-Sánchez, A.J. (1992) Landslides triggered by Hurricane Hugo in eastern Puerto Rico, September 1989. *Caribbean Journal of Sciences*, 28:3-4 113-125.
- [622] Larsen, M.C. and Torres-Sánchez, A.J. (1996) Geographic relations of landslide distribution and assessment of landslide hazards in the Blanco, cibuco and Coamo river basins, Puerto Rico. *U.S. Geological Survey Water Resources Investigation Report 95-4029*, 56 p.
- [623] Larsen, M.C. and Torres-Sánchez, A.J. (1998) The frequency and distribution of recent landslides in three montane tropical regions of Puerto Rico. *Geomorphology*, 24: 309-331.
-

- [624] Lavé, J. and Burbank, D. (2004) Denudation processes and rates in the Transverse Ranges, southern California: Erosional response of a transitional landscape to external and anthropogenic forcing. *Journal of Geophysical Research*, 109: F01006-1-31, Doi:10.1029/2003jf000023.
- [625] Lee, C.F., Ye, H., Yeung, M.R., Shan, X. and Chen, G. (2001) AIGIS based methodology for natural terrain landslide susceptibility mapping in Hong Kong. *Episodes*, 24:3 150-159.
- [626] Lee, E.M. (2004) *Landslide Risk Assessment*. Thomas Telford Ltd, 256 p.
- [627] Lee, E.M., Meadowcroft, I.C., Hall, J.W. and Walkden, M. (2002) Coastal landslide activity: a probabilistic simulation model. *Bulletin of Engineering Geology and the Environment*, 61:4 347-355.
- [628] Lee, S. (2004) Application of Likelihood Ratio and Logistic Regression Models to Landslide Susceptibility Mapping Using GIS. *Environmental Management*, 34:2 223-232.
- [629] Lee, S. (2005) Application of logistic regression model and its validation for landslide susceptibility mapping using GIS and remote sensing data journals. *International Journal of Remote Sensing*, 26:7 1477-1491.
- [630] Lee, S., Choi, J. and Min, K. (2002a) Landslide susceptibility analysis and verification using the Bayesian probability model. *Environmental Geology*, 43:1-2 120-131.
- [631] Lee, S., Chwae, U. and Min, K. (2002b) Landslide susceptibility mapping by correlation between topography and geological structure: the Janghung area, Korea. *Geomorphology*, 46:3-4 149-162.
- [632] Lee, S. and Min, K. (2001) Statistical analysis of landslide susceptibility at Yongin, Korea. *Environmental Geology*, 40: 1095-1113.
- [633] Lee, S. and Min, K. (2002) Landslide susceptibility analysis and verification using a Bayesian probability model. *Environmental Geology*, 43: 120-131.
- [634] Lee, S., Ryu, J.-H., Won, J.-S. and Park, H.-J. (2004) Determination and application of the weights for landslide susceptibility mapping using an artificial neural network. *Engineering Geology*, 71:3-4 289-302.
- [635] Lee, S., Ryu, J.-H., Min, K. and Won J.-N. (2003) Use of an artificial neural network for analysis of the susceptibility to landslides at Bou, Korea. *Environmental Geology*, 44:7 820-833.
- [636] Lee, S., Ryu, J.-H., Min, K. and Won J.-N. (2004) Landslide susceptibility analysis using GIS and artificial neural network. *Earth Surface Processes and Landforms*, 28:12 1361-1376.
- [637] Lee, S. and Talib, J.A. (2005) Probabilistic landslide susceptibility and factor effect analysis. *Environmental Geology*, 47:7 982-990.
- [638] Legros, F. (2002) The mobility of long-runout landslides. *Engineering Geology*, 63: 301-331
- [639] Leonard, T. and Hsu, S.J. (1999) *Bayesian methods*. Cambridge Series in Statistical and Probabilistic Mathematics, Cambridge University Press, Cambridge, 333 p.
- [640] Leone, F., Asté, J.P. and Leroi, E. (1996) Vulnerability assessment of elements exposed to mass-movement: working toward a better risk perception. In: Senneset (ed.) *Landslides*, A.A. Balkema Publisher, Rotterdam, 263-269.
- [641] Lembo-Fazio, A., Manfredini, G., Ribacchi, R. and Sciotti, M. (1984) Slope failure and cliff instability in the Orvieto tuff. *Proceedings IV International Symposium on Landslides*, Toronto, 2: 115-120.
- [642] Lessing, P., Messina, C.P. and Fonner, R.F. (1983) Landslide risk assessment. *Environmental Geology*, 5:2 93-99.

- 
- [643] Leroi, E. (1996) Landslide hazard-risk maps at different scales: Objectives, tools and developments. In: Senneset (ed.) *Landslides*, A.A. Balkema Publisher, Rotterdam, 35-51.
- [644] Leroi, E., Bonnard, Ch., Fell, R. and McInnes, R. (2005) Risk assessment and management. In: Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (eds.) *Landslide Risk Management*. A.A. Balkema Publishers, 159-198.
- [645] Leventhal, A.R. and Walker, B.F. (2005) Risky business – Development and implementation of a national landslide risk management system. In: Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (eds.) *Landslide Risk Management*. A.A. Balkema Publishers, 401-409.
- [646] Lin, M.-L. and Tung, C.-C. (2004) A GIS-based potential analysis of the landslides induced by the Chi-Chi earthquake. *Engineering Geology*, 71:1-2 63-77.
- [647] Lineback Gritzner, M., Marcus, W.A., Aspinall, R. and Custer, S. (2001) Assessing landslide potential using GIS, soil wetness modeling and topographic attributes, Payette River, Idaho. *Geomorphology*, 37:1-2 149-165.
- [648] Lips, E.W. and Wieczorek, G.F. (1990) Recurrence of debris flows on an alluvial fan in central Utah. In: French, R.H. (ed.) *Hydraulic/Hydrology of Arid Lands*, Proceedings of the International Symposium, American Society of Civil Engineers, 555-560.
- [649] Liu, J.G., Mason, P.J., Clerici, N., Chen, S., Davis, A., Miao, F., Deng, H. and Liang, L. (2004) Landslide hazard assessment in the Three Gorges area of the Yangtze river using ASTER imagery: Zigui–Badong. *Geomorphology*, 61:1-2 171-187.
- [650] Locat, J. and Mienert, J. (eds.) (2003) Submarine Mass Movements and Their Consequences. *Advances in Natural and Technological Hazards Research*, 19: Kluwer Academic Publisher, 552 p.
- [651] Lu, P. and Rosembaum, M.S. (2003) Artificial Neural Networks and Grey Systems for the prediction of slope stability. *Natural Hazards*, 30: 383-398.
- [652] Lucini, D. (1969) Un metodo grafico per la valutazione della franosità. *Memorie Note Istituto Geologia Applicata*, Napoli, 2: 1-14 (in Italian).
- [653] Luino, F., Ramasco, M. and Susella, G. (1993) Atlante dei centri abitati instabili del Piemonte. *CNR Gruppo Nazionale per la Difesa dalle Catastrofi Idrogeologiche Publication n. 964*, 245 p. (in Italian).
- [654] Luckman, P.G., Gibson, R.D. and Derosé, R.C. (1999) Landslide erosion risk to New Zealand pastoral steplands productivity. *Land Degradation & Development*, 10:1 49-65.
- [655] Luoto, M. and Hjort, J. (2005) Evaluation of current statistical approaches for predictive geomorphological mapping. *Geomorphology*, 67:3-4 299-315.
- [656] Luino, F. (1999) The Flood and Landslide Event of November 4-6 1994 in Piedmont Region (Northwestern Italy): Causes and Related Effects in Tanaro Valley. *Physics and Chemistry of the Earth*, 24:2 123-129.
- [657] Luzi, L. and Pergalani, F. (1996) Applications of statistical and GIS techniques to slope instability zonation (1:50.000 Fabriano geological map sheet). *Soil Dynamics and Earthquake Engineering*, 15: 83-94.
- [658] Luzi, L. and Pergalani, F. (2000) A correlation between slope failures and accelerometric parameters: the 26 September 1997 earthquake (Umbria-Marche, Italy). *Soil Dynamics and Earthquake Engineering*, 20: 301-313.
- [659] Luzi, L., Pergalani, F. and Terlien, M.T.J. (2000) Slope vulnerability to earthquakes at subregional scale, using probabilistic techniques and Geographic Information Systems. *Engineering Geology*, 58: 313-336.
- [660] Lyell, C. (1830-1833) *Principles of Geology*, 3 volumes.
-

- [661] MacMillan, R.A., Pettapiece, W.W., Nolan, S.C. and Goddard, T.W. (2000) A generic procedure for automatically segmenting landforms into landform elements using DEMs, heuristic rules and fuzzy logic. *Fuzzy Sets and Systems*, 113: 81-109.
- [662] Maharaj, R. (1993) Landslide processes and landslide susceptibility analysis from an upland watershed: A case study from St. Andrew, Jamaica, West Indies. *Engineering Geology*, 34: 53-79.
- [663] Malafronte, R., Catapano, F., Cossolino, P., Magliano, L. and Maj, M. (2002) Psychosocial consequences of the 1998 landslide in Sarno, Italy.
- [664] Malamud, B.D. and Turcotte, D.L. (1999) Self-Organized Criticality Applied to Natural Hazards. *Natural Hazards*, 20:2 93-116.
- [665] Malamud, B.D. and Turcotte, D.L. (2000) Cellular-automata models applied to natural hazards. *IEEE Computing Science and Engineering*, 2: 42-51.
- [666] Malamud, B.D., Turcotte, D.L., Guzzetti, F. and Reichenbach, P. (2004a) Landslide inventories and their statistical properties. *Earth Surface Processes and Landforms*, 29:6 687-711. ★
- [667] Malamud, B.D., Turcotte, D.L., Guzzetti, F. and Reichenbach, P. (2004b) Landslides, earthquakes and erosion. *Earth and Planetary Science Letters*, 229: 45-59. ★
- [668] Malet, J.-P., Maquaire, O. and Calais, E. (2002) The use of Global Positioning System techniques for the continuous monitoring of landslides: application to the Super-Sauze earthflow (Alpes-de-Haute-Provence, France). *Geomorphology*, 43:1-2 33-54.
- [669] Malet, J.-P., Maquaire, O., Locat, J. and Renaitre, A. (2002) Assessing debris flow hazards associated with slow moving landslides: methodology and numerical analyses. *Landslides*, 1:1 83-90.
- [670] Malet, J.-P., van Asch, TH.W.J, van Beek, R. and Maquaire, O. (2005) Forecasting the behaviours of complex landslides with a spatially distributed hydrological model. *Natural Hazards and Earth System Sciences*, 5:1 71-85.
- [671] Malin, M.C. (1992) Mass Movements on Venus: Preliminary Results from Magellan Cycle I Observations. *Journal of Geophysical Research*, 97: E10, 16337-16352.
- [672] Malin Space Science Systems, P. O. Box 910148, San Diego, CA 92191-0148
- [673] Malone, A.W. (1998) Risk management and slope safety in Hong Kong. In: Li, K.S., Kay, J.N. and Ho, K.K.S. (eds.) *Slope Engineering in Hong Kong*, Rotterdam, A.A. Balkema, 3-17.
- [674] Malone, A.W. (2005) The story of quantified risk and its place in slope safety policy in Hong Kong. In: Glade, T., Anderson, M.G. and Crozier, M.J. (eds.) *Landslide risk assessment*. John Wiley, 643-674.
- [675] Mancini, L. (ed.) (1966) Soil map of Italy. *Società Geografica*, A.G.A.F-A. & R. Senatori, scale 1:1,000,000.
- [676] Mantovani, F., Soeters, R. and van Westen, C.J. (1996) Remote sensing techniques for landslide studies and hazard zonation in Europe. *Geomorphology*, 15: 213-225.
- [677] Mark, R.K. (1992) Map of debris flow probability, San Mateo County, California, scale 1:62,500. *U.S. Geological Survey Miscellaneous Investigation Map I-1257-M*.
- [678] Mark, R.K. and Ellen, S.D. (1995) Statistical and simulation models for mapping debris-flow hazard. In: Carrara, A. and Guzzetti, F. (eds.) *Geographical Information Systems in assessing Natural Hazards*, Kluwer Publishing co., Dordrecht, The Netherlands, 93-106.



- 
- [679] Marques, F.M.S.F. (2003) Landslide activity in Upper Palaeozoic shale sea cliffs: a case study along the western coast of the Algarve (Portugal). *Bulletin of Engineering Geology and the Environment*, 62:4 299-313.
- [680] Martin, Y., Rood, K., Schwab, J.W., and Church, M. (2002) Sediment transfer by shallow landsliding in the Queen Charlotte Islands, British Columbia. *Canadian Journal of Earth Sciences*, 39:2 189-205.
- [681] Mason, I.B. (2003) Binary events. Chapter 3. In: Jolliffe, I.T. and Stephenson, D.B. (eds.) *Forecast Verification. A Practitioner's Guide in Atmospheric Science*. John Wiley, 37-76.
- [682] Mason, P.J. and Rosenbaum, M.S. (2002) Predicting future landslides in a residential area on the basis of geohazard mapping: the Langhe Hills in Piemonte, NW Italy. *Quarterly Journal of Engineering Geology and Hydrology*, 35: 317-326.
- [683] May, C.L. and Gresswell, R.E. (2004) Spatial and temporal patterns of debris-flow deposition in the Oregon Coast Range, USA. *Geomorphology*, 57:3-4 135-149.
- [684] McCalpin, J. (1984) Preliminary age classification of landslides for inventory mapping. *Proceedings 21st annual Engineering Geology and Soils Engineering Symposium*, Moscow, Idaho, 99-111
- [685] McClelland, D.E., Foltz, R.B., Wilson, W.D., Cundy, T.W., Heinemann, R. Saubier, J.A. and Schuster, R.L. (1997) Assessment of the 1995 & 1996 floods and landslides on the Clearwater National Forest, Part I: landslide assessment. Report to the regional Forester Northern Region U.S. Forest Service.
- [686] McEwen, A.S. (1989) Mobility of Large Rock Avalanches: Evidence from Valles Marineris, Mars. *Geology*, 17: 1111-1114.
- [687] McKean, J. and Roering, J. (2003) Objective landslide detection and surface morphology mapping using high-resolution airborne laser altimetry. *Geomorphology*, 57:3-4 331-351.
- [688] McInnes, R. (2005) Instability management from policy to practice. In: Glade, T., Anderson, M.G. and Crozier, M.J. (eds.) *Landslide risk assessment*. John Wiley, 401-428.
- [689] McMichael, A.J., Butler, C.D. and Folke, C. (2003) New visions for addressing sustainability. *Science*, 302: 1919-1920.
- [690] Meijerink, A.M.J. (1988) Data acquisition and data capture through terrain mapping units. *ITC Journal*, 1988:1 23-44.
- [691] Mejía-Navarro, M. and Garcia, L.A. (1996) Natural Hazard and Risk Assessment using decision support systems, application: Glenwood Springs, Colorado. *Environmental & Engineering Geosciences*, 2:3 299-324.
- [692] Mejía -Navarro M., Wohl, E.E. and Oaks, S.D. (1994) Geological hazards, vulnerability and risk assessment using GIS: model for Glenwood Springs, Colorado. *Geomorphology*, 10: 331-354.
- [693] Menard, S. (2002) Applied Logistic Regression Analysis, Second Edition, SAGE University Paper, 111 p.
- [694] Menéndez-Duarte, R., Marquinez, J. and Devoli G. (2003) Slope instability in Nicaragua triggered by Hurricane Mitch: distribution of shallow mass movements. *Environmental Geology*, 44:3 290-300.
- [695] Michael-Leiba, M., Baynes, F. and Scott, G. (1999) Quantitative landslides of Cairns. *Australian Geological Survey Organisation, Department of Industry, Science & Resources*, AGSO Records 1999/36, 40 p.
- [696] Michael-Leiba, M., Baynes, F., Scott, G. and Granger, K. (2003) Regional landslide risk to the Cairns community. *Natural Hazards*, 30:2 233-249.
-

- [697] Michael-Leiba, M., Baynes, F., Scott, G. and Granger, K. (2005) Quantitative landslide risk assessment of Cairns, Australia. In: Glade, T., Anderson, M.G. and Crozier, M.J. (eds.) *Landslide risk assessment*. John Wiley, 621-642.
- [698] Michaels, S. (2005) Addressing landslide hazards: Towards a knowledge management perspective. In: Glade, T., Anderson, M.G. and Crozier, M.J. (eds.) *Landslide risk assessment*. John Wiley, 311-328.
- [699] Michie, D., Spiegelhalter, D.J. and Taylor, C.C. (eds.) (1994) Machine Learning, Neural and Statistical Classification. Internet version (<http://www.amsta.leeds.ac.uk/~charles/statlog/>).
- [700] Migale, L.S. and Milone, A. (1998) Ricerca Storica sulle colate di fango in terreni piroclastici della Campagna. *CNR Gruppo Nazionale per la Difesa dalle Catastrofi Idrogeologiche*, U.O. 2.38. Unpublished Final Report, 60 p. (in Italian).
- [701] Miles, S.B. and Ho, C.L. (1999) Rigorous landslide hazard zonation using Newmark's method and stochastic ground motion simulation. *Soil Dynamics and Earthquake Engineering*, 18:4 305-323.
- [702] Miller, V.C. (1961). Photogeology. Mc Graw Hill Book Company, New York, 248 p.
- [703] Monticelli, P. (1998) Ricostruzione storica degli eventi alluvionali nelle Valli di Lanzo tra il 1400 ed il 1900. Regione Piemonte, Direzione Servizi Tecnici di Prevenzione, Quaderno 12, 92 p. (in Italian).
- [704] Montgomery, D.R. and Dietrich, W.E. (1994) A physically based model for the topographic control of shallow landsliding. *Water Resources Research*, 30:4 1153-1171.
- [705] Montgomery, D.R., Wright, R.H. and Booth, T. (1991) Debris flow hazard mitigation for colluvium-filled swales. *Bulletin Association of Engineering Geologists*, 28:3 303-323.
- [706] Monroe, W.H. (1979) Map showing landslides and areas of susceptibility to landsliding in Puerto Rico. *U. S. Geological Survey Map I-1148*, scale 1:240,000, 1 sheet.
- [707] Moon, A.T., Wilson, R.A. and Flentje, P.N. (2005) Developing and using landslide size frequency models. In: Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (eds.) *Landslide Risk Management*. A.A. Balkema Publishers, 681-690.
- [708] Moore, I.D., Gessler, P.E., Nielsen, G.A. and Peterson, G.A. (1993) Soil attribute prediction using terrain analysis. *Soil Science Society of America Journal*, 57: 443-452.
- [709] Moore, I.D. and Grayson, R.B. (1991) Terrain-based catchment partitioning and runoff prediction using vector elevation data. *Water Resources Research*, 27:6 1171-1191.
- [710] Moore, I.D., O'Loughlin, E.M. and Burch, G.J. (1988). A computer based topographic model and its hydrologic and ecological applications. *Earth Surface Processes and Landforms*, 13: 305-320.
- [711] Mora, P., Baldi, P., Casula, G., Fabris, M., Ghirotti, M., Mazzini, E. and Pesci, A. (2003) Global Positioning Systems and digital photogrammetry for the monitoring of mass movements: application to the Ca' di Malta landslide (northern Apennines, Italy). *Engineering Geology*, 68:1-2 103-121.
- [712] Moreiras, S.M. (2004) Landslide incidence zonation in the Rio Mendoza valley, Mendoza Province, Argentina. *Earth Surface Processes and Landforms*, 29: 255-266.
- [713] Moreiras, S.M. (2005) Landslide susceptibility zonation in the Rio Mendoza valley, Argentina. *Geomorphology*, 66:1-4 345-357.
- [714] Morgan, G.C. (1991) Quantification of risks from slope hazards. *Geological Survey of Canada Open File Report*, 1992-15.
- [715] Morgan, G.C., Rawlings, G.E. and Sobkowicz, J.C. (1992) Evaluating total risk to communities from large debris flows. In: *Proceedings Geotechnique and Natural Hazards Symposium Canadian Geotechnical Society*, Bi-Tech Publishers, Vancouver, B.C., 225-236.

- [716] Morgenstern, N.R. (1997) Toward landslide risk assessment in practice. In: Cruden, D.M. and Fell, R. (eds.) *Landslide risk assessment*, A.A. Balkema Publisher, Rotterdam, 15-23.
- [717] Morgenstern, N.R. and Cruden, D.M. (1977) Description and classification of geotechnical complexities. *International Symposium on the Geotechnics of Structurally Complex Formations*. Capri, Italy, 2: 195-204.
- [718] Morgenstern, N.R. and Eigenbrod, K.D. (1974) Classification of argillaceous soils and rocks. *ASCE, Journal Geotechnical Engineering Division*, 100: 1137-1156.
- [719] Morrissey, M.M., Wieczorek, G.F. and Morgan, B.A. (2001) A comparative analysis of hazard models for predicting debris flows in Madison County, Virginia. *U.S. Geological Survey Open File Report 01-67*, 16 p.
- [720] Mulder, H.F.H.M. (1991) Assessment of landslide hazard. Profschrift ter Verkrijging van Graad van Doctor an de Rijkuniversiteit te Utrecht, University of Utrecht, 150 p.
- [721] Murck, B.W., Skinner, B.J. and Porter, S.C. (1997) *Dangerous Earth. An Introduction to Geological Hazards*. John Wiley, New York, 300 p.
- N**
- [722] Nadim, F., Einstein, H. and Roberds, W. (2005) Probabilistic stability for individual slopes in soil and rock. In: Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (eds.) *Landslide Risk Management*. A.A. Balkema Publishers, 63-98.
- [723] Nagarajan, R., Mukherjee, A., Roy, A. and Khire, M.V. (1998) Temporal remote sensing data and GIS application in landslide hazard zonation of part of Western Ghat, India. *International Journal of Remote Sensing*, 19: 573-585.
- [724] Nagarajan, R., Roy, A., Vinod Kumar, R., Mukhetjess, A. and Khire, M.V. (2000) Landslide hazard susceptibility mapping based on terrain and climatic factors for tropical monsoon regions. *Bulletin of Engineering Geology and the Environment*, 58:4 275-287.
- [725] Naranjo, J.L., van Westen, C.J. and Soeters, R. (1994) Evaluating the use of training areas in bivariate statistical landslide hazard analysis: a case study in Colombia. *ITC Journal*, 3: 292-300.
- [726] Nathenson, M. (2001) Probabilities of volcanic eruptions and application to the recent history of Medicine Lake Volcano. In: Vecchia, A.V. (ed.) *U.S. Geological Survey Open-file Report 2001-324*, 71-74.
- [727] National Research Council (1999) *The Impacts of Natural Disasters, A Framework for Loss Estimation*. Washington, D.C., National Academy Press, 80 p.
- [728] Natural Hazard Working Group (2005) *The Role of Science in Physical Natural Hazard Assessment*. Report to the United Kingdom Government. *Department of Trade and Industry*, DTI/Publication 7874/1k/06/05/NP.URN 05/1260, 42 p.
- [729] Nawari, O., Hartmann, R. and Lackner R. (1997) Stability analysis of rock slopes with the direct sliding blocks method. *International Journal of Rock Mechanics and Mineral Science*, 34:3/4 516-525.
- [730] Neeley, M.K. and Rice, R.M. (1990) Estimating risk of debris slides after timber harvest in northwestern California. *Bulletin American Association of Engineering Geologists*, 27:3 281-289.
- [731] Nemčok, A. and Rybář, J. (1968) Synoptic map of Czechoslovak landslide areas. *Geol. Ustar Českoslovaquia Akademia*, Praha.
- [732] Nemčok, A., Pašek, J. and Rybář, J. (1972) Classification of landslides and other mass movements. *Rock Mechanics*, 4: 71-78.
- [733] Neuland, H. (1976) A prediction model of landslides. *CATENA*, 3: 215-230.

- [734] Newman, E.B., Paradis, A.R. and Brabb, E.E. (1978) Feasibility and Cost of Using a Computer to Prepare Landslide Susceptibility Maps of the San Francisco Bay Region, California. *U.S. Geological Survey Bulletin*, 1443.
- [735] Newmark, N.M. (1965) Effects of earthquakes on dams and embankments. *Géotechnique*, 15: 139-160.
- [736] Ng, K.C., Parry, S., King, J.P., Franks, C.A.M. and Shaw, R. (2003) Guidelines for natural terrain hazard studies. Geotechnical Engineering Office, *Geo Report No. 138*, 138 p.
- [737] Ngecu, W.M. and Ichang'I, D.W. (1999) The environmental impact of landslides on the population living on the eastern footslopes of the Aberdare ranges in Kenya: a case study of Maringa Village landslide. *Environmental Geology*, 38:3 259-264.
- [738] Ngecu, W.M., Nyamai, C.M. and erima, G. (2004) The extent and significance of mass-movements in Eastern Africa: case studies of some major landslides in Uganda and Kenya. *Environmental Geology*, 46:8 1123-1133.
- [739] Nicol, D. (2004) Qualitative and Quantitative Analysis of Specific Value of Risk from a Road Repair Option: Nakusp, British Columbia. In: Wise *et al.* (eds.) *Landslide Risk Case Studies in Forest Development Planning and Operations*. B.C. Ministry of Forests, Forest Science Program, Abstract of Land Management Handbook, 56: 91-100 p.
- [740] Nieto, A.S. (1989) Mechanical models and geological observations: closing the prediction gap. In: Siccardi, F. and Bras, R. (eds.) *International Workshop on Natural Disasters in European-Mediterranean Countries*, Perugia, 27 June - 1 July 1989, CNR – US NFS, 145-164.
- [741] Nilsen, T.H., Bartow, J.A., Frizzell Jr., V.A., and Sims, J.D. (1975) Preliminary photointerpretation maps of landslide and other surficial deposits of 56 7 1/2-minute quadrangles in the southeastern San Francisco Bay region, Alameda, Contra Costa, and Santa Clara counties, California, *U.S. Geological Survey Open-File Report*, 75-0277.
- [742] Nilsen T.H. and Brabb, E.E. (1971) Preliminary photointerpretation and damage maps of landslide and other surficial deposits in northeastern San Jose, Santa Clara County, California. *U.S. Geological Survey Open-File Report*, 71-0217.
- [743] Nilsen T.H. and Brabb, E.E. (1972) Preliminary photointerpretation and damage maps of landslide and other surficial deposits in northeastern San Jose, Santa Clara County, California. *U.S. Geological Survey Miscellaneous Field Studies Map*, MF-361.
- [744] Nilsen T.H. and Brabb, E.E. (1973) Current slope-stability studies in the San Francisco Bay region, California. *Journal of Research of the US Geological Survey*, 1:4 431-327.
- [745] Nilsen, T.H. and Brabb, E.E. (1977) Slope stability studies in the San Francisco Bay region, California. Geological Society of America, *Reviews in Engineering Geology*, 3: 235-243.
- [746] Nilsen, T.H., Taylor, F.A. and Brabb, E.E. (1976) Recent landslides in Alameda County, California (1940-71); an estimate of economic losses and correlations with slope, rainfall, and ancient landslide deposits. *U.S. Geoloigcal Survey Bulleetin*, 1398, 21 p.
- [747] Nilsen, T.H. and Turner, B.L. (1975) Influence of Rainfall and Ancient Landslide Deposits on Recent Landslides (1950-71) in Urban Areas of Contra Costa County, California. *U.S. Geological Survey Bulletin*, 1388: 18 p.
- [748] Nilsen, T.H., Wright, R.H., Vlastic, C. and Spangle, W.E. (1979) Relative slope stability and land-use planning in the San Francisco Bay region, California. *U.S. Geological Survey Professional Paper 944*, 104 p.
- [749] Noever, D.A. (1993) Himalayan sandpiles. *Physical Review*, E47: 724-725.
- [750] Nossin, J.J. (1975) Multidisciplinary surveys and integration necessary to their fulfillment in development planning. *ITC Journal*, 4: 429-443.

- [751] Nossin, J.J. (1989) Aerospace survey of natural hazards. *ITC Journal*, 3-4: 183-188.
- [752] Nossin, J.J. (1999) Monitoring of hazards and urban growth in Villavicencio, Colombia, using scanned air photos and satellite imagery. *GeoJournal*, 49:2 151-158.
- O**
- [753] O'Loughlin, E.M. (1986) Prediction of surface saturation zones in natural catchments by topographic analysis. *Water Resources Research*, 22:5 794-804.
- [754] Odeh, I.O.A., McBratney, A.B. and Chittleborough, D.J. (1992) Soil pattern recognition with fuzzy c-means: Application to classification and soil-landform interrelationship. *Soil Science Society of America Journal*, 56: 505-516.
- [755] Ohlmacher, G.C. and Davis, J.C. (2003) Using multiple logistic regression and GIS technology to predict landslide hazard in northeast Kansas, USA. *Engineering Geology*, 69:3-4 331-343.
- [756] Ohmori, H. (1992) Morphological characteristics of the scar created by large-scale rapid mass movements. *Transactions Japanese Geomorphological Union*, 13: 185-202.
- [757] Ohmori, H. and Hirano, M. (1985) Mathematical explanation of some characteristics of altitude distributions of landforms in an equilibrium state. *Transactions Japanese Geomorphological Union*, 5: 293-310.
- [758] Ohmori, H. and Hirano, M. (1988) Magnitude, frequency and geomorphological significance of rocky mud flows, landcreep and the collapse of steep slopes. *Zeitschrift für Geomorphologie*, Supplementband 67: 55-65.
- [759] Ohmori, H. and Sugai, T. (1995) Toward geomorphometric models for estimating landslide dynamics and forecasting landslide occurrence in Japanese mountains. *Zeitschrift für Geomorphologie*, Supplementband 101: 149-164.
- [760] Okimura, T. and Kawatani, T. (1987) Mapping of the potential surface-failure sites on granite slopes. In: Gardiner, E. (ed.) *International Geomorphology 1986*, Part I, John Wiley, Chichester, 121-138.
- [761] Oliver, P. and Renet, J.P. (1976) Essai de cartographie des risques liés à des mouvements de terrain dans la région de Saint-Martin-Belleville. *Bulletin Liaison Laboratoires Ponts et Chaussée*, Paris, 2: 40-55 (in French).
- [762] Ollier, C.D. (1977) Terrain classification: methods, applications and principles. In: Hails, J.R. (ed.) *Applied Geomorphology*, Elsevier Scientific Publishing Co., Amsterdam, 277-316.
- [763] Olshansky, R.B. (1990) Landslide hazard in the United States. Case studies in planning and policy development. Garland Publishing, New York, 178 p.
- [764] Olshansky, R.B. (1996) Financing Landslide Hazard Mitigation in the United States. *Journal of Environmental Planning and Management*, 39:3, 371-385.
- [765] Olshansky, R.B. and Rogers, J.D. (1987) Unstable ground – landslide policy in the United States. *Ecology Law Quarterly*, 13:4 939-1006.
- [766] Onofri, R. and Candian, C. (1979) Indagine sui limiti di massima invasione dei blocchi franati durante il sisma del Friuli del 1976. Considerazioni sulle opere di difesa. Regione Autonoma Friuli-Venezia Giulia and Università degli Studi di Trieste. Cluet Publisher, Trieste, 41 p. (in Italian).
- [767] Önöz, B. and Bayazit, M. (2001) Effect of the occurrence process of the peaks over threshold on the flood estimates. *Journal of Hydrology*, 244: 86-96.
- [768] Ottens, H.F.L. (1992) GIS in Europe. *Proceedings II European Conference on GIS*, Brussels, 2-5 April 1991, 1: 1-9.

- [769] Pachauri, A.K., Gupta, P.V. and Chander, R. (1998) Landslide zoning in a part of the Garhwal Himalayas. *Environmental Geology*, 36:3-4 325-334.
- [770] Pachauri, A.K. and Pant, M. (1992) Landslide hazard mapping based on geological attributes. *Engineering Geology*, 32: 81-100.
- [771] Pack, R.T., Tarboton, D.G. and Goodwin, C.N. (1998) The Sinmap Approach to Terrain Stability Mapping. *Proceedings 8th Congress of the International Association of Engineering Geology*, Vancouver, British Columbia.
- [772] Pair, D.L. and Kappel, W.M. (2002) Geomorphic studies of landslides in the Tully Valley, New York: implications for public policy and planning. *Geomorphology*, 47:2-4 125-135.
- [773] Pallàs, R., Vilaplana, J.M., Guinau, M., Falgàs, E., Alemany, X., Muñoz, A. (2004) A pragmatic approach to debris flow hazard mapping in areas affected by Hurricane Mitch: example from NW Nicaragua. *Engineering Geology*, 72:1-2 57-72.
- [774] Papadopoulos, G.A., Murty, T., Venkatesh, S. and Blong, R. (2000) Natural Hazards. State-of-the-Art at the end of the second millennium. Kluwer Academic Publishers, Dordrecht, 398 p.
- [775] Parise, M. (2001) Landslide mapping techniques and their use in the assessment of the landslide hazard. *Physics and Chemistry of the Earth, Part C*, 26:9 697-703.
- [776] Parise, M. and Jibson, R.W. (2000) A seismic landslide susceptibility rating of geologic units based on analysis of characteristics of landslides triggered by the 17 January, 1994 Northridge, California earthquake, *Engineering Geology*, 58: 251-270.
- [777] Parise, M. and Wasowski, J. (1999) Landslide activity maps for landslide hazard evaluation: Three case studies from southern Italy. *Natural Hazards*, 20: 159-183.
- [778] Paronuzzi, P. (1987) Modelli di calcolo per l'analisi della propagazione di blocchi rocciosi in frana. *Rivista Italiana di Geotecnica*, 21:4 145-165 (in Italian).
- [779] Paronuzzi, P. and Artini, E. (1999) Un nuovo programma in ambiente Windows per la modellazione della caduta massi. *Geologia Tecnica e Ambientale*, 1/99, 13-24 (in Italian).
- [780] Pašek, J. (1975) Landslide inventory. *International Association Engineering Geologist Bulletin*, 12: 73-74.
- [781] Pasuto, A. and Silvano, S. (1998) Rainfall as a trigger of shallow mass movements. A case study in the Dolomites, Italy. *Environmental Geology*, 35:2-3 184-189.
- [782] Pasuto, A. and Soldati, M. (1999) The use of landslide units in geomorphological mapping: an example in the Italian Dolomites. *Geomorphology*, 30:1-2 53-64.
- [783] Paus, H.-P. (2005) Reply of insurance industry to landslide risk. In: Glade, T., Anderson, M.G. and Crozier, M.J. (eds.) *Landslide risk assessment*. John Wiley, 251-283.
- [784] Peláez, J., Delgado, J. and López Casado, Ca. (2005) A preliminary probabilistic seismic hazard assessment in terms of Arias intensity in southeastern Spain. *Engineering Geology*, 77: 1-2 139-151.
- [785] Pelletier, J.D., Malamud, B.D., Blodgett, T. and Turcotte, D.L. (1997) Scale-invariance of soil moisture variability and its implications for the frequency-size distribution of landslides. *Engineering Geology*, 48: 255-268.
- [786] Perotto-Baldiviezo, H.L., Thurow, T.L., Smith, C.T., Fisher, R.F. and Wu, X.B. (2004) GIS-based spatial analysis and modeling for landslide hazard assessment in steeplands, southern Honduras. *Agriculture, Ecosystems & Environment*, 103:1 165-176.
- [787] Perrot, A. (1988) Cartographie des risques de glissements en Lorraine. *Proceeding 5th International Symposium on Landslides*, Lausanne, 2: 1217-1222 (in French).

- 
- [788] Petak, W.J. and Atkisson, A.A. (1978) Natural hazard risk assessment and public policy. Springer-Verlag, New York, 489 p.
- [789] Petley, D.N., Dunning, S.A. and Rosser, N.J. (2005) The analysis of a global landslide risk through the creation of a database of worldwide landslide fatalities. In: Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (eds.) *Landslide Risk Management*. A.A. Balkema Publishers, 367-373.
- [790] Petley, D.N., Mantovani, F., Bulmer, M.H. and Zannoni, A. (2005) The use of surface monitoring data for the interpretation of landslide movement patterns. *Geomorphology*, 66:1-4 133-147.
- [791] Petrucci, O. and Polemio, M. (2003) The use of historical data for the characterization of multiple damaging hydrogeological events. *Natural Hazards and Earth System Sciences*, 3:1-2 17-30.
- [792] Pfeiffer, T.J. and Bowen, T. (1989) Computer simulation of rockfalls. *Bulletin of the Association of Engineering Geologists*, 26:1 135-146.
- [793] Pfeiffer T.J., Higgins, J.D., Schultz, R. and Andrew, R.D. (1991) Colorado Rockfall Simulation Program Users Manual for Version 2.1. Colorado Department of Transportation, Denver, 127 p.
- [794] Pflügner, W. (2005) Basic data and decision support for landslide management: a conceptual framework. In: Glade, T., Anderson, M.G. and Crozier, M.J. (eds.) *Landslide risk assessment*. John Wiley, 377-400.
- [795] Picarelli, L., Oboni, F., Evans, S.G., Mostyn, G. and Fell, R. (2005) Hazard characterization and quantification. In: Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (eds.) *Landslide Risk Management*. A.A. Balkema Publishers, 27-61.
- [796] Pierson, L.A. (1991) The Rockfall Hazard Rating System. *Proceeding National Symposium on Highway and Railroad Slope Maintenance*, Association Engineering Geologists, Chicago, 1-22.
- [797] Pierson, L.A., Davis, S.A. and van Vickle, R. (1990) The Rockfall Hazard Rating System implementation manual. Oregon State Highway Division, *Report FHWA-OR-EG-90-01*, Washington, USA, 80 p.
- [798] Pike, R.J. (1988) The geometric signature: quantifying landslide-terrain types from digital elevation models. *Mathematical Geology*, 20:5 491-511.
- [799] Pike, R.J. (1997) Index to Detailed Maps of Landslides in the San Francisco Bay Region, California. *U.S. Geological Survey Open-File Report 97-745 D*, map scale 1:275,000.
- [800] Pinter, N. and Dean Vestal, W. (2005) El Niño-driven landsliding and postgrazing vegetative recovery, Santa Cruz Island, California. *Journal of Geophysical Research*, 110: F02003, doi: 10.1029/2004JF00203.
- [801] Pistocchi, A., Luzi, L. and Napolitano, P. (2002) The use of predictive modeling techniques for optimal exploitation of spatial databases: a case study in landslide hazard mapping with expert system-like methods. *Environmental Geology*, 41:7 765-775.
- [802] Piteau, D.R. and Clayton, R. (1976) Computer Rockfall Model. *Proceedings Meeting on Rockfall Dynamics and Protective Works Effectiveness*, ISMES Publication n. 90, Bergamo, 123-125.
- [803] Plattner, Th. (2005) Modelling public risk evaluation of natural hazards: a conceptual approach. *Natural Hazards and Earth System Science*, 5: 357-366.
- [804] Polemio, M and Sdao, F. (1999) The role of rainfall in the landslide hazard: the case of the Avigliano urban area (Southern Apennines, Italy). *Engineering Geology*, 53:3-4 297-309.
-

- [805] Pomeroy, J.S. (1978) Isopleth maps of landslide deposits, Washington county, Pennsylvania – a guide to comparative slope stability. *U.S. Geological Survey Miscellaneous Field Investigation Map*, MF-1010.
- [806] Pomeroy, J.S. (1978) Map showing landslides and area susceptible to sliding in Beaver County, Pennsylvania. *U.S. Geological Survey Miscellaneous Field Investigation Map*, MF-1160, scale 1:50,000.
- [807] Pontius, R.G. (2000) Quantification error versus location error in comparison of categorical maps. *Photogrammetric Engineering & Remote Sensing*, 66:8 1011-1016.
- [808] Popa, A. and Fatea, L. (1996) Risk factor monitoring for landslides. In: Senneset, K. (ed) *Landslides. Proceedings of the 7th International Symposium on Landslides*, Trondheim, 17-21 June 1996, 1: 337-338.
- [809] Popper, K.R. (1959) *The Logic of Scientific Discovery*. Basic Books, New York, 480 p.
- [810] Porcher, M. and Guiloppe, P. (1979) Cartographie des risques ZERMOS appliqué à des plans d'occupation des sols en Normandie. *Bulletin de Liaison des Laboratoires des Ponts et Chaussées*, 99 : 43-54 (in French).
- [811] Postpischl, D. (ed.) (1985) *Catalogo dei terremoti italiani dall'anno 1000 al 1980*. CNR Progetto Finalizzato Geodinamica, Quaderni de "La Ricerca Scientifica", 114:2B, Roma (in Italian).
- [812] Prandini, L., Giudicini, G., Bottura, J.A., Poncano, W.L. and Santos, A.R. (1977) Behavior of the vegetation in slope stability: a critical review. *International Association Engineering Geologist Bulletin*, 16: 51-55.
- [813] Priest, S.D. and Brown, E.T. (1983) Probabilistic analysis of rock slopes. *Transaction Institute Mineralogy and Metallurgy*, A92(1) A1-A12.

**Q**

- [814] Quarantelli, E.L. (ed.) (1998) *What is a Disaster? Perspective on the Question*. Routledge, London, 321 p.
- [815] Qin, S., Jiao, J.J. and Wang, S. (2000) The predictable time scale of landslides. *Bulletin of Engineering Geology and the Environment*, 59:4 307-312.
- [816] Qin, S., Jiao, J.J. and Wang, S. (2002) A nonlinear dynamical model of landslide evolution. *Geomorphology*, 43:1-2 77-85.
- [817] Quinn, P.F., Beven, K.J., Chevallier, P. and Planchon, O. (1991) The prediction of hillslope flow paths for distributed hydrological modelling using digital terrain models. *Hydrological Processes*, 9: 161-182.

**R**

- [818] Radbruch-Hall, D.H., Colton, R.B., Davies, W.E., Lucchitta, I., Skipp, B.A. and Varnes, D.J. (1982) *Landslide overview map of the conterminous United States*. *U.S. Geological Survey Professional Paper 1183*, 25 p.
- [819] Radbruch-Hall, D.H. and Varnes, D.J. (1976) Landslides: causes and effect. *International Association Engineering Geologist Bulletin*, 14: 205-216.
- [820] Radbruch-Hall, D.H. and Wentworth, C. (1971) *Estimated Relative Abundance of Landslides in the San Francisco Bay Region, California*, *U.S. Geological Survey Open-File Map*, 1:500,000 scale.
- [821] Raetzo, H., Lateltin, O., Bollinger, D. and Tripet, J.P. (2002) Hazard assessment in Switzerland - Codes of Practice for mass movements. *Bulletin of Engineering Geology and the Environment*, 61:3 263-268.



- 
- [822] Ragozin, A.L. (1996) Modern problems and quantitative methods of landslide risk assessment. In: Senneset, K. (ed.) *Landslides. Proceedings of the 7th International Symposium on Landslides*, Trondheim, 17-21 June 1996, 1: 339-344.
- [823] Ray, R.G. (1960) Aerial photograph in geologic interpretation and mapping. *U.S. Geological Survey Professional Paper 373*, Washington, 230 p.
- [824] Rahardjo, H., Li, X.W., Toll, D.G. and Leong, E.C. (2001) The effect of antecedent rainfall on slope stability. *Geotechnical and Geological Engineering*, 19:3 371-399.
- [825] Rautela, P. and Lakhera, R.C. (2000) Landslide risk analysis between Giri and Tons rivers in Himachal Himalaya (India). *International Journal Applied Earth Observation GeoInfo*, 2: 153-160.
- [826] Reid, L.M. (1998) Calculation of average landslides frequency using climatic records. *Water Resources Research*, 34:4 869-877.
- [827] Reid, L.M. and Page, M.J. (2002) Magnitudo and frequency of landsliding in a large New Zealand catchment. *Geomorphology*, 49: 71-88.
- [828] Refice, A. and Capolongo, D. (2002) Probabilistic modeling of uncertainties in earthquake-induced landslide hazard assessment. *Computers and Geosciences*, 28:6 735-749.
- [829] Reger, J.P. (1979) Discriminant analysis as a possible tool in landslide investigations. *Earth Surface Processes and Landforms*, 4: 267-273.
- [830] Reichenbach, P., Cardinali M., De Vita, L. and Guzzetti, F. (1998a) Regional hydrological thresholds for landslides and floods in the Tiber River basin (Central Italy). *Environmental Geology*, 35:2-3 146-159. ★
- [831] Reichenbach, P., Galli, M., Cardinali, M., Guzzetti, F. and Ardizzone, F. (2005) Geomorphologic mapping to assess landslide risk: concepts, methods and applications in the Umbria Region of central Italy. In: Glade, T., Anderson, M.G. and Crozier, M.J. (eds.) *Landslide risk assessment*. John Wiley, 429-468. ★
- [832] Reichenbach, P., Guzzetti, F. and Cardinali, M. (1998b) Map of sites historically affected by landslides and floods in Italy, 2nd edition. *CNR Gruppo Nazionale per la Difesa dalle Catastrofi Idrogeologiche Publication n. 1786*, scale 1:1,200,000. ★
- [833] Reichenbach, P., Guzzetti, F. and Carrara, A. (eds.) (2002) Assessing and mapping landslide hazard and risk. *Natural Hazards and Earth System Science*, 2:1-2 82 p. ★
- [834] Reid, L.M. and Page, M.J. (2003) Magnitude and frequency of landsliding in a large New Zealand catchment. *Geomorphology*, 49:1-2 71-88.
- [835] Remondo, J., González-Díez, A., De Terán, J.R.D., Cendrero, A., Fabbri, A. and Chung C.-J. F. (2003a) Validation of Landslide Susceptibility Maps; Examples and Applications from a Case Study in Northern Spain. *Natural Hazards*, 30: 437-449.
- [836] Remondo, J., González-Díez, A., Diaz De Terán, J.R. and Cendrero, A. (2003b) Landslide Susceptibility Models Utilising Spatial Data Analysis Techniques. A Case Study from the Lower Deba Valley, Guipúzcoa (Spain). *Natural Hazards*, 30:3 267-279.
- [837] Remondo, J., Soto, J., González-Díez, A., Diaz De Terán, J.R. and Cendrero, A. (2005) Human impact on geomorphic processes and hazards in mountain areas in northern Spain. *Geomorphology*, 66:1-4 69-84.
- [838] Revellino, P., Hungr, O., Guadagno, F.M. and Evans, S.G. (2004) Velocity and runout simulation of destructive debris flows and debris avalanches in pyroclastic deposits, Campania region, Italy. *Environmental Geology*, 45:3 295-311.
- [839] Rheams, K.F., Brabb, E.E. and Taylor, F.A. (1987) Preliminary map showing landslides in Alabama. *U.S. Geological Survey Miscellaneous Field Studies Map*, MF-1954.
-

- [840] Ribacchi, R., Sciotti, M. and Tommasi, P. (1988) Stability problems of some towns in Central Italy: geotechnical situations and remedial measurements. *Proceedings International Symposium IAEG on Engineering Geology of Ancient Works, Monuments and Historical Sites*, Athens, 1: 27-36.
- [841] Rib, H.T. and Liang, T. (1978) Recognition and identification. In: Schuster, R.L. and Krizek, R.J. (eds.) *Landslide Analysis and Control*, National Academy of Sciences, Transportation Research Board Special Report 176, Washington, 34-80.
- [842] Rickenmann, D. and Zimmermann, M. (1993) The 1987 debris flows in Switzerland: documentation and analysis. *Geomorphology*, 8: 175-189.
- [843] Riemer, W., Ruppert, F.R., Locher, T.C. and Nunez, I. (1988) Regional assessment of slide hazard. In: Bonnard, Ch. (ed.) *Landslides. Proceedings of the 5th International Symposium on Landslides*, Lausanne, 10-15 July 1988, 2: 1223-1226.
- [844] Righi, P.V., Marchi, G. and Dondi, G. (1986) Stabilizzazione mediante pozzi drenanti di un movimento franoso nella città di Perugia. *Proceedings XVI Convegno Nazionale Geotecnica*, Bologna, 14-16 May 1986, 2: 167-179 (in Italian).
- [845] Ritchie, A.M. (1963) Evaluation of rockfall and its control. Highway Research Board, Highway Research Record, National Academy of Sciences-National Research Council. Washington, DC, 17: 13-28.
- [846] Roberds, W. (2005) Estimating temporal and spatial variability and vulnerability. In: Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (eds.) *Landslide Risk Management*. A.A. Balkema Publishers, 129-157.
- [847] Roberds, W.J., Ho, K. and Leung, K.W. (1997) An integrated methodology for risk management for development below potential natural terrain landslides. In: Cruden, D.M. and Fell, R. (eds.) *Landslide risk assessment*, A.A. Balkema Publisher, Rotterdam, 333-346.
- [848] Roberts, B., Ward, B. and Rollerson, T. (2004) A comparison of landslide rates following helicopter and conventional cable-based clear-cut logging operations in the Southwest Coast Mountains of British Columbia. *Geomorphology*, 61:3-4 337-346.
- [849] Rodolfi, G. (1988) Geomorphological mapping applied to land evaluation and soil conservation in agricultural planning. Some examples from Tuscany (Italy). *Zeitschrift für Geomorphologie*, Supplementband 68: 155-174.
- [850] Rodríguez, C.E., Bommer, J.J. and Chandler, R.J. (1999) Earthquake-induced landslides: 1980-1997. *Soil Dynamics and Earthquake Engineering*, 18:5 325-346.
- [851] Roessner, S. Wetzels, H.U., Kaufmann, H. and Sarnagoev, A. (2005) Potential of satellite remote sensing and GIS for landslide hazard assessment in southern kyrgyzstan (Central Asia). *Natural Hazards*, 35:3 395-416.
- [852] Romeo, R. (2002) Seismically induced landslide displacements: a predictive model. *Engineering Geology*, 58: 337-351.
- [853] Rosenfeld, C.L. (1994) The geomorphological dimensions of natural disasters. *Geomorphology*, 10: 27-36.
- [854] Rosenfeld, C.L. (1999) Forest engineering implication of storm-induced mass wasting in the Oregon Coast Range, USA. *Geomorphology*, 31:1-4 217-228.
- [855] Rosendahl, J.; Vekić, M. and Kelley, J. (1993) Persistent self-organization of sandpiles. *Physical review E*, 47:5 1401-1404.
- [856] Rossetti, R. (1997) Centri abitati instabili della Provincia di Pavia. *CNR Gruppo Nazionale per la Difesa dalle Catastrofi Idrogeologiche Publication n. 1780* (in Italian).
- [857] Roth, R.A. (1983) Factors affecting landslide susceptibility in San Mateo County, California. *Association Engineering Geologists Bulletin*, 20:4 353-372.

- [858] Rouai, M. and Jaaidi, E.B. (2003) Scaling properties of landslides in the Rif mountains of Morocco. *Engineering Geology*, 68:3-4 353-359.
- [859] Rowbotham, D. and Dudycha, D.N. (1998) GIS modelling of slope stability in Phewa Tal watershed, Nepal. *Geomorphology*, 26: 151-170.
- S**
- [860] Saboya, F., Pinto, W.D. and Gatts, C.E.N. (2005) Assessment of slope failure susceptibility using Fuzzy Logic. In: Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (eds.) *Landslide Risk Management*. A.A. Balkema Publishers, 649-655.
- [861] Sabto, M. (1991) Probabilistic modelling applied to landslides in central Colombia using GIS procedures. Unpublished Msc. Thesis, ITC, Enschede, Netherlands, 26 p.
- [862] Saha, A.K., Gupta, R.P. and Arora, K.M., (2002) GIS-based landslide hazard zonation in the Bhagirathi (Ganga) Valley, Himalayas. *International Journal of Remote Sensing*, 23: 357-369.
- [863] Saha, A.K., Gupta, R.P., Sarkar, I., Arora, K.M., Csaplovics, E. (2005) An approach for GIS-based statistical landslide susceptibility zonation – with a case study in the Himalayas. *Landslides*, 2:1 61-69.
- [864] Salvaneschi, P. and Lazzari, M. (1999) Embedding a Geographic Information System in a Decision Support System for Landslide Hazard Monitoring. *Natural Hazards*, 20:2 185-195.
- [865] Salvati, P., Guzzetti, F., Reichenbach, P., Cardinali, M. and Stark, C.P. (2003) Map of landslides and floods with human consequences in Italy. *CNR Gruppo Nazionale per la Difesa dalle Catastrofi Idrogeologiche Publication n. 2822*, scale 1:1,200,000. ★
- [866] Sandin, P. (2004) Better safe than sorry. Applying philosophical methods to the debate on risk and the precautionary principle. Ph.D. Thesis. *Theses in Philosophy from the Royal Institute of Technology*, Stockholm, 5: 90 p.
- [867] Santacana, N., Baeza, B., Corominas, J., De Paz, A. and Marturiá, J. (2003) A GIS-Based Multivariate Statistical Analysis for Shallow Landslide Susceptibility Mapping in La Poble de Lillet Area (Eastern Pyrenees, Spain). *Natural Hazards*, 30:3 281-295.
- [868] Sarkar, S. and Kanungo, D.P. (2004) An integrated approach for landslide susceptibility mapping using remote sensing and GIS. *Photogrammetric Engineering and Remote Sensing*, 70: 617-625.
- [869] Sarkar, S., Kanungo, D.P. and Mehrotra, G.S. (1995) Landslide hazard zoning: a case study in Garhwal Himalaya, India. *Mountain Research and Development*, 15:4 301-309.
- [870] Sasaki, Y., Abe, M. and Hirano, I. (1991) Fractal of slope failure size-number distribution. *Journal of the Japan Society of Engineering Geology*, 32:3 1-11 (abstract, text in Japanese).
- [871] Sassa, K. (1988) Special Lecture: Geotechnical model for the motion of landslides. *Proceedings 5th International Symposium on Landslides*, Lausanne, 1: 37-55.
- [872] Sassa, K., Wang, G., Fukuoka, H., Wang, F., Ochiai, T., Sugiyama, M. and Sekiguchi, T. (2004) Landslide risk evaluation and hazard zoning for rapid and long-travel landslides in urban development areas. *Landslides*, 1:3 221-235.
- [873] Sassi, F.P., Boriani, A., Cocco, M., Simone, L., Sorriso Valvo, M., Sprovieri, R. and Vai, G.B. (1998) Criteri di valutazione riguardanti l'attività scientifica nelle Scienze della Terra. *Geoitalia*, 2: 19-22 (in Italian).
- [874] Scheidegger, A.E. (1994) Hazards: singularities in geomorphic systems. *Geomorphology*, 10: 19-5.

- [875] Schmid, C.F. and MacCannell, E.H. (1955) Techniques and theory of isopleth mapping. *Journal of the American Statistical Association*, 50:269 221-239.
- [876] Schmidt, J. and Dikau, R. (2004) Modeling historical climate variability and slope stability. *Geomorphology*, 60:3-4 433-447.
- [877] Schuster, R.L. (1995a) Keynote paper: Recent advances in slope stabilization. In: Bell (ed.) *Landslides*, A.A. Balkema, Rotterdam, 1715-1745.
- [878] Schuster, R.L. (2001) Landslides: Effects on the Natural Environment. *Proceedings Symposium on Engineering Geology and the Environment*, International Association of Engineering Geologists, 5: 3371-3387.
- [879] Schuster, R.L. (1996) Socioeconomic significance of landslides. In: Turner, A.K., Schuster, R.L. (eds.) *Landslides, Investigation and Mitigation*. Transportation Research Board Special Report 247. National Academy Press, WA, 12-35.
- [880] Schuster, R.L. and Fleming, R.W. (1986) Economic losses and fatalities due to landslides. *Bulletin American Association Engineering Geologists*, 23:1 11-28.
- [881] Schuster, R.L. and Highland, L.M. (2001) Socioeconomic and Environmental Impacts of Landslides in the Western Hemisphere. *U.S. Geological Survey Open-File Report 01-0276*, 47 p.
- [882] Schuster, R.L. and Krizek, R.J. (1978) Landslides analysis and control. National Academy of Sciences, *Transportation Research Board Special Report 176*, Washington, 234 p.
- [883] Scioldo, G. (1991) La statistica Robust nella simulazione del rotolamento massi. *Proceedings Meeting "La meccanica delle rocce a piccola profondità"*, Torino, 319-323 (in Italian).
- [884] Scott, G.R. (1972) Map Showing Landslides and Areas Susceptible to Landslides in the Morrison Quadrangle, Jefferson County, Colorado. *U.S. Geological Survey Miscellaneous Geologic Investigations Map I-790-B*, scale 1:24,000.
- [885] Scott, K.M., Vallance, J.W., Kerle, N., Macías, J.L., Strauch, W. and Devoli G. (2005) Catastrophic precipitation-triggered lahar at Casita volcano, Nicaragua: occurrence, bulking and transformation. *Earth Surface Processes and Landforms*, 30:1 59-79.
- [886] Seeley, M.W. and West, D.O. (1990) Approach to geologic hazard zoning for regional planning, Inyo National Forest, California and Nevada. *Bulletin American Association of Engineering Geologists*, 27:1 23-35.
- [887] Sekiguchi, T. and Sato, H.P. (2004) Mapping of micro topography using airborne laser scanning. *Landslides*, 1:3 195-202.
- [888] Servizio Geologico d'Italia (1928) Carta Geologica d'Italia, Foglio 102 – San Remo, map at 1:100,000 scale (in Italian).
- [889] Servizio Geologico d'Italia (1941) Carta Geologica d'Italia, Foglio 132 – Norcia, map at 1:100,000 scale (in Italian).
- [890] Servizio Geologico d'Italia (1952) Carta Geologica d'Italia, Foglio 116 – Gubbio, map at 1:100,000 scale (in Italian).
- [891] Servizio Geologico d'Italia (1968) Carta Geologica d'Italia, Foglio 123 – Assisi, map at 1:100,000 scale (in Italian).
- [892] Servizio Geologico d'Italia (1968) Carta Geologica d'Italia, Foglio 131 – Foligno, map at 1:100,000 scale (in Italian).
- [893] Servizio Geologico d'Italia (1969) Carta Geologica d'Italia, Foglio 108 – Mercato Saraceno, map at 1:100,000 scale (in Italian).
- [894] Servizio Geologico d'Italia (1969) Carta Geologica d'Italia, Foglio 115 – Città di Castello, map at 1:100,000 scale (in Italian).

- 
- [895] Servizio Geologico d'Italia (1971) Carta Geologica d'Italia, Foglio 71 – Voghera, map at 1:100,000 scale (in Italian).
- [896] Servizio Geologico Nazioanle (1972) Carta Geologica d'Italia, Foglio 290 – Cagli, map at 1:50,000 scale (in Italian).
- [897] Servizio Geologico Nazioanle (1973) Carta della Stabilità, Foglio 290 – Cagli, map at 1:50,000 scale (in Italian).
- [898] Servizio Geologico Nazioanle (1975) Carta Geologica d'Italia, Foglio 301 – Fabriano, map at 1:50,000 scale (in Italian).
- [899] Servizio Geologico Nazionale (1980) Carta Geologica dell'Umbria. Map at 1:250,000 scale, (legend in Italian).
- [900] Servizio Idrografico Nazionale (1955) Precipitazioni massime con durata da uno a cinque giorni consecutivi. Bacini con foce al litorale tirrenico dal Fiora al Lago di Fondi. Ministero dei Lavori Pubblici. Publication No. 25:1, Rome, 1955, pp. 208. (in Italian).
- [901] Sharpe, C.F.S. (1938) Landslides and related phenomena: A study of mass movements of soil and rock. *Columbia University Press*, New York, 137 p.
- [902] Siddle, H.J., Jones, D.B. and Payne, H.R. (1991) Development of a methodology for landslip potential mapping in the Rhonda Valley. In: Chandler R.J. (ed.) *Slope Stability Engineering*, T. Telford Publisher, London, 137-142.
- [903] Sidle, R.C., Pearce, A.J. and O'Loughlin, C.L. (1984) Hillslope Stability and Land Use. *Water Resources Monograph Series 11*, Washington D.C., American Geophysical Union, 140 p.
- [904] Sidle, R.C., Taylor, D., Lu, X.X., Adger, W.N., Lowe, D.J., de Lange, W.P., Newnham, R.M. and Dodson, J.R. (2004) Interactions of natural hazards and society in Austral-Asia: evidence in past and recent records. *Quaternary International*, 118-119: 181-203.
- [905] Simonett, D.S. (1967) Landslide distribution and earthquakes in the Bewani and Torricelli Mountains, New Guinea. In: Jennings, J.N. and Mabbutt, J.A. (eds.) *Landform Studies from Australia and New Guinea*, Cambridge University Press, Cambridge, 64-84.
- [906] Singhroy, V. (2005) Remote sensing of landslides. In: Glade, T., Anderson, M.G. and Crozier, M.J. (eds.) *Landslide risk assessment*. John Wiley, 469-492.
- [907] Singhroy, V. and Molch, K. (2004) Characterizing and monitoring rockslides from SAR techniques. *Advances in Space Research*, 33:3 290-295.
- [908] Sirangelo, B. and Braca, G. (2004) Identification of hazard conditions for mudflow occurrence by hydrological model: Application of FLAIIR model to Sarno warning system. *Engineering Geology*, 73:3-4 267-276.
- [909] Sivakumar Babu, G.L. and Mukesh, M.D. (2003) Risk analysis of landslides – A case study. *Geotechnical and Geological Engineering*, 21:2 113-127.
- [910] Skidmore, M. (2001) Risk, natural disasters, and household savings in a life cycle model. *Japan and the World Economy*, 13:1 15-34.
- [911] Slovic, P. (1987) Perception of risk. *Science*, 236, pp. 280-285
- [912] Smith, M.J. and Clark, C.D. (2005) methods for the visualization of digital elevation models for landform mapping. *Earth Surface Processes and Landforms*, 30: 885-900.
- [913] Sobkowicz, J. (1996) Natural hazards, risk to groups and acceptable land use. *Proceedings Symposium on Risk Assessment in Geotechnical and Geo-Environmental Engineering*, The Geotechnical Society of Edmond, 2 April 1987.
-

- [914] Soeters, R., Rengers, N. and van Westen, C.J. (1991) Remote sensing and geographical information systems as applied to mountain hazard analysis and environmental monitoring. *8th Thematic Conference Geology Remote Sensing (ERIM)*, 29 April - 2 May 1991, Denver, 2: 1389-1402.
- [915] Soeters, R. and van Westen, C.J. (1996) Slope instability recognition, analysis and zonation. In: Turner, A.K. and Schuster, R.L. (eds.) *Landslide investigation and mitigation*, National Research Council, *Transportation Research Board Special Report 247*, 129-177.
- [916] Solana, C.M. and Kilburn, C.R.J. (2003) Public awareness of landslide hazards: the Barranco de Tirajana, Gran Canaria, Spain. *Geomorphology*, 54:1-2 9-48.
- [917] Soldati, M., Corsini, A. and Pasuto, A. (2004) Landslides and climate change in the Italian Dolomites since the Late glacial. *Catena*, 55:2 141-161.
- [918] Solid Earth Science Working Group (2002) Living on a Restless Planet. *National Aeronautics and Space Administration and Jet Propulsion Laboratory*, California Institute of Technology, 63 p.
- [919] Sornette, D., Helmstetter, A., Andersen, J.V., Gluzman, S., Grasso, J.-R., Pisarenko, V. (2004) Towards landslide predictions: two case studies. *Physica A*, 338:3-4 605-632.
- [920] Sorriso-Valvo, M. (2005) Landslide risk assessment in Italy. In: Glade, T., Anderson, M.G. and Crozier, M.J. (eds.) *Landslide risk assessment*. John Wiley, 699-732.
- [921] Sorriso-Valvo, M., Antronico, L., Gaudio, R., Gullà, G., Iovine, G., Merenda, L., Minervino, I., Nicoletti, P.G., Petrucci, O. and Terranova, O. (2004) Map of mass movement, erosion and flooding caused in south Calabria by the 8-10 september 2000 storms. *CNR Gruppo Nazionale per la Difesa dalle Catastrofi Idrogeologiche Publication n. 2859*, Rubettino Industrie Grafiche ed Editoriali, map at 1:50,000 scale (in Italian and English).
- [922] Sowers, G.F. and Royster, D.L. (1978). Field investigation. In: Schuster, R.L. and Krizek, R.J. (eds.) *Landslide analysis and control*, National Academy of Sciences, Transportation Research Board Special Report 176, Washington, 81-111.
- [923] Speight, J.G. (1977) Landform pattern description from aerial photographs. *Photogrammetry*, 32: 161-182.
- [924] Spiker, E.C. and Gori, P.L. (2000) National Landslide Hazards Mitigation Strategy - A Framework for Loss Reduction, *U.S. Geological Survey Open-File Report 00-450*, 49 p.
- [925] Spiker, E.C. and Gori, P.L. (2003) National Landslide Hazards Mitigation Strategy - A Framework for Loss Reduction, *U.S. Geological Survey Circular 1244*, 56 p.
- [926] SPSS (2004) SPSS 13.0 Command Syntax Reference. SPSS inc. Chicago, 1994 p.
- [927] Squarzoni, C., Delacourt, C. and Allemand, P. (2003) Nine years of spatial and temporal evolution of the La Valette landslide observed by SAR interferometry. *Engineering Geology*, 68:1-2 53-66.
- [928] Starosolszky, O. and Melder, O.M. (1989) Hydrology of disasters. World Meteorological Organization Technical Conference, Geneva, November 1988, James and James, London, 319 p.
- [929] Stark, C.P. and Hovius, N. (2001) The characterization of landslide size distributions. *Geophysics Research Letters*, 28: 1091-1094.
- [930] Starr, C. (1969) Social benefit versus technological risk: What is our society willing to pay for safety? *Science*, 165: 1232-1238.
- [931] Stefanini, M.C. (2004) Spatio-temporal analysis of a complex landslide in the Northern Apennines (Italy) by means of dendrochronology. *Geomorphology*, 63:3-4 191-202.

- [932] Stern, P.C. and Fineberg, H.V. (eds.) (1996) Understanding Risk, Informing Decisions in a Democratic Society. *National Research Council*, Washington, D.C., National Academy Press, 249 p.
- [933] Stevens, W. (1998) RocFall: a tool for probabilistic analysis, design of remedial measures and prediction of rockfalls. M.A.Sc. Thesis. Department of Civil Engineering, University of Toronto. Ontario, Canada, 105 p.
- [934] Stevenson, P.C. (1977) An Empirical Method for the Evaluation of Relative Landslide Risk. *Bulletin International Association of Engineering Geology*, 16: 69-72.
- [935] Stevenson, P.C. (1978) The evolution of risk-zoning system for landslide area. *Tasmania Geological Survey*, Australia, 10 p.
- [936] Sugai, T., Ohmori, H. and Hirano, M. (1994) Rock control on magnitude-frequency distributions of landslides. *Transactions Japan Geomorphology Union*, 15: 233-251.
- [937] Süzen, M.L. and Doyuran, V. (2004a) A comparison of the GIS based landslide susceptibility assessment methods: multivariate versus bivariate. *Environmental Geology*, 45:5 665-679.
- [938] Süzen, M.L. and Doyuran, V. (2004b) Data driven bivariate landslide susceptibility assessment using geographical information systems: a method and application to Asarsuyu catchment, Turkey. *Engineering Geology*, 71:3-4 303-321.
- [939] Swanston, D.N. and Schuster, R.L. (1989) Long-term landslide hazard mitigation programs: Structure and experience from other Countries. *Bulletin American Association of Engineering Geologists*, 26:1 109-113.
- [940] Swanston, D.N. and Swanson, F.J. (1976) Timber harvesting, mass erosion, and steep-land forest geomorphology in the Pacific Northwest. In Coates, D.R. (ed.) *Geomorphology and Engineering*. Stroudsburg, Dowden, Hutchinson & Ross, 199-221.
- T**
- [941] Takahashi, T., Aschida, K. and Sawai, K. (1981) Delineation of debris flow hazard areas. Erosion and Sediment Transport in the Pacific Rim Steeplands, *IAHS Special Publication 132*, 589-603.
- [942] Tarchi, D., Casagli, N., Fanti, R., Leva, D.D., Luzi, G., Pasuto, A., Pieraccini, M. and Silvano, S. (2003) Landslide monitoring by using ground-based SAR interferometry: an example of application to the Tessina landslide in Italy. *Engineering Geology*, 68: 15-30.
- [943] Taylor, F.A. and Brabb, E.E. (1972) Maps Showing Distribution and Cost by Counties of Structurally Damaging Landslides in the San Francisco Bay Region, California, Winter of 1968-69. *U.S. Geological Survey Miscellaneous Field Studies Map MF-327*, scales 1:500,000, 1:1,000,000.
- [944] Taylor, F. and Brabb, E.E. (1986) Map showing landslides in California that have caused fatalities or at least \$1,000,000 in damages from 1906 to 1984. *U.S. Geological Survey Miscellaneous Field Studies Map*, MF-1867.
- [945] Taylor, F. and Brabb, E.E. (1986) Map showing the status of landslide inventory and susceptibility mapping in California. *U.S. Geological Survey Open File Report 86-100*, 39 p.
- [946] Technical Committee on Risk Assessment and Management (2004) Glossary of Risk Assessment Terms. Version 1, *International Society of Soil Mechanics and Geotechnical Engineering TC32*, 7 p., [http://www.engmath.dal.ca/tc32/2004Glossary\\_Draft1.pdf](http://www.engmath.dal.ca/tc32/2004Glossary_Draft1.pdf).
- [947] Temesgen, B., Mohammed, M.U. and Korme, T. (2001) Natural hazard assessment using GIS and remote sensing methods, with particular reference to the landslides in the Wondogenet Area, Ethiopia. *Physics and Chemistry of the Earth*, 26:9 665-675.

- [948] Terlien, M.T.J. (1997) The determination of statistical and deterministic hydrological landslide-triggering thresholds. *Environmental Geology*, 35:2-3 124-130.
- [949] Terlien, M.T.J., van Westen, C.J. and van Asch, Th.W.J. (1995) Deterministic modelling in GIS-based landslide hazard assessment. In: Carrara, A. and Guzzetti, F. (eds.) *Geographical Information Systems in Assessing Natural Hazards*, Kluwer Academic Publisher, Dordrecht, The Netherlands, 57-77.
- [950] The Royal Society (1992) Risk: analysis, perception and management. The Royal Society, *Report of a Royal Society Study Group*, London. U.K.
- [951] Thierry, P. and Vinet, L. (2003) Mapping an urban area prone to slope instability: Greater Lyons. *Bulletin of Engineering Geology and the Environment*, 62:2 135-143.
- [952] Toblin, G.A. (1999) Sustainability and community resilience: the holy grail of hazards planning? *Environmental Hazards*, 1: 23-25.
- [953] Tommasi, P., Ribacchi, R. and Sciotti, M. (1986) Analisi storica dei dissesti e degli interventi sulla Rupe di Orvieto. *Geologia Applicata & Idrogeologia*, 21: 99-153 (in Italian).
- [954] Tonnetti, G. (1978) Osservazioni geomorfologiche sulla frana del Fosso delle Lucrezie presso Todi, Perugia. *Memorie Società Geologica Italiana*, 19: 205-213 (in Italian).
- [955] Toppe, R. (1987) Terrain models as a tool for natural hazard mapping. In: Salm, B. and Gubler, H. (eds.) *Avalanche formation, movement and effects*. International association of Hydrological Sciences, Wallingford, U.K., Publication n° 162, 629-638.
- [956] Toppi, A. (1993) Studio geologico-tecnico sullo stato di dissesto del bacino idrografico del F.sso Bianco-T. Caldaro in Provincia di Terni. Unpublished Thesis, Dipartimento di Scienze della Terra, University of Perugia, Perugia, 103 p. (in Italian).
- [957] Troisi, C. (1997) Esame di alcuni dati storici relativi ad eventi alluvionali e fenomeni di instabilità naturale nelle valli dei torrenti Orco e Soana, Alto Canavese, Provincia di Torino. Regione Piemonte, Settore per la Prevenzione del Rischio Geologico, Meteorologico e Sismico, Torino, 90 p. (in Italian).
- [958] Trustrum, N.A. and De Rose, R.C. (1988) Soil depth-age relationship of landslides on deforested hillslopes, Taranaki, New Zealand. *Geomorphology*, 1: 143-160.
- [959] Turcotte, D.L. (1997) *Fractals and Chaos in Geology and Geophysics*, 2nd ed. Cambridge University Press: Cambridge, 398 p.
- [960] Turcotte, D.L. (1999) Self-organized criticality. *Reports on Progress in Physics*, 62: 1377-1429.
- [961] Turcotte, D.L., Malamud, B.D., Guzzetti, F. and Reichenbach, P. (2002) Self-organization, the cascade model and natural hazards. *Proceedings National Academy of Sciences, USA*, February 2002, 99, Supp. 1, 2530-2537. ★
- [962] Turcotte, D.L., Malamud, BD., Guzzetti, F. and Reichenbach, P. (2005) A general landslide distribution: Further examination. In: Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (eds.) *Landslide Risk Management*. A.A. Balkema Publishers, 675-680. ★
- [963] Turcotte, D.L., Malamud, BD., Morein, G. and Newman, W.I. (1999) An inverse-cascade model for self-organized critical behaviour. *Physica A*, 268: 629-643.
- [964] Turner, A.K. and Schuster, R.L. (eds.) (1996) *Landslides: Investigation and Mitigation*. Washington, D.C., National Research Council, *Transportation Research Board Special Report 247*, 673 p.
- [965] Turrini, M.C. and Visintainer, P. (1998) Proposal of a method to define areas of landslide hazard and application to an area of the Dolomites, Italy. *Engineering Geology*, 50: 255-265.



## U

- [966] Uchida, T., Kosugi, K. and Mizuyama, T. (2001) Effects of pipeflow on hydrological process and its relation to landslide: a review of pipeflow studies in forested headwater catchments. *Hydrological Processes*, 15:11 2151-2174.
- [967] UNDRO (1991) Mitigating Natural Disasters. Phenomena, Effects and Options. United Nations, New York, 164 p.
- [968] Unità di Crisi per la Liguria Occidentale (2001) Ordinanza del Ministro dell'Interno delegato per il coordinamento della Protezione Civile. CIMA, University of Genova, Unpublished report, 352 pp. (in Italian).
- [969] Uromeihy, A. and MahdaviFar, M.R. (2000) Landslide hazard zonation of the Khorshrostan area, Iran. *Bulletin of Engineering Geology and the Environment*, 58:3 207-213.
- [970] U.S. Committee on Ground Failure Hazards (1985) Reducing losses from landsliding in the United States. Washington, D.C., *U.S. National Research Council*, 41 p.
- [971] U.S. Geological Survey (1982) Goals and tasks of the landslide part of a ground failure hazard reduction program. *U.S. Geological Survey Circular 880*, 44 p.
- [972] U.S. Geological Survey (2002) National Landslide Hazards Mitigation Strategy - A Framework for Loss Reduction. *U.S. Geological Survey Circular 1244*, 64 p.

## V

- [973] van Asch, Th.W.J., Buma, J. and van Beek, L.P.H. (1999) A view on some hydrological triggering systems in landslides. *Geomorphology*, 30:1-2 25-32.
- [974] van Asch, Th.W.J., Kuipers, B. and van der Zanden (1993) An information system for large-scale quantitative hazard analysis on landslides. *Zeitschrift für Geomorphologie N.F., Supp.-Bd.*, 87: 133-140.
- [975] van Dijke, J.J. and van Westen, C.J. (1990) Rockfall hazard: a geomorphologic application of neighborhood analysis with ILWIS. *ITC Journal 1990:1* 40-44.
- [976] van Driel, N. (1991) Geographic information systems for earth science applications. *Proceedings 4th International Conference on Seismic Zonation*, Stanford, 1: 469-485.
- [977] van Steijn, H. (1996) Debris-flow magnitude-frequency relationships for mountainous regions of Central and Northwest Europe. *Geomorphology*, 15: 259-273.
- [978] van Westen, C.J. (1993) Application of Geographical Information System to landslide hazard zonation. *ITC Publication n. 15*, ITC, Enschede, 245 p.
- [979] van Westen, C.J. (1994) GIS in landslide hazard zonation: a review with examples from the Colombian Andes. In: Price, M.F. and Heywood, D.I. (eds.) Taylor and Francis, London, 135-165.
- [980] van Westen, van Duren, I., Kruse, H.M.G. and Terlien, M.T.J. (1993) GISSIZ: training package for geographic information systems in slope instability zonation. *ITC Publication number 15*, 2 volumes, ITC, Enschede, The Netherlands.
- [981] van Westen, C.J. and Lulie Getahun, F. (2003) Analyzing the evolution of the Tessina landslide using aerial photographs and digital elevation models. *Geomorphology*, 54:1-2 77-89.
- [982] van Westen, C.J., Rengers, N. and Soeters, R. (2003) Use of geomorphological information in indirect landslide susceptibility assessment. *Natural Hazards*, 30: 399-419.
- [983] van Westen, C.J., Rengers, N., Terlien, M.T.J. and Soeters, R. (1997) Prediction of the occurrence of slope instability phenomenon through GIS-based hazard zonation. *Geologische Rundschau*, 86: 404-414.

- [984] van Westen, C.J., Seijmonsbergen, A.C. and Mantovani, F. (1999) Comparing landslide hazard maps. *Natural Hazards*, 20:2-3 137-158.
- [985] van Westen, C.J. and Terlien, M.T.J. (1996) An approach towards deterministic landslide hazard analysis in GIS. A case study from Manizales (Colombia). *Earth Surface Processes and Landforms*, 21: 853-868.
- [986] van Zuidan, R.A. (1985) Aerial Photo-Interpretation in Terrain Analysis and Geomorphologic Mapping. *International Institute for Aerospace Survey and Earth Sciences (ITC)*, Smits Publishers, The Hague, 442 p.
- [987] van Den Eeckhaut, M., Poesen, J., Verstraeten, G., Vanacker, V., Moeyersons, J., Nyssen, J. and Van Beek, L.P.H. (2005) The effectiveness of hillshade maps and expert knowledge in mapping old deep-seated landslides. *Geomorphology*, 67: 351-363.
- [988] Vandine, D.F., Moore, G. and Wise, M. (2005) A comparison of landslide risk terminology. In: Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (eds.) *Landslide Risk Management*. A.A. Balkema Publishers, 557-562.
- [989] Vandine, D.F., Moore, G., Wise, M., Vanbuskirk, C. and Gerath, R. (2004) Chapter 3 - Technical Terms and Methods. In: Wise *et al.* (eds.) *Landslide Risk Case Studies in Forest Development Planning and Operations*. B.C., Ministry of Forests, Forest Science Program, Abstract of Land Management Handbook 56, 13-26.
- [990] Vanossi, M. (ed.) (1991) Alpi Liguri. Guide Geologiche Regionali. Volume 2, *Società Geologica Italiana*, BE-MA publisher, Roma, 295 pp. (in Italian).
- [991] Varnes, D.J. (1974) The logic of geological maps, with reference to their interpretation and use for engineering purposes. *U.S. Geological Survey Professional Paper 837*, 48 p.
- [992] Varnes, D.J. (1978) Slope movements: types and processes. In: Schuster, R.L. and Krizek, R.J. (eds.) *Landslide analysis and control*, National Academy of Sciences, Transportation Research Board Special Report 176, Washington, 11-33.
- [993] Varnes, D.J. and IAEG Commission on Landslides and other Mass-Movements (1984) Landslide hazard zonation: a review of principles and practice. The UNESCO Press, Paris, 63 p.
- [994] Vaunat, J. and Leroueil, S. (2002) Analysis of Post-Failure Slope Movements within the Framework of Hazard and Risk Analysis. *Natural Hazards*, 26:1 81-107.
- [995] Vecchia, A.V. (ed.) (2001) A unified approach to probabilistic risk assessments for earthquakes, floods, landslides, and volcanoes: Proceedings of a multidisciplinary workshop held in Golden, Colorado, November 16-17, 1999. *U.S. Geological Survey Open-file Report*, 2001-324 77 p.
- [996] Vedris, E. jr. (1990) Special lecture: evaluation of risks associated with slope instability. In: Bonnard, Ch. (ed.) *Landslides. Proceedings of the 5th International Symposium on Landslides*, Lausanne, 10-15 July 1988, 3: 1491-1496.
- [997] Verstappen, H.T. (1977) Remote sensing in geomorphology. Elsevier Scientific Publishing Co., Amsterdam.
- [998] Verstappen, H.T. (1983) Applied geomorphology: Geomorphological survey for environmental development. Elsevier Scientific Publishing Co., Amsterdam.
- [999] Viberg, L. (1989) Extent and economic significance of landslides in Sweden. In: Brabb, E.E. and Harrod, B.L. (eds.) *Landslides: Extent and economic significance*. A.A. Balkema Publisher, Rotterdam, 141-147.

## W

- [1000] Wadge, G. (1988) The potential of GIS modeling of gravity flows and slope instabilities. *International Journal of Geographical Information Systems*, 2: 143-152.
- [1001] Walsh, J.S., Lightfoot, D.R. and Butler, D.R. (1987) Recognition and assessment of error in Geographic Information Systems. *Photogrammetric Engineering and Remote Sensing*, 53:10 1423-1430.
- [1002] Wang, H.B. and Sassa, K. (2005) Comparative evaluation of landslide susceptibility in Minamata area, Japan. *Environmental Geology*, 47:7 956-966.
- [1003] Wang, H.B., Sassa, K., Fukuoka, K. and Wang, G.H. (2005) Hazard assessment of landslides triggered by heavy rainfall using Artificial Neural Network and GIS. In: Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (eds.) *Landslide Risk Management*. A.A. Balkema Publishers, 669-674.
- [1004] Wang, S.Q. and Unwin, D.J. (1992) Modelling landslide distribution oh loess sols in China: an investigation. *International Journal of Geographical Information Systems*, 6:5 391-405.
- [1005] Wang, Z., Woolery, E., Shi, B. and Kiefer, J.D. (2003) Communicating with uncertainty: a critical issue with probabilistic seismic hazard analysis. *EOS*, 84:46 501, 506, 508.
- [1006] Ward, T.J., Li, R.M. and Simons, D.B. (1981) Use of a mathematical model for estimating potential landslide sites in steep forested drainage basins. *IAHS Publication 132*: 21-41.
- [1007] Ward, T.J., Li, R.M. and Simons, D.B. (1982) Mapping landslides in forested watersheds. *ASCE Journal Geotechnical Engineering Division*, 8: 319-324.
- [1008] Wasowski, J. (1997) Understanding rainfall-landslide relationships in man-modified environments: a case-history from Caramanico Terme, Italy. *Environmental Geology*, 35:2-3 197-209.
- [1009] Wasowski, J., Del Gaudio, V., Pierri, P. and Capolongo, D. (2002) Factors Controlling Seismic Susceptibility of the Sele Valley Slopes: The Case of the 1980 Irpinia Earthquake Re-Examined. *Surveys in Geophysics*, 23:6 563-593.
- [1010] Wen, B.P. and Aydin, A. (2005) Mechanism of a rainfall-induced slide-debris flow: constraints from microstructure of its slip zone. *Engineering Geology*, 78: 1-2 69-88.
- [1011] Wen, B.P., Han, Z.Y., Wang, S.J., Wang, E.Z. and Zhang, J.M. (2005) Recent landslide disasters in China and lessons learned for landslide risk management. In: Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (eds.) *Landslide Risk Management*. A.A. Balkema Publishers, 427-434.
- [1012] Wentworth, C.M., Graham, S.E., Pike, R.J., Beukelman, G.S., Ramsey, D.W. and Barron, A.D. (1997) Summary Distribution of Slides and Earth Flows in the San Francisco Bay Region, California. *U.S. Geological Survey Open-File Report 97-745 C*, map scales 1:275,000 and 1:125,000.
- [1013] Whalley, W.B. (1984) Rockfalls. In: Brunsden, D. and Prior, D.B. (eds.) *Slope Stability*, Chapter 7, John Wiley & Sons, New York, 217-256.
- [1014] Whalley, W.B., Douglas, G.R. and Jonsson, A. (1983) The magnitude and frequency of large rockslides in Iceland in the postglacial. *Geografiska Annaler*, 65 A:1-2 99-110.
- [1015] Whitehouse, I.E. and Griffiths, G.A. (1983) Frequency and hazard of large rock avalanches in the central Southern Alps, New Zealand. *Geology*, 11: 331-334.
- [1016] Whitman, R.V. (1984) Evaluating calculated risk in geotechnical engineering. *Journal of Geotechnical Engineering*, ASCE, 110:2 145-188.
- [1017] Wieczorek, G.F. (1982) Map Showing Recently Active and Dormant Landslides near La Honda, Central Santa Cruz Mountains, California. *U.S. Geological Survey Miscellaneous Field Studies Map MF-1422*.

- [1018] Wieczorek, G.F. (1984) Preparing a detailed landslide-inventory map for hazard evaluation and reduction. *Bulletin Association Engineering Geologists*, 21:3 337-342.
- [1019] Wieczorek, G.F. (1996) Landslide triggering mechanisms. In: Turner, A.K. and Schuster, R.L. (eds.) *Landslides: Investigation and Mitigation*. Washington, D.C., National Research Council, Transportation Research Board Special Report 247, 76-90.
- [1020] Wieczorek, G.F., Coe, J.A. and Godt, J.W. (2003) Remote sensing of rainfall for debris-flow hazard analysis. In: Rickenmann, D. and Chen, C.-L. (eds.) *Debris-Flow Hazards Mitigation: Mechanics, Prediction, and Assessment. Proceedings of the Third International Conference on Debris-Flow Hazards Mitigation*, Davos, Switzerland, September 10-12. Rotterdam, Millpress.
- [1021] Wieczorek, G.F., Gori, P.L., Campbell, R.H. and Morgan, B.A. (1995) Landslide and debris-flow hazards caused by the June 27, 1995, storm in Madison County, Virginia: includes discussion of mitigation options. *U.S. Geological Survey Open-File Report*, 95-822, 33 p.
- [1022] Wieczorek, G.F., Gori, P.L. and Highland, L.M. (2005) Reducing landslide hazards and risk in the United States: the role of the U.S. Geological Survey. In: Glade, T., Anderson, M.G. and Crozier, M.J. (eds.) *Landslide risk assessment*. John Wiley, 351-375.
- [1023] Wieczorek, G.F., Gori, P.L., Jager, S., Kappel, W.M. and Negussey, D. (1996) Assessment and Management of Landslide Hazards near Tully Valley Landslide, Syracuse, New York, USA. In: Proceedings 7th International Symposium on Landslides, Trondheim. A.A. Balkema Publishers, Rotterdam, 411- 416.
- [1024] Wieczorek, G.F., McWreath, H.C. and Davenport, C. (2002) Remote sensing for landslide Hazard Analysis. *Proceedings 3rd EGS Plinius Conference on Mediterranean Storms*, Baja Sardinia, Italy, 1-3 October, 409-412.
- [1025] Wieczorek, G.F., Morgan, B.A. and Campbell, R.H. (2000) Debris-Flow Hazards in the Blue Ridge of Central Virginia. *Environmental and Engineering Geosciences*, 6:1 3-23.
- [1026] Wieczorek, G.F., Morrissey, M.M., Iovine, G. and Godt, J. (1992) Rock fall hazards in Yosemite Valley. *U.S. Geological Survey Open-File Report*, 92-387.
- [1027] Wieczorek, G.F., Mossa, G.S. and Morgan, B.A. (2004) Regional debris-flow distribution and preliminary risk assessment from severe storm events in the Appalachian Blue Ridge Province, USA. *Landslides*, 1:1 53-59.
- [1028] Wieczorek, G.F. and Snyder, J.B. (2003) Historical Rock Falls in Yosemite National Park, California. *U.S. Geological Survey Open-File Report*, 03-491, 10 p.
- [1029] Wieczorek, G.F., Snyder, J.B., Alger, C.S., and Isaacson, K.A. (1992) Rock falls in Yosemite Valley, California. *U.S. Geological Survey Open-File Report*, 92-0387, 38 p.
- [1030] Wieczorek, G.F., Wilson, R.J. and Harp, E.L. (1985) Map showing slope stability during earthquakes in San Mateo County, California. *U.S. Geological Survey Miscellaneous Investigation*, Map I-1257-E.
- [1031] Wilford, D.J., Sakals, M.E., Innes, J.L., Sidle, R.C. and Bergerud, W.A. (2004) Recognition of debris flow, debris flood and flood hazard through watershed morphometrics. *Landslides*, 1:1 61-66.
- [1032] Wilson, R.A., Moon, A.T., Hendrickx, M. and Stewart, I.E. (2005) Application of quantitative risk assessment to the Lawrence Hargrave Drive Project, New South Wales, Australia. In: Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (eds.) *Landslide Risk Management*. A.A. Balkema Publishers, 589-598.
- [1033] Wilson, R.C. (1993) Predicting earthquake-induced landslide displacements using Newmark's sliding block analysis. *Transportation Research Record*, 1411: 9-17.

- 
- [1034] Wilson, R.C., Wieczorek, G.F., Keefer, D.K., Harp, E.L. and Tannaci, N.E. (1985) Map showing ground failures from the Greenville/Mount Diablo earthquake sequence of January 1980, Northern California. *U.S. Geological Survey Miscellaneous Field Studies Map* 1711.
- [1035] Wise, M.P. (1997) Probabilistic modelling of debris flow travel distance using empirical volumetric relationships. MSc Thesis, University of British Columbia, Vancouver, B.C.
- [1036] Wise, M., Moore, G. and Vandine, D. (eds.) (2004a) Landslide Risk Case Studies in Forest Development Planning and Operations. B.C. Ministry of Forests, Forest Science Program, *Abstract of Land Management Handbook 56*, 130 p.
- [1037] Wise, M., Moore, G. and Vandine, D. (2004b) Chapter 2: Definitions of terms and framework for landslide risk management. Wise *et al.* (eds.) *Landslide Risk Case Studies in Forest Development Planning and Operations*. B.C. Ministry of Forests, Forest Science Program, *Abstract of Land Management Handbook 56*, 5-11.
- [1038] Wold, R.L. Jr. and Jochim, C.L. (1989) Landslide loss reduction – a guide to state and local government planning. United States Federal Emergency Management Agency, *Earthquake Hazards Reduction Series*, 52: 50 p.
- [1039] Wong, H.N. (2005) Landslide risk assessment for individual facilities. In: Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (eds.) *Landslide Risk Management*. A.A. Balkema Publishers, 237-296.
- [1040] Wong, H.N., Ho, K.K.S. and Chan, Y.C. (1997) Assessment of consequences of landslides. In: Cruden, D.M. and Fell, R. (Eds.) *Landslide Risk Assessment*, A.A. Balkema Publisher, Rotterdam, 111-149.
- [1041] Woo, G. (1999) The mathematics of natural catastrophes. Imperial College Press, London, 292 p.
- [1042] WP/WLI - International Geotechnical societies' UNESCO Working Party on World Landslide Inventory (1990) A suggested method for reporting a landslide. *International Association Engineering Geology Bulletin*, 41: 5-12.
- [1043] WP/WLI - International Geotechnical societies' UNESCO Working Party on World Landslide Inventory (1993) A suggested method for describing the activity of a landslide. *International Association Engineering Geology Bulletin*, 47: 53-57.
- [1044] WP/WLI - International Geotechnical societies' UNESCO Working Party on World Landslide Inventory (1995) A suggested method for describing the rate of movement of a landslide. *International Association Engineering Geology Bulletin*, 52: 75-78.
- [1045] WP/WLI - International Geotechnical societies' UNESCO Working Party on World Landslide Inventory (2001) A suggested method for reporting landslide remedial measures. *Bulletin Engineering Geology and the Environment*, 60: 69-74.
- [1046] Wright, R.H. and Nilsen, T.H. (1974) Isopleth map of landslide deposits, southern San Francisco Bay Region, California. *U.S. Geological Survey Miscellaneous Field Studies Map MF-550*, scale 1:250,000.
- [1047] Wright, R.H., Campbell, R.H. and Nilsen, T.H. (1974) Preparation and use of isopleth maps of landslide deposits. *Geology*, 2: 483-485.
- [1048] Wu, W. and Sidle, R.C. (1995) A distributed slope stability model for steep forested basins. *Water Resources Research*, 31: 2097- 2110.
- [1049] Wu, S., Jin, Y., Zhang, Y., Shi, J., Dong, C., Lei, W., Shi, L., Tan, C. and Hu, D. (2004) Investigations and assessment of the landslide hazards of Fengdu county in the reservoir region of the Three Gorges project on the Yangtze River. *Environmental Geology*, 45:4 560-566.
-

- [1050] Wu, S., Shi, L., Wang, R., Tan, C., Hu, D., Mei, Y. and Xu, R. (2001) Zonation of the landslide hazard in the fore reservoir region of the Three Gorges Project on the Yangtze River. *Engineering Geology*, 59: 51-58.
- [1051] Wu, T.H. and Swanston, D.N. (1980) Risk of landslides in shallow soils and its relation to clearcutting in Southeastern Alaska. *Forest Science*, 26:3 495-510.
- [1052] Wu, T.H., Tang, W.H. and Einstein, H.H. (1996) Chapter 6: Landslide Hazard and Risk Assessment. In: Turner, A.K. and Schuster, R.L. (eds.) *Landslides: Investigation and Mitigation*, Special Report 247, Transportation Research Board, National Research Council, Washington, D.C., National Academy Press, 106-118.

**X**

- [1053] Xie, Q.M. and Xia, Y.Y (2004) Systems Theory for Risk Evaluation of Landslide Hazard. *International Journal of Rock Mechanics and Mining Sciences*, 41:3 460-465.
- [1054] Xie, M., Esaki, T., Zhou, G. and Mitani, Y. (2003) Three-dimensional stability evaluation of landslides and a sliding process simulation using a new geographic information systems component. *Environmental Geology*, 43: 503-512.
- [1055] Xie, M., Esaki, T. and Cai, M. (2004) A time-space based approach for mapping rainfall-induced shallow landslide hazard. *Environmental Geology*, 46:6-7 840-850.

**Y**

- [1056] Yesilnacar, E. and Topal, T. (2005) Landslide susceptibility mapping: A comparison of logistic regression and neural networks methods in a medium scale study, Hendek region (Turkey). *Engineering Geology*, 79:3-4 251-266.
- [1057] Yevjevich, V. (1972) Probability and statistics in hydrology. *Water Resources Publications*, Fort Collins, Colorado, 302 p.
- [1058] Yim, K.P., Lau, S.T. and Massey, J.B. (1999) Community Preparedness and Response in Landslide Risk Reduction. *Proceedings of the Seminar on Geotechnical Risk Management in Hong Kong Institution of Engineers*: 145-155.
- [1059] Yin, Y. and Wang, S. (2005) Landslide hazard reduction strategy and action in China. In: Hungr, O., Fell, R., Couture, R. and Eberhardt, E. (eds.) *Landslide Risk Management*. A.A. Balkema Publishers, 423-426.
- [1060] Yin, K.L., Yan, T.Z. (1988) Statistical prediction model for slope instability of metamorphosed rocks. *Proceedings 5th International Symposium on Landslides*, Lausanne, Switzerland, 2: 1269-1272.
- [1061] Yokoi, Y., Carr, J.R. and Watters, R.J. (1995) Fractal character of landslide. *Environmental & Engineering Geoscience*, 1:1 75-81.
- [1062] Yong, R.N., Alonso, E., Tabba, M.M. and Fransham, P.N. (1977) Application of Risk Analysis to the prediction of slope instability. *Canadian Geotechnical Journal*, 14:4 540-553.
- [1063] Yu, Y.F. (2002) Correlations between rainfall, landslide frequency and slope information for registered man-made slopes. Geotechnical Engineering Office, *GEO Report no 144*, 109 p.

**Z**

- [1064] Zadeh, L.A. (1975) The concept of a linguistic variable and its application to approximate reasoning. *Information Science*, 8: 199-249.
- [1065] Zadeh, L.A. (1978) Fuzzy sets as a basis for a theory of possibility. *Fuzzy Sets and Systems*, 1: 3-28.

- 
- [1066] Zadeh, L.A. (1983) The role of fuzzy logic in the management of uncertainty in expert systems. *Fuzzy Sets and Systems*, 11: 199-227.
- [1067] Zadeh, L.A. (1984) Fuzzy probabilities. *Information Processing and Management*, 19: 148-153.
- [1068] Záruba, Q. and Mencl, V. (1969) Landslides and their control. New York, Elsevier, 205 p.
- [1069] Zêzere, J.L. (2002) Landslide susceptibility assessment considering landslide typology. A case study in the area north of Lisbon (Portugal). *Natural Hazards and Earth System Sciences*, 2: 73-82.
- [1070] Zêzere, J.L., de Brum Ferreira, A. and Rodrigues, M.L. (1999) The role of conditioning and triggering factors in the occurrence of landslides: a case study in the area north of Lisbon (Portugal). *Geomorphology*, 30:1-2 133-146.
- [1071] Zêzere, J.L., de Brum Ferreira, A. and Rodrigues, M.L. (1999) Landslides in the North of Lisbon Region (Portugal): Conditioning and Triggering Factors. *Physics and Chemistry of the Earth*, 24:10 925-934.
- [1072] Zhou, C.H., Lee, C.F., Li, J. and Xu, Z.W. (2002) On the spatial relationship between landslides and causative factors on Lantau Island, Hong Kong. *Geomorphology*, 43:3-4 197-207.
- [1073] Zhou, G., Esaki, T., Mitani, Y., Xie, M. and Mori, J. (2003) Spatial probabilistic modeling of slope failure using an integrated GIS Monte Carlo simulation approach. *Engineering Geology*, 68:3-4 373-386.
- [1074] Zimelman, D., Watters, R.J., Bowman, S. and Firth, I. (2003) Quantifying hazard and risk assessment at active volcanoes. *Eos*, 84:23 213, 216-217.
- [1075] Zimmerman, M., Bichsel, M. and Kienholz, H. (1986) Mountain hazards mapping in the Khumbu Himal, Nepal, with prototype map, scale 1:50,000. *Mountain Research and Development*, 6:1 29-40.
- [1076] Zinck, J.A., López, J., Metternicht, G.I., Shrestha, D.P. and Vázquez-Selem, L. (2001) Mapping and modelling mass movements and gullies in mountainous areas using remote sensing and GIS techniques. *International Journal of Applied Earth Observation and Geoinformation*, 3:1 43-53.
- [1077] Zischinsky, U. (1969) Uber sackungen. *Rock Mechanics*, 1: 30-52.